
ICD-10 Code Analysis Report for Radiologists

Filing Date Range: 5/1/14 to 5/1/15



• ICD-10: D02.20 - CARCINOMA IN SITU OF UNSPECIFIED BRONCHUS AND LUNG

Ratio	ICD-9 Codes Percentage	
1:1 Exact	241	31.5%
1:1	133	17.4%
1:2	99	12.9%
1:3	89	11.6%
1:4	49	6.4%
1:6	28	3.7%
1:5	20	2.6%
1:8	15	2%
1:7	13	1.7%
1:9	11	1.4%
1:12	9	1.2%
1:13	7	0.9%
1:15	5	0.7%
No Match	4	0.5%
1:26	3	0.4%
1:21	3	0.4%
1:54	2	0.3%
1:39	2	0.3%
1:33	2	0.3%
1:24	2	0.3%
1:19	2	0.3%
1:16	2	0.3%
1:14	2	0.3%
1:10	2	0.3%
1:190	1	0.1%
1:180	1	0.1%
1:179	1	0.1%
1:104	1	0.1%
1:95	1	0.1%
1:84	1	0.1%
1:63	1	0.1%
1:51	1	0.1%
1:48	1	0.1%
1:45	1	0.1%
1:42	1	0.1%
1:32	1	0.1%
1:31	1	0.1%
1:29	1	0.1%
1:28	1	0.1%
1:27	1	0.1%
1:25	1	0.1%
1:18	1	0.1%
1:17	1	0.1%
1:2 Combo	1	0.1%
Total:	765	100%
I Otal.	700	100 /0

ICD-9 List Ordered By Claim Volume

Claims: 841	786.2 COUGH		Ratio: 1:1 Exact
• ICD-10:	05 - COUGH		
Claims: 617	174.9 MALIGNANT NEOPLASM OF FE	EMALE BREAST, UNSPECIFIED	Ratio: 1:3
• ICD-10:	50.911 - MALIGNANT NEOPLASM OF UNSPECIFI 50.912 - MALIGNANT NEOPLASM OF UNSPECIFI 50.919 - MALIGNANT NEOPLASM OF UNSPECIFI	IED SITE OF LEFT FEMALE BREAST	
Claims: 552	401.1 ESSENTIAL HYPERTENSION BI	ENIGN	Ratio: 1:1
• ICD-10:	0 - ESSENTIAL (PRIMARY) HYPERTENSION		
Claims: 536	719.47 PAIN IN JOINT ANKLE AND FO	ОТ	Ratio: 1:3
• ICD-10:	125.571 - PAIN IN RIGHT ANKLE AND JOINTS OF 125.572 - PAIN IN LEFT ANKLE AND JOINTS OF L 125.579 - PAIN IN UNSPECIFIED ANKLE AND JOIN	LEFT FOOT	
Claims: 465	719.46 PAIN IN JOINT LOWER LEG		Ratio: 1:3
• ICD-10:	125.561 - PAIN IN RIGHT KNEE 125.562 - PAIN IN LEFT KNEE 125.569 - PAIN IN UNSPECIFIED KNEE		
Claims: 445	585.9 CHRONIC KIDNEY DISEASE, U	INSPECIFIED	Ratio: 1:1 Exact
• ICD-10:	18.9 - CHRONIC KIDNEY DISEASE, UNSPECIFIED	:D	
Claims: 434	231.2 CARCINOMA IN SITU OF BRON	NCHUS AND LUNG	Ratio: 1:3

· ICD-10: D02.21 - CARCINOMA IN SITU OF RIGHT BRONCHUS AND LUNG

```
· ICD-10: D02.22 - CARCINOMA IN SITU OF LEFT BRONCHUS AND LUNG
                                        789.00 ABDOMINAL PAIN UNSPECIFIED SITE
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:2

    ICD-10: R10.0 - ACUTE ABDOMEN
    ICD-10: R10.9 - UNSPECIFIED ABDOMINAL PAIN

Claims: 424
                                        724.2 LUMBAGO
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
           · ICD-10: M54.5 - LOW BACK PAIN
Claims: 373
                                        585.3 CHRONIC KIDNEY DISEASE, STAGE III (MODERATE)
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
           • ICD-10: N18.3 - CHRONIC KIDNEY DISEASE, STAGE 3 (MODERATE)
Claims: 368
                                      786.50 CHEST PAIN, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
           · ICD-10: R07.9 - CHEST PAIN, UNSPECIFIED
Claims: 356
                                       V76.12 SPECIAL SCREENING FOR MALIGNANT NEOPLASMS OTHER SCREENING MAMMOGRAM
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1
           • ICD-10: Z12.31 - ENCOUNTER FOR SCREENING MAMMOGRAM FOR MALIGNANT NEOPLASM OF BREAST
Claims: 353
                                                          PAIN IN LIMB
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:31
                                       729.5
              ICD-10: M79.601 - PAIN IN RIGHT ARM
ICD-10: M79.601 - PAIN IN RIGHT ARM
ICD-10: M79.602 - PAIN IN LEFT ARM
ICD-10: M79.603 - PAIN IN LEFT LEG
ICD-10: M79.604 - PAIN IN RIGHT LEG
ICD-10: M79.605 - PAIN IN LEFT LEG
ICD-10: M79.606 - PAIN IN LEG LIMB PER ARM
ICD-10: M79.609 - PAIN IN LIMB LEG LIMB ICD-10: M79.609 - PAIN IN LIMB LEG LIMB ICD-10: M79.622 - PAIN IN LEFT LIMB ICD-10: M79.622 - PAIN IN LEFT UPPER ARM
ICD-10: M79.622 - PAIN IN LEFT UPPER ARM
ICD-10: M79.632 - PAIN IN RIGHT POREARM
ICD-10: M79.631 - PAIN IN RIGHT FOREARM
ICD-10: M79.632 - PAIN IN LEFT FOREARM
ICD-10: M79.639 - PAIN IN UNSPECIFIED FOREARM
ICD-10: M79.639 - PAIN IN UNSPECIFIED ICD-10: M79.642 - PAIN IN LEFT HAND
ICD-10: M79.642 - PAIN IN LEFT HAND
ICD-10: M79.643 - PAIN IN UNSPECIFIED HAND
               ICD-10: M79.642 - PAIN IN LEFT HAND
ICD-10: M79.643 - PAIN IN UNSPECIFIED HAND
ICD-10: M79.644 - PAIN IN UNSPECIFIED HAND
ICD-10: M79.645 - PAIN IN LEFT FINGER(S)
ICD-10: M79.646 - PAIN IN UNSPECIFIED FINGER(S)
ICD-10: M79.651 - PAIN IN RIGHT THIGH
ICD-10: M79.652 - PAIN IN LEFT THIGH
ICD-10: M79.659 - PAIN IN UNSPECIFIED HIGH
ICD-10: M79.661 - PAIN IN RIGHT LOWER LEG
              ICD-10: M79.661 - PAIN IN RIGHT LOWER LEG
ICD-10: M79.662 - PAIN IN LEFT LOWER LEG
ICD-10: M79.669 - PAIN IN UNSPECIFIED LOWER LEG
ICD-10: M79.671 - PAIN IN RIGHT FOOT
ICD-10: M79.672 - PAIN IN LEFT FOOT
ICD-10: M79.673 - PAIN IN UNSPECIFIED FOOT
ICD-10: M79.674 - PAIN IN RIGHT TOE(S)
ICD-10: M79.675 - PAIN IN LEFT TOE(S)
ICD-10: M79.676 - PAIN IN UNSPECIFIED TOE(S)
                                       719.41 PAIN IN JOINT SHOULDER REGION
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:3

    ICD-10: M25.511 - PAIN IN RIGHT SHOULDER
    ICD-10: M25.512 - PAIN IN LEFT SHOULDER
    ICD-10: M25.519 - PAIN IN UNSPECIFIED SHOULDER

Claims: 287
                                       719.45 PAIN IN JOINT PELVIC REGION AND THIGH
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:3
               ICD-10: M25.551 - PAIN IN RIGHT HIP
ICD-10: M25.552 - PAIN IN LEFT HIP
ICD-10: M25.559 - PAIN IN UNSPECIFIED HIP
                                         440.1 ATHEROSCLEROSIS OF RENAL ARTERY
                                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
           · ICD-10: I70.1 - ATHEROSCLEROSIS OF RENAL ARTERY
Claims: 267
                                        786.9 SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND CHEST OTHER
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1
           · ICD-10: R06.89 - OTHER ABNORMALITIES OF BREATHING
Claims: 263
                                         786.05 SHORTNESS OF BREATH
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
           . ICD-10: R06.02 - SHORTNESS OF BREATH
Claims: 255
                                         154.0 MALIGNANT NEOPLASM OF RECTOSIGMOID JUNCTION
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
           • ICD-10: C19 - MALIGNANT NEOPLASM OF RECTOSIGMOID JUNCTION
Claims: 245
                                        723.1 CERVICALGIA
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
           · ICD-10: M54.2 - CERVICALGIA
Claims: 231
                                       202.80 OTHER MALIGNANT LYMPHOMAS UNSPECIFIED SITE
                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:17
             IS: 231 ZUC.80 OTHER MALIGNANT LYMPHOMAS UNSPECIFIED SITE

ICD-10: C82.50 - DIFFUSE FOLLICLE CENTER LYMPHOMA, UNSPECIFIED SITE

ICD-10: C82.50 - DIFFUSE FOLLICLE CENTER LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C84.90 - MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, UNSPECIFIED SITE

ICD-10: C84.90 - MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C84.40 - CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C84.40 - CUTANEOUS T-CELL LYMPHOMA, UNSPECIFIED, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C84.20 - OTHER MATURE T/NK-CELL LYMPHOMAS, UNSPECIFIED SITE

ICD-10: C84.20 - OTHER MATURE T/NK-CELL LYMPHOMAS, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C85.10 - UNSPECIFIED B-CELL LYMPHOMA, UNSPECIFIED SITE

ICD-10: C85.10 - UNSPECIFIED B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C85.20 - MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, UNSPECIFIED SITE

ICD-10: C85.20 - MEDIASTINAL (THYMIC) LARGE B-CELL LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES

ICD-10: C85.20 - OTHER SPECIFIED TYPES OF NON-HODGKIN LYMPHOMA, UNSPECIFIED SITE

ICD-10: C85.20 - MOHONDSKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE

ICD-10: C85.20 - MOHONDGKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE

ICD-10: C85.20 - NON-HODGKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE

ICD-10: C85.20 - NON-HODGKIN LYMPHOMA, UNSPECIFIED, UNSPECIFIED SITE

ICD-10: C86.4 - BLASTIC NK-CELL LYMPHOMA
```

```
Claims: 220
                                                                                            719.44 PAIN IN JOINT HAND
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
                        • ICD-10: M79.643 - PAIN IN UNSPECIFIED HAND • ICD-10: M79.646 - PAIN IN UNSPECIFIED FINGER(S)
Claims: 188
                                                                                                                                 BACKACHE, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
                                    ICD-10: M54.89 - OTHER DORSALGIA
                         · ICD-10: M54.9 - DORSALGIA, UNSPECIFIED
Claims: 180
                                                                                            793.11 SOLITARY PULMONARY NODULE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
                           · ICD-10: R91.1 - SOLITARY PULMONARY NODULE
Claims: 174
                                                                                            719.43 PAIN IN JOINT FOREARM
                                  ICD-10: M25.531 - PAIN IN RIGHT WRIST ICD-10: M25.532 - PAIN IN LEFT WRIST ICD-10: M25.539 - PAIN IN UNSPECIFIED WRIST
                                                                                           241.0 NONTOXIC UNINODULAR GOITER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1
                         . ICD-10: E04.1 - NONTOXIC SINGLE THYROID NODULE
                            ** IED-16: 586 007.** INJURY, KNEE, LEG, ANKLE, AND FOOT

*** IED-16: 586 007.** INJURY, KNEE, LEG, ANKLE, AND FOOT

*** IED-16: 586 007.** INJURY, KNEE, LEG, ANKLE, AND FOOT

*** IED-16: 586 007.** INJURY, KNEE, LEG, ANKLE, AND FOOT

*** IED-16: 586 007.** INJURY, KNEE, LEG, ANKLE, AND FOOT

*** IED-16: 586 007.** INJURY OF RIGHT ACHILLES TENDON, INITIAL ENCOUNTER

*** IED-16: 586 007.** OTHER SPECIFIED INJURY OF LEFT ACHILLES TENDON, INITIAL ENCOUNTER

*** IED-16: 586 007.** OTHER SPECIFIED INJURY OF LEFT ACHILLES TENDON, INITIAL ENCOUNTER

*** IED-16: 586 007.** OTHER SPECIFIED INJURY OF LEFT ACHILLES TENDON, INITIAL ENCOUNTER

*** IED-16: 586 007.** OTHER SPECIFIED INJURY OF LEFT ACHILLES TENDON, INITIAL ENCOUNTER

*** IED-16: 586 007.** OTHER SPECIFIED INJURY OF LEFT ACHILLES TENDON, INITIAL ENCOUNTER

*** IED-16: 586 007.** OTHER SPECIFIED INJURY OF OTHER MUSCLESS AND TENDONS) OF POSTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, LIPSCHEED LEG, INITIAL ENCOUNTER

*** IED-16: 586 107.** UNSPECIFIED INJURY OF OTHER MUSCLESS AND TENDONS) OF POSTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, LIPSCHEED LEG, INITIAL ENCOUNTER

*** IED-16: 586 107.** OTHER MUSCLESS AND TENDONS) OF POSTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, LIPSCHEED LEG, INITIAL ENCOUNTER

*** IED-16: 586 107.** OTHER MUSCLESS AND TENDONS) OF POSTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, RIGHT LEG, INITIAL ENCOUNTER

*** IED-16: 586 207.** UNSPECIFIED INJURY OF OTHER MUSCLESS AND TENDONS) OF POSTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, RIGHT LEG, INITIAL ENCOUNTER

*** IED-16: 586 207.** UNSPECIFIED INJURY OF OTHER MUSCLESS AND TENDONS) OF POSTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, RIGHT LEG, INITIAL ENCOUNTER

*** IED-16: 586 207.** UNSPECIFIED INJURY OF OTHER MUSCLESS AND TENDONS) OF PARTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, RIGHT LEG, INITIAL ENCOUNTER

*** IED-16: 586 207.** UNSPECIFIED INJURY OF MUSCLESS AND TENDONS) OF PARTERIOR MUSCLE GROUP AT LOWER LEG LEVEL, RIGHT LEG, INITIAL ENCOUNTER

*** IED-16: 586 207.** OTHER MUSCLESS AND TENDONS) OF PARTERIOR MUSCL
Claims: 150
                                                                                           959 7
                                                                                                                                    INJURY, KNEE, LEG, ANKLE, AND FOOT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Ratio: 1:84
                               ICD-10: S96.199A - OTHER SPECIFIED INJURY OF MUSCLE AND TENDON OF LONG EXTENSOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, UNSPECIFIED FOOT, INITENCOUNTER
ICD-10: S96.201A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: S96.202A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: S96.202A - OTHER SPECIFIED INJURY OF INTRINSIC MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: S96.202A - OTHER SPECIFIED INJURY OF INTRINSIC MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: S96.202A - OTHER SPECIFIED INJURY OF INTRINSIC MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: S96.202A - OTHER SPECIFIED INJURY OF INTRINSIC MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: S96.202A - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDON AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: S96.801A - UNSPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: S96.803A - UNSPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL, LISTED FOOT, INITIAL ENCOUNTER
ICD-10: S96.803A - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: S96.803A - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: S96.803A - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL, LISTED FOOT, INITIAL ENCOUNTER
ICD-10: S96.803A - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL, LISTED FOOT, INITIAL ENCOUNTER
ICD-10: S96.803A - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES AND TENDON AT ANKLE AND FOOT LEVEL, LISTED FOOT, INITIAL ENCOUNTER
ICD-10: S96.903A - OTHER SPECIFIED INJURY OF UNSPECIF
                                  ICD-10: $99.821A - OTHER SPECIFIED INJURIES OF RIGHT FOOT, INITIAL ENCOUNTER ICD-10: $99.829A - OTHER SPECIFIED INJURIES OF LEFT FOOT, INITIAL ENCOUNTER ICD-10: $99.829A - OTHER SPECIFIED INJURIES OF UNSPECIFIED FOOT, INITIAL ENCOUNTER ICD-10: $99.911A - UNSPECIFIED INJURY OF RIGHT ANKLE, INITIAL ENCOUNTER ICD-10: $99.912A - UNSPECIFIED INJURY OF LEFT ANKLE, INITIAL ENCOUNTER ICD-10: $99.914A - UNSPECIFIED INJURY OF UNSPECIFIED ANKLE, INITIAL ENCOUNTER ICD-10: $99.921A - UNSPECIFIED INJURY OF RIGHT FOOT, INITIAL ENCOUNTER ICD-10: $99.922A - UNSPECIFIED INJURY OF UNSPECIFIED FOOT, INITIAL ENCOUNTER ICD-10: $99.922A - UNSPECIFIED INJURY OF UNSPECIFIED FOOT, INITIAL ENCOUNTER
```

aims: 108 719.42 PAIN IN JOINT UPPER ARM	Ratio: 1:3
• ICD-10: M25.521 - PAIN IN RIGHT ELBOW	radio. no
• ICD-10: M25.522 - PAIN IN LEFT ELBOW • ICD-10: M25.529 - PAIN IN UNSPECIFIED ELBOW	
aims: 106 585.2 CHRONIC KIDNEY DISEASE, STAGE II (MILD) • ICD-10: N18.2 - CHRONIC KIDNEY DISEASE, STAGE 2 (MILD)	Ratio: 1:1 Exact
aims: 106 729.81 SWELLING OF LIMB	Ratio: 1:1
• ICD-10: M79.89 - OTHER SPECIFIED SOFT TISSUE DISORDERS	Natio. 1.1
sims: 98 715.96 OSTEOARTHROSIS. UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED LOWER LEG	Ratio: 1:1
• ICD-10: M17.9 - OSTEOARTHRITIS OF KNEE, UNSPECIFIED	
aims: 96 786.07 WHEEZING	Ratio: 1:1 Exact
• ICD-10: R06.2 - WHEEZING	
aims: 95 V72.82 PREOPERATIVE RESPIRATORY EXAMINATION	Ratio: 1:1 Exact
ICD-10: Z01.811 - ENCOUNTER FOR PREPROCEDURAL RESPIRATORY EXAMINATION	
aims: 95 786.09 DYSPNEA AND RESPIRATORY ABNORMALITIES OTHER	Ratio: 1:5
ICD-10: R06.00 - DYSPNEA, UNSPECIFIED ICD-10: R06.09 - OTHER FORMS OF DYSPNEA ICD-10: R06.3 - PERIODIC BREATHING ICD-10: R06.3 - SNORING ICD-10: R06.83 - SNORING ICD-10: R06.83 - OTHER ABNORMALITIES OF BREATHING	
aims: 94 592.0 CALCULUS OF KIDNEY	Ratio: 1:2
• ICD-10: N20.0 - CALCULUS OF KIDNEY • ICD-10: N20.2 - CALCULUS OF KIDNEY WITH CALCULUS OF URETER	
nims: 93 571.8 CHRONIC NONALCOHOLIC LIVER DISEASE OTHER	Ratio: 1:3
ICD-10: K75.81 - NONALCOHOLIC STEATOHEPATITIS (NASH) ICD-10: K76.0 - FATTY (CHANGE OF) LIVER, NOT ELSEWHERE CLASSIFIED ICD-10: K76.89 - OTHER SPECIFIED DISEASES OF LIVER	
aims: 88 733.00 OSTEOPOROSIS, UNSPECIFIED	Ratio: 1:1
• ICD-10: M81.0 - AGE-RELATED OSTEOPOROSIS WITHOUT CURRENT PATHOLOGICAL FRACTURE	
nims: 87 785.6 ENLARGEMENT OF LYMPH NODES	Ratio: 1:3
ICD-10: R59.0 - LOCALIZED ENLARGED LYMPH NODES ICD-10: R59.1 - GENERALIZED ENLARGED LYMPH NODES ICD-10: R59.9 - ENLARGED LYMPH NODES, UNSPECIFIED	
aims: 82 780.60 FEVER, UNSPECIFIED	Ratio: 1:2
• ICD-10: R50.2 - DRUG INDUCED FEVER • ICD-10: R50.9 - FEVER, UNSPECIFIED	
aims: 82 486 PNEUMONIA, ORGANISM UNSPECIFIED	Ratio: 1:2
ICD-10: J18.8 - OTHER PNEUMONIA, UNSPECIFIED ORGANISM ICD-10: J18.9 - PNEUMONIA, UNSPECIFIED ORGANISM	
aims: 79 959.5 INJURY, FINGER	Ratio: 1:6
ICD-10: S69.80XA - OTHER SPECIFIED INJURIES OF UNSPECIFIED WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER ICD-10: S69.81XA - OTHER SPECIFIED INJURIES OF RIGHT WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER ICD-10: S69.82XA - OTHER SPECIFIED INJURIES OF LEFT WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER ICD-10: S69.90XA - UNSPECIFIED INJURY OF UNSPECIFIED WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER ICD-10: S69.91XA - UNSPECIFIED INJURY OF RIGHT WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER ICD-10: S69.92XA - UNSPECIFIED INJURY OF LEFT WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER	
aims: 77 585.4 CHRONIC KIDNEY DISEASE, STAGE IV (SEVERE)	Ratio: 1:1 Exact
• ICD-10: N18.4 - CHRONIC KIDNEY DISEASE, STAGE 4 (SEVERE)	
aims: 70 783.21 ABNORMAL LOSS OF WEIGHT	Ratio: 1:1 Exact
• ICD-10: R63.4 - ABNORMAL WEIGHT LOSS	
ims: 69 185 MALIGNANT NEOPLASM OF PROSTATE	Ratio: 1:1 Exact
• ICD-10: C61 - MALIGNANT NEOPLASM OF PROSTATE	
aims: 67 564.00 CONSTIPATION, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: K59.00 - CONSTIPATION, UNSPECIFIED	
sims: 66 717.9 INTERNAL DERANGEMENT OF KNEE UNSPECIFIED	Ratio: 1:6
ICD-10: M22.90 - UNSPECIFIED DISORDER OF PATELLA, UNSPECIFIED KNEE ICD-10: M22.91 - UNSPECIFIED DISORDER OF PATELLA, RIGHT KNEE ICD-10: M22.92 - UNSPECIFIED DISORDER OF PATELLA, LEFT KNEE ICD-10: M23.90 - UNSPECIFIED INTERNAL DERANGEMENT OF UNSPECIFIED KNEE ICD-10: M23.91 - UNSPECIFIED INTERNAL DERANGEMENT OF RIGHT KNEE ICD-10: M23.92 - UNSPECIFIED INTERNAL DERANGEMENT OF RIGHT KNEE	
aims: 66 593.2 CYST OF KIDNEY, ACQUIRED	Ratio: 1:1 Exact
• ICD-10: N28.1 - CYST OF KIDNEY, ACQUIRED	
	Ratio: 1:1
	Ratio: 1:1

```
ICD-10: R22.1 - LOCALIZED SWELLING, MASS AND LUMP, NECK
            • ICD-10: R90.0 - INTRACRANIAL SPACE-OCCUPYING LESION FOUND ON DIAGNOSTIC IMAGING OF CENTRAL NERVOUS SYSTEM
                                             737.43 SCOLIOSIS ASSOCIATED WITH OTHER CONDITIONS
                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:15
                 ICD-10: M41.40 - NEUROMUSCULAR SCOLIOSIS, SITE UNSPECIFIED ICD-10: M41.41 - NEUROMUSCULAR SCOLIOSIS, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M41.42 - NEUROMUSCULAR SCOLIOSIS, CERVICAL REGION ICD-10: M41.43 - NEUROMUSCULAR SCOLIOSIS, CERVICOTHORACIC REGION ICD-10: M41.44 - NEUROMUSCULAR SCOLIOSIS, THORACIC REGION ICD-10: M41.45 - NEUROMUSCULAR SCOLIOSIS, THORACOLUMBAR REGION ICD-10: M41.45 - NEUROMUSCULAR SCOLIOSIS, THORACOLUMBAR REGION

    ICD-10: M41.45 - NEUROMUSCULAR SCOLIOSIS, THORACOLUMBAR REGION ICD-10: M41.46 - NEUROMUSCULAR SCOLIOSIS, LUMBAR REGION ICD-10: M41.47 - NEUROMUSCULAR SCOLIOSIS, LUMBAR REGION ICD-10: M41.51 - OTHER SECONDARY SCOLIOSIS, SITE UNSPECIFIED ICD-10: M41.52 - OTHER SECONDARY SCOLIOSIS, CERVICAL REGION ICD-10: M41.53 - OTHER SECONDARY SCOLIOSIS, CERVICAL REGION ICD-10: M41.54 - OTHER SECONDARY SCOLIOSIS, THORACIC REGION ICD-10: M41.55 - OTHER SECONDARY SCOLIOSIS, THORACIC REGION ICD-10: M41.55 - OTHER SECONDARY SCOLIOSIS, THORACOLUMBAR REGION ICD-10: M41.56 - OTHER SECONDARY SCOLIOSIS, LUMBAR REGION ICD-10: M41.57 - OTHER SECONDARY SCOLIOSIS, LUMBAR REGION
Claims: 56
                                            784.0 HEADACHE
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:2
            • ICD-10: G44.1 - VASCULAR HEADACHE, NOT ELSEWHERE CLASSIFIED • ICD-10: R51 - HEADACHE
Claims: 56
                                            719.07 EFFUSION OF JOINT ANKLE AND FOOT
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:6

    ICD-10: M25.471 - EFFUSION, RIGHT ANKLE
    ICD-10: M25.472 - EFFUSION, LEFT ANKLE
    ICD-10: M25.473 - EFFUSION, UNSPECIFIED ANKLE
    ICD-10: M25.474 - EFFUSION, RIGHT FOOT
    ICD-10: M25.475 - EFFUSION, LEFT FOOT
    ICD-10: M25.476 - EFFUSION, UNSPECIFIED FOOT

                                              789.09 ABDOMINAL PAIN OTHER SPECIFIED SITE
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:3

    ICD-10: R10.10 - UPPER ABDOMINAL PAIN, UNSPECIFIED
    ICD-10: R10.2 - PELVIC AND PERINEAL PAIN
    ICD-10: R10.30 - LOWER ABDOMINAL PAIN, UNSPECIFIED

                                              493.90 ASTHMA, UNSPECIFIED UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:2
            • ICD-10: J45.909 - UNSPECIFIED ASTHMA, UNCOMPLICATED • ICD-10: J45.998 - OTHER ASTHMA
Claims: 52
                                             782.3 EDEMA
                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:3

ICD-10: R60.0 - LOCALIZED EDEMA
ICD-10: R60.1 - GENERALIZED EDEMA
ICD-10: R60.9 - EDEMA, UNSPECIFIED

Claims: 51
                                             285.9 ANEMIA, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1 Exact
            · ICD-10: D64.9 - ANEMIA, UNSPECIFIED
Claims: 51
                                             726.73 CALCANEAL SPUR
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:3

    ICD-10: M77.30 - CALCANEAL SPUR, UNSPECIFIED FOOT
    ICD-10: M77.31 - CALCANEAL SPUR, RIGHT FOOT
    ICD-10: M77.32 - CALCANEAL SPUR, LEFT FOOT

                                              753.10 CONGENITAL ANOMALY, CYSTIC KIDNEY DISEASE, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:2
            • ICD-10: Q61.00 - CONGENITAL RENAL CYST, UNSPECIFIED • ICD-10: Q61.9 - CYSTIC KIDNEY DISEASE, UNSPECIFIED
Claims: 50
                                             787.02 NAUSEA ALONE
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
            . ICD-10: R11.0 - NAUSEA
Claims: 49
                                             786.6 SWELLING, MASS, OR LUMP IN CHEST
                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1
            · ICD-10: R22.2 - LOCALIZED SWELLING, MASS AND LUMP, TRUNK
Claims: 47
                                            789.03 ABDOMINAL PAIN RIGHT LOWER QUADRANT
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
            . ICD-10: R10.31 - RIGHT LOWER QUADRANT PAIN
                                            244.1 OTHER POSTABLATIVE HYPOTHYROIDISM
Claims: 46
                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1
             • ICD-10: E89.0 - POSTPROCEDURAL HYPOTHYROIDISM
Claims: 46
               ISS. 46 959.3 INJURY, ELBOW, FOREARM, AND WRIST

ICD-10: $56.001A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.002A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF LETT THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.009A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.091A - OTHER INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.091A - OTHER INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.099A - OTHER INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.099A - OTHER INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.102A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.102A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT MIDDLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT MIDDLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT MIDDLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT RING FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT RING FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT RING FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT RINGER AT FOREARM LEVEL, INITIAL ENCOUNTER ICD-10: $56.103A - UNSPECIFIED INJURY OF FLEXOR MUSCLE, FASCIA AND TENDON OF R
                                             959.3 INJURY, ELBOW, FOREARM, AND WRIST
                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:179
```

```
- 20.00 188.00. OHRS HARDY OF STEEN EDGN HEIGHE FASIS AND TROPOS AT POSSESS LEVEL, NEW AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF THE POSSESS LEVEL SHOWS AND THAN BOOLDTEE.

- 20.00 18.00 AM OF
```

```
• ICD-10: S86 500A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 501A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 502A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT MIDDLE FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 502A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT MIDDLE FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 504A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT RING FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 504A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF LEFT RING FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 504A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF LEFT RING FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 507A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF LEFT RING FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF OUTPUT LEFT RINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - UNSPECIFIED INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF UNSPECIFIED FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - OUTPUT RINJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF UNSPECIFIED FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - OTHER INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - OTHER INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - OTHER INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT WRIST AND HAND LEVEL, INITIAL ENCOUNTER 10D-10: S86 509A - OTHER INJURY OF INTRINSIC MUSCLE, FASCIA AND TENDON OF THE FINGE
Claims: 45
                                                    BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC
                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
         · ICD-10: J40 - BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC
Claims: 44
                                 789.06 ABDOMINAL PAIN EPIGASTRIC
                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
         · ICD-10: R10.13 - EPIGASTRIC PAIN
Claims: 43
                                  782.0 DISTURBANCE OF SKIN SENSATION
                                                                                                                                                                                                                                                                                                         Ratio: 1:6

    ICD-10: R20.0 - ANESTHESIA OF SKIN
    ICD-10: R20.1 - HYPOESTHESIA OF SKIN
    ICD-10: R20.2 - PARESTHESIA OF SKIN
    ICD-10: R20.3 - HYPERESTHESIA
    ICD-10: R20.8 - OTHER DISTURBANCES OF SKIN SENSATION
    ICD-10: R20.9 - UNSPECIFIED DISTURBANCES OF SKIN SENSATION
                                                 MALIGNANT NEOPLASM OF OVAR
                                                                                                                                                                                                                                                                                                         Ratio: 1:3

    ICD-10: C56.1 - MALIGNANT NEOPLASM OF RIGHT OVARY
    ICD-10: C56.2 - MALIGNANT NEOPLASM OF LEFT OVARY
    ICD-10: C56.9 - MALIGNANT NEOPLASM OF UNSPECIFIED OVARY

                                   287.5 THROMBOCYTOPENIA, UNSPECIFIED
                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
         • ICD-10: D69.6 - THROMBOCYTOPENIA, UNSPECIFIED
Claims: 38
                                  076.0 TRACHOMA INITIAL STAGE
                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
         . ICD-10: A71.0 - INITIAL STAGE OF TRACHOMA
Claims: 38
                                                                                                                                                                                                                                                                                                         Ratio: 1:2
                                   786.59 CHEST PAIN OTHER
         • ICD-10: R07.82 - INTERCOSTAL PAIN • ICD-10: R07.89 - OTHER CHEST PAIN
                                   238.2 NEOPLASM OF UNCERTAIN BEHAVIOR OF SKIN
         · ICD-10: D48.5 - NEOPLASM OF UNCERTAIN BEHAVIOR OF SKIN
Claims: 36
                                   790.5 NONSPECIFIC ABNORMAL SERUM ENZYME LEVELS OTHER
                                                                                                                                                                                                                                                                                                         Ratio: 1:2
         • ICD-10: R74.8 - ABNORMAL LEVELS OF OTHER SERUM ENZYMES
• ICD-10: R74.9 - ABNORMAL SERUM ENZYME LEVEL, UNSPECIFIED
Claims: 36
                                  599.70 HEMATURIA, UNSPECIFIED
                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
         · ICD-10: R31.9 - HEMATURIA, UNSPECIFIED
Claims: 35
                                   189.0 MALIGNANT NEOPLASM OF KIDNEY, EXCEPT PELVIS
                                                                                                                                                                                                                                                                                                         Ratio: 1:3
              ICD-10: C64.1 - MALIGNANT NEOPLASM OF RIGHT KIDNEY, EXCEPT RENAL PELVIS ICD-10: C64.2 - MALIGNANT NEOPLASM OF LEFT KIDNEY, EXCEPT RENAL PELVIS
         • ICD-10: C64.9 - MALIGNANT NEOPLASM OF UNSPECIFIED KIDNEY, EXCEPT RENAL PELVIS
Claims: 35
                                  401.9 ESSENTIAL HYPERTENSION UNSPECIFIED
                                                                                                                                                                                                                                                                                                         Ratio: 1:1
         · ICD-10: I10 - ESSENTIAL (PRIMARY) HYPERTENSION
                                   733.90 DISORDER OF BONE AND CARTILAGE, UNSPECIFIED
Claims: 34
                                                                                                                                                                                                                                                                                                         Ratio: 1:3

    ICD-10: M85.9 - DISORDER OF BONE DENSITY AND STRUCTURE, UNSPECIFIED
    ICD-10: M89.9 - DISORDER OF BONE, UNSPECIFIED
    ICD-10: M94.9 - DISORDER OF CARTILAGE, UNSPECIFIED

Claims: 33
                                                  ACUTE RENAL FAILURE, UNSPECIFIED
                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
         . ICD-10: N17.9 - ACUTE KIDNEY FAILURE, UNSPECIFIED
                                 241.9 NONTOXIC NODULAR GOITER UNSPECIFIED
Claims: 32
                                                                                                                                                                                                                                                                                                         Ratio: 1:2
         · ICD-10: E04.8 - OTHER SPECIFIED NONTOXIC GOITER
```

· ICD-10: E04.9 - NONTOXIC GOITER, UNSPECIFIED

```
Claims: 32
                                                        724.1 PAIN IN THORACIC SPINE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
               · ICD-10: M54.6 - PAIN IN THORACIC SPINE
Claims: 30
                                                       473.9 SINUSITIS UNSPECIFIED (CHRONIC)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact

    ICD-10: J32.9 - CHRONIC SINUSITIS, UNSPECIFIED

Claims: 29
                                                        V67.4 FOLLOW-UP EXAMINATION FOLLOWING TREATMENT OF HEALED FRACTURE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1
                · ICD-10: Z09 - ENCOUNTER FOR FOLLOW-UP EXAMINATION AFTER COMPLETED TREATMENT FOR CONDITIONS OTHER THAN MALIGNANT NEOPLASM
Claims: 29
               The Debth with 1 - Grock Killing's Disease; STACE 1

18. 29 98.4 INJURY, NATO, EXCEPT FINISER

18. 20 98.4 INJURY,
                                                       585.1 CHRONIC KIDNEY DISEASE, STAGE I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Ratio: 1:1 Exact
               · ICD-10: N18.1 - CHRONIC KIDNEY DISEASE, STAGE 1
Claims: 29
                                                                                  INJURY, HAND, EXCEPT FINGER
```

```
ICD-10: S69.91XA - UNSPECIFIED INJURY OF RIGHT WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER
        · ICD-10: S69.92XA - UNSPECIFIED INJURY OF LEFT WRIST, HAND AND FINGER(S), INITIAL ENCOUNTER
                               172.9 MALIGNANT MELANOMA OF SKIN, SITE UNSPECIFIED
                                                                                                                                                                                                                                                                  Ratio: 1:2
        • ICD-10: C43.9 - MALIGNANT MELANOMA OF SKIN, UNSPECIFIED • ICD-10: D03.9 - MELANOMA IN SITU, UNSPECIFIED
                              238.4 NEOPLASM OF UNCERTAIN BEHAVIOR OF POLYCYTHEMIA VERA
Claims: 28
                                                                                                                                                                                                                                                                  Ratio: 1:1
        · ICD-10: D45 - POLYCYTHEMIA VERA
Claims: 28
                              735.4 OTHER HAMMER TOE (ACQUIRED)
                                                                                                                                                                                                                                                                  Ratio: 1:3
           ICD-10: M20.40 - OTHER HAMMER TOE(S) (ACQUIRED), UNSPECIFIED FOOT
        • ICD-10: M20.41 - OTHER HAMMER TOE(S) (ACQUIRED), RIGHT FOOT
• ICD-10: M20.42 - OTHER HAMMER TOE(S) (ACQUIRED), LEFT FOOT
                              785.9 SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM OTHER
                                                                                                                                                                                                                                                                   Ratio: 1:1
        · ICD-10: R09.89 - OTHER SPECIFIED SYMPTOMS AND SIGNS INVOLVING THE CIRCULATORY AND RESPIRATORY SYSTEMS
                              433.10 OCCLUSION AND STENOSIS OF CAROTID ARTERY WITHOUT MENTION OF CEREBRAL INFARCTION
                                                                                                                                                                                                                                                                   Ratio: 1:4

    ICD-10: I65.21 - OCCLUSION AND STENOSIS OF RIGHT CAROTID ARTERY
    ICD-10: I65.22 - OCCLUSION AND STENOSIS OF LEFT CAROTID ARTERY
    ICD-10: I65.23 - OCCLUSION AND STENOSIS OF BILATERAL CAROTID ARTERIES
    ICD-10: I65.29 - OCCLUSION AND STENOSIS OF BILATERAL CAROTID ARTERY

                                             DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION TYPE II OR UNSPECIFIED TYPE, NOT STATED AS Ratio: 1:2
Claims: 27
                               250.00

    ICD-10: E11.9 - TYPE 2 DIABETES MELLITUS WITHOUT COMPLICATIONS
    ICD-10: E13.9 - OTHER SPECIFIED DIABETES MELLITUS WITHOUT COMPLICATIONS

                                           DIZZINESS AND GIDDINESS
                                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        . ICD-10: R42 - DIZZINESS AND GIDDINESS
                              288.8 DISEASES OF WHITE BLOOD CELLS OTHER SPECIFIED
                                                                                                                                                                                                                                                                  Ratio: 1:1 Exact
Claims: 24
        · ICD-10: D72.89 - OTHER SPECIFIED DISORDERS OF WHITE BLOOD CELLS
Claims: 24
                              611.72 LUMP OR MASS IN BREAST
                                                                                                                                                                                                                                                                  Ratio: 1:1 Exact
        · ICD-10: N63 - UNSPECIFIED LUMP IN BREAST
Claims: 24
                              719.06 EFFUSION OF JOINT LOWER LEG
                                                                                                                                                                                                                                                                  Ratio: 1:3

    ICD-10: M25.461 - EFFUSION, RIGHT KNEE
    ICD-10: M25.462 - EFFUSION, LEFT KNEE
    ICD-10: M25.469 - EFFUSION, UNSPECIFIED KNEE

                               793.82 INCONCLUSIVE MAMMOGRAM
Claims: 24
                                                                                                                                                                                                                                                                  Ratio: 1:1 Exact
        • ICD-10: R92.2 - INCONCLUSIVE MAMMOGRAM
Claims: 24
                             789.04 ABDOMINAL PAIN LEFT LOWER QUADRANT
                                                                                                                                                                                                                                                                  Ratio: 1:1 Exact
        · ICD-10: R10.32 - LEFT LOWER QUADRANT PAIN
                              787.03 VOMITING ALONE
                                                                                                                                                                                                                                                                   Ratio: 1:3

    ICD-10: R11.10 - VOMITING, UNSPECIFIED
    ICD-10: R11.11 - VOMITING WITHOUT NAUSEA
    ICD-10: R11.12 - PROJECTILE VOMITING

                               155.0 MALIGNANT NEOPLASM OF LIVER, PRIMARY
                                                                                                                                                                                                                                                                   Ratio: 1:6

    ICD-10: C22.0 - LIVER CELL CARCINOMA
    ICD-10: C22.2 - HEPATOBLASTOMA
    ICD-10: C22.3 - ANGIOSARCOMA OF LIVER
    ICD-10: C22.4 - OTHER SARCOMAS OF LIVER
    ICD-10: C22.7 - OTHER SPECIFIED CARCINOMAS OF LIVER
    ICD-10: C22.8 - MALIGNANT NEOPLASM OF LIVER, PRIMARY, UNSPECIFIED AS TO TYPE
                              780.71 CHRONIC FATIGUE SYNDROME
                                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        · ICD-10: R53.82 - CHRONIC FATIGUE, UNSPECIFIED
                             466.0 ACUTE BRONCHITIS
Claims: 23
                                                                                                                                                                                                                                                                  Ratio: 1:10

    ICD-10: J20.0 - ACUTE BRONCHITIS DUE TO MYCOPLASMA PNEUMONIAE
    ICD-10: J20.1 - ACUTE BRONCHITIS DUE TO HEMOPHILUS INFLUENZAE
    ICD-10: J20.2 - ACUTE BRONCHITIS DUE TO STREPTOCOCCUS
    ICD-10: J20.3 - ACUTE BRONCHITIS DUE TO COXSACKIEVIRUS
    ICD-10: J20.4 - ACUTE BRONCHITIS DUE TO PARAINFLUENZA VIRUS
    ICD-10: J20.5 - ACUTE BRONCHITIS DUE TO RESPIRATORY SYNCYTIAL VIRUS
    ICD-10: J20.6 - ACUTE BRONCHITIS DUE TO RHINOVIRUS
    ICD-10: J20.7 - ACUTE BRONCHITIS DUE TO CHOVIRUS
    ICD-10: J20.8 - ACUTE BRONCHITIS DUE TO OTHER SPECIFIED ORGANISMS
    ICD-10: J20.9 - ACUTE BRONCHITIS, UNSPECIFIED

                              627.3 POSTMENOPAUSAL ATROPHIC VAGINITIS
                                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        . ICD-10: N95.2 - POSTMENOPAUSAL ATROPHIC VAGINITIS
                              836.2 OTHER TEAR OF CARTILAGE OR MENISCUS OF KNEE, CURRENT
Claims: 22
                                                                                                                                                                                                                                                                  Ratio: 1:12
          ICD-10: S83.200A - BUCKET-HANDLE TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, RIGHT KNEE, INITIAL ENCOUNTER ICD-10: S83.201A - BUCKET-HANDLE TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: S83.202A - BUCKET-HANDLE TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: S83.203A - OTHER TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, RIGHT KNEE, INITIAL ENCOUNTER ICD-10: S83.204A - OTHER TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: S83.205A - OTHER TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: S83.205A - UNSPECIFIED TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, RIGHT KNEE, INITIAL ENCOUNTER ICD-10: S83.207A - UNSPECIFIED TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: S83.207A - UNSPECIFIED TEAR OF UNSPECIFIED MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: S83.300A - TEAR OF ARTICULAR CARTILAGE OF UNSPECIFIED KNEE, CURRENT, INITIAL ENCOUNTER ICD-10: S83.30XA - TEAR OF ARTICULAR CARTILAGE OF RIGHT KNEE, CURRENT, INITIAL ENCOUNTER ICD-10: S83.32XA - TEAR OF ARTICULAR CARTILAGE OF LISPECIFIED KNEE, CURRENT, INITIAL ENCOUNTER ICD-10: S83.32XA - TEAR OF ARTICULAR CARTILAGE OF LISPECIFIED KNEE, CURRENT, INITIAL ENCOUNTER
```

Claims: 21 787.20 DYSPHAGIA, UNSPECIFIED	Ratio: 1:2
• ICD-10: R13.0 - APHAGIA • ICD-10: R13.10 - DYSPHAGIA, UNSPECIFIED	
aims: 21 338.29 PAIN, CHRONIC OTHER	Ratio: 1:1 Exact
• ICD-10: G89.29 - OTHER CHRONIC PAIN	
aims: 20 719.65 OTHER SYMPTOMS REFERABLE TO JOINT PELVIC REGION AND THIGH	Ratio: 1:1
• ICD-10: R29.4 - CLICKING HIP	
aims: 20 789.30 ABDOMINAL OR PELVIC SWELLING, MASS, OR LUMP UNSPECIFIED SITE	Ratio: 1:1 Exact
• ICD-10: R19.00 - INTRA-ABDOMINAL AND PELVIC SWELLING, MASS AND LUMP, UNSPECIFIED SITE	
aims: 20 825.35 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, METATARSAL BONE(S) OPEN	Ratio: 1:33
 ICD-10: S92.301B - FRACTURE OF UNSPECIFIED METATARSAL BONE(S), LEFT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.309B - FRACTURE OF UNSPECIFIED METATARSAL BONE(S), LEFT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.319B - DISPLACED FRACTURE OF FIRST METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.3118 - DISPLACED FRACTURE OF FIRST METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.312B - DISPLACED FRACTURE OF FIRST METATARSAL BONE, LIFT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.313B - DISPLACED FRACTURE OF FIRST METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.315B - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, LIFT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.315B - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.315B - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.321B - DISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.322B - DISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.323B - DISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.323B - NONDISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.323B - NONDISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.331B - NONDISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE ICD-10: S92.331B - NONDISPLACED FRACTURE OF THIRD METATARSAL BONE, UNSPECIFIED FOOT, I	
ims: 19 305.1 NONDEPENDENT TOBACCO USE DISORDER • ICD-10: F17.200 - NICOTINE DEPENDENCE, UNSPECIFIED, UNCOMPLICATED • ICD-10: F17.201 - NICOTINE DEPENDENCE, UNSPECIFIED, IN REMISSION • ICD-10: F17.211 - NICOTINE DEPENDENCE, CIGARETTES, UNCOMPLICATED • ICD-10: F17.221 - NICOTINE DEPENDENCE, CIGARETTES, IN REMISSION • ICD-10: F17.221 - NICOTINE DEPENDENCE, CHEWING TOBACCO, UNCOMPLICATED • ICD-10: F17.221 - NICOTINE DEPENDENCE, CHEWING TOBACCO, IN REMISSION • ICD-10: F17.220 - NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, UNCOMPLICATED	Ratio: 1:8
• ICD-10: F17.291 - NICOTINE DEPENDENCE, OTHER TOBACCO PRODUCT, IN REMISSION	
aims: 19 188.9 MALIGNANT NEOPLASM OF BLADDER, PART UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: C67.9 - MALIGNANT NEOPLASM OF BLADDER, UNSPECIFIED	
aims: 19 780.79 MALAISE AND FATIGUE OTHER ICD-10: G93.3 - POSTVIRAL FATIGUE SYNDROME ICD-10: R53.0 - NEOPLASTIC (MALIGNANT) RELATED FATIGUE ICD-10: R53.1 - WEAKNESS ICD-10: R53.81 - OTHER MALAISE ICD-10: R53.83 - OTHER FATIGUE	Ratio: 1:5
aims: 19 151.9 MALIGNANT NEOPLASM OF STOMACH, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: C16.9 - MALIGNANT NEOPLASM OF STOMACH, UNSPECIFIED	
aims: 19 787.91 DIARRHEA	Ratio: 1:3
ICD-10: K52.2 - ALLERGIC AND DIETETIC GASTROENTERITIS AND COLITIS ICD-10: K52.89 - OTHER SPECIFIED NONINFECTIVE GASTROENTERITIS AND COLITIS ICD-10: R19.7 - DIARRHEA, UNSPECIFIED	
aims: 19 518.89 DISEASES OF LUNG OTHER	Ratio: 1:1 Exact
• ICD-10: J98.4 - OTHER DISORDERS OF LUNG	
aims: 18 790.6 ABNORMAL BLOOD CHEMISTRY OTHER	Ratio: 1:7
ICD-10: E79.0 - HYPERURICEMIA WITHOUT SIGNS OF INFLAMMATORY ARTHRITIS AND TOPHACEOUS DISEASE ICD-10: R78.71 - ABNORMAL LEAD LEVEL IN BLOOD ICD-10: R78.79 - FINDING OF ABNORMAL LEVEL OF HEAVY METALS IN BLOOD ICD-10: R78.89 - FINDING OF OTHER SPECIFIED SUBSTANCES, NOT NORMALLY FOUND IN BLOOD ICD-10: R79.0 - ABNORMAL LEVEL OF BLOOD MINERAL ICD-10: R79.89 - OTHER SPECIFIED ABNORMAL FINDINGS OF BLOOD CHEMISTRY ICD-10: R79.99 - ABNORMAL FINDING OF BLOOD CHEMISTRY, UNSPECIFIED	
aims: 18 162.9 MALIGNANT NEOPLASM OF BRONCHUS AND LUNG, UNSPECIFIED	Ratio: 1:3
ICD-10: C34.90 - MALIGNANT NEOPLASM OF UNSPECIFIED PART OF UNSPECIFIED BRONCHUS OR LUNG ICD-10: C34.91 - MALIGNANT NEOPLASM OF UNSPECIFIED PART OF RIGHT BRONCHUS OR LUNG ICD-10: C34.92 - MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LEFT BRONCHUS OR LUNG	
aims: 18 511.9 PLEURAL EFFUSION UNSPECIFIED	Ratio: 1:1

• ICD-10: J91.8 - PLEURAL EFFUSION IN OTHER CONDITIONS CLASSIFIED ELSEWHERE

Claims: 18 180.8 MALIGNANT NEOPLASM OF CERVIX UTERI OTHER SPECIFIED SITES	Ratio: 1:1 Exact
• ICD-10: C53.8 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF CERVIX UTERI	
laims: 18 V16.3 FAMILY HISTORY OF MALIGNANT NEOPLASM BREAST	Ratio: 1:1 Exact
ICD-10: Z80.3 - FAMILY HISTORY OF MALIGNANT NEOPLASM OF BREAST	
aims: 18 441.9 AORTIC ANEURYSM OF UNSPECIFIED SITE WITHOUT MENTION OF RUPTURE	Ratio: 1:2
• ICD-10: 171.9 - AORTIC ANEURYSM OF UNSPECIFIED SITE, WITHOUT RUPTURE • ICD-10: 179.0 - ANEURYSM OF AORTA IN DISEASES CLASSIFIED ELSEWHERE	
aims: 18 209.36 MERKEL CELL CARCINOMA OF OTHER SITES	Ratio: 1:2
• ICD-10: C4A.8 - MERKEL CELL CARCINOMA OF OVERLAPPING SITES • ICD-10: C4A.9 - MERKEL CELL CARCINOMA, UNSPECIFIED	
aims: 18 182.0 MALIGNANT NEOPLASM OF CORPUS UTERI, EXCEPT ISTHMUS	Ratio: 1:4
ICD-10: C54.1 - MALIGNANT NEOPLASM OF ENDOMETRIUM ICD-10: C54.2 - MALIGNANT NEOPLASM OF MYOMETRIUM ICD-10: C54.3 - MALIGNANT NEOPLASM OF FUNDUS UTERI ICD-10: C54.3 - MALIGNANT NEOPLASM OF CORPUS UTERI, UNSPECIFIED	
aims: 16 959.2 INJURY, SHOULDER AND UPPER ARM	Ratio: 1:42
 CD-10: S46.092A - OTHER INJURY OF MUSCLE(S) AND TENDON(S) OF THE ROTATOR CUFF OF LINSPECIFIED SHOLLDER, INITIAL ENCOUNTER ICD-10: S46.101A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LONG HEAD OF BICEPS, RIGHT ARM, INITIAL ENCOUNTER ICD-10: S46.101A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LONG HEAD OF BICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.192A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LONG HEAD OF BICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.193A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LONG HEAD OF BICEPS, UNSPECIFIED ARM, INITIAL ENCOUNTER ICD-10: S46.191A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF LONG HEAD OF BICEPS, RIGHT ARM, INITIAL ENCOUNTER ICD-10: S46.192A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF LONG HEAD OF BICEPS, RIGHT ARM, INITIAL ENCOUNTER ICD-10: S46.192A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF CONTROL OF BICEPS, RIGHT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF COTHER PARTS OF BICEPS, RIGHT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF OTHER PARTS OF BICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF OTHER PARTS OF BICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF OTHER PARTS OF BICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF OTHER PARTS OF BICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF TRICEPS, LEFT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF TRICEPS, LIGHT ARM, INITIAL ENCOUNTER ICD-10: S46.203A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF TRICEPS, LI	COUNTER TIAL ENCOUNTER TER ER NCOUNTER L ENCOUNTER ENCOUNTER INITIAL ENCOUNTER JUNTER JUNTER
aims: 16 737.42 LORDOSIS ASSOCIATED WITH OTHER CONDITIONS • ICD-10: M40.50 - LORDOSIS, UNSPECIFIED, SITE UNSPECIFIED • ICD-10: M40.55 - LORDOSIS, UNSPECIFIED, THORACOLUMBAR REGION • ICD-10: M40.56 - LORDOSIS, UNSPECIFIED, LUMBAR REGION • ICD-10: M40.57 - LORDOSIS, UNSPECIFIED, LUMBOSACRAL REGION	Ratio: 1:4
aims: 16 142.0 MALIGNANT NEOPLASM OF PAROTID GLAND • ICD-10: CO7 - MALIGNANT NEOPLASM OF PAROTID GLAND	Ratio: 1:1 Exact
	Potio: 4:4
ims: 16 386.2 VERTIGO OF CENTRAL ORIGIN • ICD-10: H81.41 - VERTIGO OF CENTRAL ORIGIN, RIGHT EAR • ICD-10: H81.42 - VERTIGO OF CENTRAL ORIGIN, LEFT EAR • ICD-10: H81.43 - VERTIGO OF CENTRAL ORIGIN, BILATERAL • ICD-10: H81.49 - VERTIGO OF CENTRAL ORIGIN, UNSPECIFIED EAR	Ratio: 1:4
105-10. House of Central Order, Charles EAR	
sims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS	Ratio: 1:1 Exact
ims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS	
ims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS aims: 16 586 RENAL FAILURE, UNSPECIFIED	Ratio: 1:1 Exact Ratio: 1:1 Exact
aims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS aims: 16 586 RENAL FAILURE, UNSPECIFIED • ICD-10: N19 - UNSPECIFIED KIDNEY FAILURE	
aims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS aims: 16 586 RENAL FAILURE, UNSPECIFIED • ICD-10: N19 - UNSPECIFIED KIDNEY FAILURE	Ratio: 1:1 Exact
aims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS aims: 16 586 RENAL FAILURE, UNSPECIFIED • ICD-10: N19 - UNSPECIFIED KIDNEY FAILURE aims: 16 571.5 CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL • ICD-10: K74.0 - HEPATIC FIBROSIS • ICD-10: K74.69 - OTHER CIRRHOSIS OF LIVER	Ratio: 1:1 Exact
aims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS aims: 16 586 RENAL FAILURE, UNSPECIFIED • ICD-10: N19 - UNSPECIFIED KIDNEY FAILURE aims: 16 571.5 CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL • ICD-10: K74.0 - HEPATIC FIBROSIS • ICD-10: K74.69 - OTHER CIRRHOSIS OF LIVER	Ratio: 1:1 Exact Ratio: 1:3
aims: 16 230.1 CARCINOMA IN SITU OF ESOPHAGUS • ICD-10: D00.1 - CARCINOMA IN SITU OF ESOPHAGUS aims: 16 586 RENAL FAILURE, UNSPECIFIED • ICD-10: N19 - UNSPECIFIED KIDNEY FAILURE aims: 16 571.5 CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL • ICD-10: K74.0 - HEPATIC FIBROSIS • ICD-10: K74.69 - UNSPECIFIED CIRRHOSIS OF LIVER • ICD-10: K74.69 - OTHER CIRRHOSIS OF LIVER aims: 16 V43.65 JOINT KNEE REPLACED BY OTHER MEANS • ICD-10: 296.651 - PRESENCE OF RIGHT ARTIFICIAL KNEE JOINT • ICD-10: 296.652 - PRESENCE OF LEFT ARTIFICIAL KNEE JOINT • ICD-10: 296.652 - PRESENCE OF ARTIFICIAL KNEE JOINT • ICD-10: 296.653 - PRESENCE OF ARTIFICIAL KNEE JOINT	Ratio: 1:1 Exact Ratio: 1:3

Claims: 15	203.00 MULTIPLE MYELOMA WITHOUT MENTION OF REMISSION	Ratio: 1:1 Exact
• ICD-10:	C90.00 - MULTIPLE MYELOMA NOT HAVING ACHIEVED REMISSION	
Claims: 15	208.90 LEUKEMIA OF UNSPECIFIED CELL TYPE WITHOUT MENTION OF REMISSION	Ratio: 1:1
	C95.90 - LEUKEMIA, UNSPECIFIED NOT HAVING ACHIEVED REMISSION	
Claims: 14	722.10 DISPLACEMENT OF LUMBAR INTERVERTEBRAL DISC WITHOUT MYELOPATHY	Ratio: 1:2
	M51.26 - OTHER INTERVERTEBRAL DISC DISPLACEMENT, LUMBAR REGION M51.27 - OTHER INTERVERTEBRAL DISC DISPLACEMENT, LUMBOSACRAL REGION	
Claims: 14	845.00 SPRAINS AND STRAINS OF ANKLE UNSPECIFIED SITE	Ratio: 1:4
• ICD-10: 3	593.401A - SPRAIN OF UNSPECIFIED LIGAMENT OF RIGHT ANKLE, INITIAL ENCOUNTER 593.402A - SPRAIN OF UNSPECIFIED LIGAMENT OF LEFT ANKLE, INITIAL ENCOUNTER 593.409A - SPRAIN OF UNSPECIFIED LIGAMENT OF UNSPECIFIED ANKLE, INITIAL ENCOUNTER 596.919A - STRAIN OF UNSPECIFIED MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, UNSPECIFIED FOOT, INITIAL ENCOUNTER	
Claims: 14	453.9 VENOUS EMBOLISM AND THROMBOSIS OF UNSPECIFIED SITE	Ratio: 1:1
• ICD-10:	82.91 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED VEIN	
Claims: 14	620.2 OTHER AND UNSPECIFIED OVARIAN CYST	Ratio: 1:2
	N83.20 - UNSPECIFIED OVARIAN CYSTS N83.29 - OTHER OVARIAN CYSTS	
Claims: 14	229.8 BENIGN NEOPLASM OF OTHER SPECIFIED SITES	Ratio: 1:2
	019.7 - BENIGN NEOPLASM OF MESOTHELIAL TISSUE OF OTHER SITES 036.7 - BENIGN NEOPLASM OF OTHER SPECIFIED SITES	
laims: 13	719.54 STIFFNESS OF JOINT, NOT ELSEWHERE CLASSIFIED HAND	Ratio: 1:3
• ICD-10: I	M25.641 - STIFFNESS OF RIGHT HAND, NOT ELSEWHERE CLASSIFIED M25.642 - STIFFNESS OF LEFT HAND, NOT ELSEWHERE CLASSIFIED M25.649 - STIFFNESS OF UNSPECIFIED HAND, NOT ELSEWHERE CLASSIFIED	
Claims: 13	726.19 ROTATOR CUFF SYNDROME OF SHOULDER AND ALLIED DISORDERS OTHER SPECIFIED DISORDERS	Ratio: 1:3
 ICD-10: I 	M75.80 - OTHER SHOULDER LESIONS, UNSPECIFIED SHOULDER M75.81 - OTHER SHOULDER LESIONS, RIGHT SHOULDER M75.82 - OTHER SHOULDER LESIONS, LEFT SHOULDER	
laims: 13	724.3 SCIATIA	Ratio: 1:6
• ICD-10: I • ICD-10: I • ICD-10: I • ICD-10: I	M54.30 - SCIATICA, UNSPECIFIED SIDE M54.31 - SCIATICA, RIGHT SIDE M54.32 - SCIATICA, LEFT SIDE M54.43 - SCIATICA, LEFT SIDE M54.40 - LUMBAGO WITH SCIATICA, UNSPECIFIED SIDE M54.41 - LUMBAGO WITH SCIATICA, RIGHT SIDE M54.41 - LUMBAGO WITH SCIATICA, RIGHT SIDE M54.42 - LUMBAGO WITH SCIATICA, LEFT SIDE	
laims: 13	793.89 ABNORMAL FINDINGS ON RADIOLOGICAL EXAMINATION OF BREAST OTHER	Ratio: 1:2
	R92.1 - MAMMOGRAPHIC CALCIFICATION FOUND ON DIAGNOSTIC IMAGING OF BREAST R92.8 - OTHER ABNORMAL AND INCONCLUSIVE FINDINGS ON DIAGNOSTIC IMAGING OF BREAST	
Claims: 13	787.01 NAUSEA WITH VOMITING	Ratio: 1:1
• ICD-10: I	R11.2 - NAUSEA WITH VOMITING, UNSPECIFIED	
laims: 13	715.09 OSTEOARTHROSIS, GENERALIZED MULTIPLE SITES	Ratio: 1:1
• ICD-10: I	M15.0 - PRIMARY GENERALIZED (OSTEO)ARTHRITIS	
laims: 12	403.90 HYPERTENSIVE CHRONIC KIDNEY DISEASE UNSPECIFIED WITH CHRONIC KIDNEY DISEASE STAGE I TO STAGE IV, OR UNSPECIFIED	Ratio: 1:1
• ICD-10:	12.9 - HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIED CHRONIC	KIDNEY DISEASE
laims: 12	571.9 CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL UNSPECIFIED	Ratio: 1:3
• ICD-10: I	K74.1 - HEPATIC SCLEROSIS K74.2 - HEPATIC FIBROSIS WITH HEPATIC SCLEROSIS K76.9 - LIVER DISEASE, UNSPECIFIED	
laims: 12	574.20 CALCULUS OF GALLBLADDER WITHOUT MENTION OF CHOLECYSTITIS WITHOUT MENTION OF OBSTRUCTION	Ratio: 1:2
	X80.20 - CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITHOUT OBSTRUCTION X80.80 - OTHER CHOLELITHIASIS WITHOUT OBSTRUCTION	
laims: 12	784.1 THROAT PAIN	Ratio: 1:1 Exact
• ICD-10: I	R07.0 - PAIN IN THROAT	
laims: 12	574.21 CALCULUS OF GALLBLADDER WITHOUT MENTION OF CHOLECYSTITIS WITH OBSTRUCTION (80.21 - CALCULUS OF GALLBLADDER WITHOUT CHOLECYSTITIS WITH OBSTRUCTION	Ratio: 1:1 Exact
laims: 12	573.8 DISORDERS OF LIVER OTHER SPECIFIED	Ratio: 1:4
• ICD-10: I	K76.1 - CHRONIC PASSIVE CONGESTION OF LIVER K76.5 - HEPATIC VENO-OCCLUSIVE DISEASE K76.89 - OTHER SPECIFIED DISEASES OF LIVER	Ivalio. 1.4
	(77 - LIVER DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	
• ICD-10: 3	959.09 INJURY OF FACE AND NECK 609.92XA - UNSPECIFIED INJURY OF NOSE, INITIAL ENCOUNTER 609.93XA - UNSPECIFIED INJURY OF FACE, INITIAL ENCOUNTER 616.8XXA - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON AT NECK LEVEL, INITIAL ENCOUNTER 616.9XXA - OTHER SPECIFIED INJURIES OF UNSPECIFIED PART OF NECK, INITIAL ENCOUNTER 619.80XA - OTHER SPECIFIED INJURIES OF LARYNX, INITIAL ENCOUNTER 619.83XA - OTHER SPECIFIED INJURIES OF ARYNX, INITIAL ENCOUNTER 619.83XA - OTHER SPECIFIED INJURIES OF CERVICAL TRACHEA, INITIAL ENCOUNTER 619.83XA - OTHER SPECIFIED INJURIES OF VOCAL CORD, INITIAL ENCOUNTER 619.83XA - OTHER SPECIFIED INJURIES OF THYROID GLAND, INITIAL ENCOUNTER	Ratio: 1:12

· ICD-10: S19.85XA - OTHER SPECIFIED INJURIES OF PHARYNX AND CERVICAL ESOPHAGUS, INITIAL ENCOUNTER

```
• ICD-10: S19.89XA - OTHER SPECIFIED INJURIES OF OTHER SPECIFIED PART OF NECK, INITIAL ENCOUNTEF
• ICD-10: S19.9XXA - UNSPECIFIED INJURY OF NECK, INITIAL ENCOUNTER
                                        492.0 EMPHYSEMATOUS BLEB
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
           • ICD-10: J43.9 - EMPHYSEMA, UNSPECIFIED
Claims: 11
                                        724.02 SPINAL STENOSIS, LUMBAR REGION
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:8

    ICD-10: M48.06 - SPINAL STENOSIS, LUMBAR REGION
    ICD-10: M48.07 - SPINAL STENOSIS, LUMBOSACRAL REGION
    ICD-10: M99.23 - SUBLUXATION STENOSIS OF NEURAL CANAL OF LUMBAR REGION
    ICD-10: M99.33 - OSSEOUS STENOSIS OF NEURAL CANAL OF LUMBAR REGION
    ICD-10: M99.43 - CONNECTIVE TISSUE STENOSIS OF NEURAL CANAL OF LUMBAR REGION
    ICD-10: M99.53 - INTERVERTEBRAL DISC STENOSIS OF NEURAL CANAL OF LUMBAR REGION
    ICD-10: M99.63 - OSSEOUS AND SUBLUXATION STENOSIS OF INTERVERTEBRAL FORAMINA OF LUMBAR REGION
    ICD-10: M99.73 - CONNECTIVE TISSUE AND DISC STENOSIS OF INTERVERTEBRAL FORAMINA OF LUMBAR REGION

Claims: 11
                                         608.89 DISORDERS OF MALE GENITAL ORGANS OTHER
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:8

    ICD-10: N44.1 - CYST OF TUNICA ALBUGINEA TESTIS
    ICD-10: N44.2 - BENIGN CYST OF TESTIS
    ICD-10: N44.8 - OTHER NONINFLAMMATORY DISORDERS OF THE TESTIS
    ICD-10: N50.3 - CYST OF EPIDIDYMIS
    ICD-10: N50.3 - OTHER SPECIFIED DISORDERS OF MALE GENITAL ORGANS
    ICD-10: N53.12 - PAINFUL EJACULATION
    ICD-10: N53.8 - OTHER MALE SEXUAL DYSFUNCTION
    ICD-10: N53.9 - UNSPECIFIED MALE SEXUAL DYSFUNCTION
Claims: 11
                                        915.0 ABRASION OR FRICTION BURN WITHOUT MENTION OF INFECTION
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:13
           ICD-10: S60.311A - ABRASION OF RIGHT THUMB, INITIAL ENCOUNTER
ICD-10: S60.312A - ABRASION OF LEFT THUMB, INITIAL ENCOUNTER
ICD-10: S60.319A - ABRASION OF UNSPECIFIED THUMB, INITIAL ENCOUNTER
ICD-10: S60.410A - ABRASION OF RIGHT INDEX FINGER, INITIAL ENCOUNTER
ICD-10: S60.411A - ABRASION OF LEFT INDEX FINGER, INITIAL ENCOUNTER
ICD-10: S60.412A - ABRASION OF LEFT MIDDLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.413A - ABRASION OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.415A - ABRASION OF RIGHT RING FINGER, INITIAL ENCOUNTER
ICD-10: S60.415A - ABRASION OF LEFT MIDD FINGER, INITIAL ENCOUNTER
ICD-10: S60.415A - ABRASION OF LEFT MIDDLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.415A - ABRASION OF LEFT MIDDLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.417A - ABRASION OF LEFT LITTLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.417A - ABRASION OF LEFT LITTLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.415A - ABRASION OF LEFT LITTLE FINGER, INITIAL ENCOUNTER
ICD-10: S60.415A - ABRASION OF UNSPECIFIED FINGER, INITIAL ENCOUNTER
Claims: 11
                                        388.30 TINNITUS, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:4
           • ICD-10: H93.11 - TINNITUS, RIGHT EAR
• ICD-10: H93.12 - TINNITUS, LEFT EAR
• ICD-10: H93.13 - TINNITUS, BILATERAL
• ICD-10: H93.19 - TINNITUS, UNSPECIFIED EAR
                                         161.9 MALIGNANT NEOPLASM OF LARYNX, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
           • ICD-10: C32.9 - MALIGNANT NEOPLASM OF LARYNX, UNSPECIFIED
                                                            HYDRONEPHROSIS
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:4

    ICD-10: N13.1 - HYDRONEPHROSIS WITH URETERAL STRICTURE, NOT ELSEWHERE CLASSIFIED
    ICD-10: N13.2 - HYDRONEPHROSIS WITH RENAL AND URETERAL CALCULOUS OBSTRUCTION
    ICD-10: N13.30 - UNSPECIFIED HYDRONEPHROSIS
    ICD-10: N13.39 - OTHER HYDRONEPHROSIS

                                         V76.51 SPECIAL SCREENING FOR MALIGNANT NEOPLASMS COLON
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
Claims: 10
           · ICD-10: Z12.11 - ENCOUNTER FOR SCREENING FOR MALIGNANT NEOPLASM OF COLON
Claims: 10
                                        787.7 ABNORMAL FECES
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
           • ICD-10: R19.5 - OTHER FECAL ABNORMALITIES
                                         V10.05 PERSONAL HISTORY OF MALIGNANT NEOPLASM LARGE INTESTINE
Claims: 10
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
           · ICD-10: Z85.038 - PERSONAL HISTORY OF OTHER MALIGNANT NEOPLASM OF LARGE INTESTINE
Claims: 10
                                          782.2 LOCALIZED SUPERFICIAL SWELLING, MASS, OR LUMP
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:12

    ICD-10: R22.0 - LOCALIZED SWELLING, MASS AND LUMP, HEAD
    ICD-10: R22.1 - LOCALIZED SWELLING, MASS AND LUMP, NECK
    ICD-10: R22.2 - LOCALIZED SWELLING, MASS AND LUMP, TRUNK
    ICD-10: R22.30 - LOCALIZED SWELLING, MASS AND LUMP, UNSPECIFIED UPPER LIMB
    ICD-10: R22.31 - LOCALIZED SWELLING, MASS AND LUMP, RIGHT UPPER LIMB
    ICD-10: R22.32 - LOCALIZED SWELLING, MASS AND LUMP, LEFT UPPER LIMB
    ICD-10: R22.33 - LOCALIZED SWELLING, MASS AND LUMP, UPPER LIMB, BILATERAL
    ICD-10: R22.40 - LOCALIZED SWELLING, MASS AND LUMP, UNSPECIFIED LOWER LIMB
    ICD-10: R22.41 - LOCALIZED SWELLING, MASS AND LUMP, LEFT LOWER LIMB
    ICD-10: R22.42 - LOCALIZED SWELLING, MASS AND LUMP, LEFT LOWER LIMB
    ICD-10: R22.43 - LOCALIZED SWELLING, MASS AND LUMP, LEFT LOWER LIMB
    ICD-10: R22.43 - LOCALIZED SWELLING, MASS AND LUMP, LEFT LOWER LIMB
    ICD-10: R22.9 - LOCALIZED SWELLING, MASS AND LUMP, LOWER LIMB, BILATERAL
Claims: 10
                                        894.1 MULTIPLE AND UNSPECIFIED OPEN WOUND OF LOWER LIMB COMPLICATED
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
           · ICD-10: S71.029A - LACERATION WITH FOREIGN BODY, UNSPECIFIED HIP, INITIAL ENCOUNTER
                                         844.9 SPRAINS AND STRAINS OF KNEE AND LEG UNSPECIFIED SITE
Claims: 10
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:6

    ICD-10: S83.90XA - SPRAIN OF UNSPECIFIED SITE OF UNSPECIFIED KNEE, INITIAL ENCOUNTER
    ICD-10: S83.91XA - SPRAIN OF UNSPECIFIED SITE OF RIGHT KNEE, INITIAL ENCOUNTER
    ICD-10: S83.92XA - SPRAIN OF UNSPECIFIED SITE OF LEFT KNEE, INITIAL ENCOUNTER
    ICD-10: S86.911A - STRAIN OF UNSPECIFIED MUSCLE(S) AND TENDON(S) AT LOWER LEG LEVEL, RIGHT LEG, INITIAL ENCOUNTER
    ICD-10: S86.912A - STRAIN OF UNSPECIFIED MUSCLE(S) AND TENDON(S) AT LOWER LEG LEVEL, LEFT LEG, INITIAL ENCOUNTER
    ICD-10: S86.919A - STRAIN OF UNSPECIFIED MUSCLE(S) AND TENDON(S) AT LOWER LEG LEVEL, UNSPECIFIED LEG, INITIAL ENCOUNTER

                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:2
                                                             MONOCLONAL PARAPROTEINEMIA
           • ICD-10: D47.2 - MONOCLONAL GAMMOPATHY
• ICD-10: D89.2 - HYPERGAMMAGLOBULINEMIA, UNSPECIFIED
Claims: 10
                                         284.89 OTHER SPECIFIED APLASTIC ANEMIAS
                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:4
```

ICD-10: D61.1 - DRUG-INDUCED APLASTIC ANEMIA

```
• ICD-10: D61.2 - APLASTIC ANEMIA DUE TO OTHER EXTERNAL AGENTS
• ICD-10: D61.3 - IDIOPATHIC APLASTIC ANEMIA
• ICD-10: D61.89 - OTHER SPECIFIED APLASTIC ANEMIAS AND OTHER BONE MARROW FAILURE SYNDROMES
                             959.11 INJURY, OTHER CHEST WALL
                                                                                                                                                                                                                                                    Ratio: 1:8
           ICD-10: $29.001A - UNSPECIFIED INJURY OF MUSCLE AND TENDON OF FRONT WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.002A - UNSPECIFIED INJURY OF MUSCLE AND TENDON OF BACK WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.009A - UNSPECIFIED INJURY OF MUSCLE AND TENDON OF UNSPECIFIED WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.091A - OTHER INJURY OF MUSCLE AND TENDON OF FRONT WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.092A - OTHER INJURY OF MUSCLE AND TENDON OF BACK WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.099A - OTHER INJURY OF MUSCLE AND TENDON OF UNSPECIFIED WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.099A - OTHER INJURY OF MUSCLE AND TENDON OF UNSPECIFIED WALL OF THORAX, INITIAL ENCOUNTER ICD-10: $29.009A - OTHER SPECIFIED INJURIES OF THORAX, INITIAL ENCOUNTER ICD-10: $29.00YA | UNSPECIFIED INJURIES OF THORAX, INITIAL ENCOUNTER
        · ICD-10: S29.9XXA - UNSPECIFIED INJURY OF THORAX, INITIAL ENCOUNTER
Claims: 10
                             787.3 FLATULENCE, ERUCTATION, AND GAS PAIN
                                                                                                                                                                                                                                                   Ratio: 1:4
          ICD-10: R14.0 - ABDOMINAL DISTENSION (GASEOUS) ICD-10: R14.1 - GAS PAIN ICD-10: R14.2 - ERUCTATION
        · ICD-10: R14.3 - FLATULENCE
Claims: 9
                            706.2 SEBACEOUS CYST
                                                                                                                                                                                                                                                   Ratio: 1:5

    ICD-10: L72.0 - EPIDERMAL CYST
    ICD-10: L72.2 - STEATOCYSTOMA MULTIPLEX
    ICD-10: L72.3 - SEBACEOUS CYST
    ICD-10: L72.3 - STEATOCYSTOMA FOR THE SKIN AND SUBCUTANEOUS TISSUE
    ICD-10: L72.9 - FOLLICULAR CYSTS OF THE SKIN AND SUBCUTANEOUS TISSUE, UNSPECIFIED

                             585.6 END STAGE RENAL DISEASE
                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        · ICD-10: N18.6 - END STAGE RENAL DISEASE
Claims: 9
                            389.21 MIXED HEARING LOSS, UNILATERAL
                                                                                                                                                                                                                                                   Ratio: 1:2
       • ICD-10: H90.71 - MIXED CONDUCTIVE AND SENSORINEURAL HEARING LOSS, UNILATERAL, RIGHT EAR, WITH UNRESTRICTED HEARING ON THE CONTRALATERAL SIDE
• ICD-10: H90.72 - MIXED CONDUCTIVE AND SENSORINEURAL HEARING LOSS, UNILATERAL, LEFT EAR, WITH UNRESTRICTED HEARING ON THE CONTRALATERAL SIDE
                             789.59 OTHER ASCITES
Claims: 9
                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        · ICD-10: R18.8 - OTHER ASCITES
Claims: 9
                            201.00 HODGKINS PARAGRANULOMA UNSPECIFIED SITE
                                                                                                                                                                                                                                                   Ratio: 1:2
           ICD-10: C81.70 - OTHER CLASSICAL HODGKIN LYMPHOMA, UNSPECIFIED SITE
        • ICD-10: C81.79 - OTHER CLASSICAL HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES
                            453.81 ACUTE VENOUS EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF UPPER EXTREMITY
Claims: 9
                                                                                                                                                                                                                                                   Ratio: 1:4

    ICD-10: I82.611 - ACUTE EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF RIGHT UPPER EXTREMITY
    ICD-10: I82.612 - ACUTE EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF LEFT UPPER EXTREMITY
    ICD-10: I82.613 - ACUTE EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF UPPER EXTREMITY, BILATERAL
    ICD-10: I82.619 - ACUTE EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF UNSPECIFIED UPPER EXTREMITY

                                        CHRONIC PANCREATITIS
                                                                                                                                                                                                                                                   Ratio: 1:2
        • ICD-10: K86.0 - ALCOHOL-INDUCED CHRONIC PANCREATITIS
• ICD-10: K86.1 - OTHER CHRONIC PANCREATITIS
                            625.9 SYMPTOMS ASSOCIATED WITH FEMALE GENITAL ORGANS UNSPECIFIED
                                                                                                                                                                                                                                                   Ratio: 1:2
        • ICD.10: N94.89 - OTHER SPECIFIED CONDITIONS ASSOCIATED WITH FEMALE GENITAL ORGANS AND MENSTRUAL CYCLE • ICD.10: R10.2 - PELVIC AND PERINEAL PAIN
                             209.30 MALIGNANT POORLY DIFFERENTIATED NEUROENDOCRINE CARCINOMA, ANY SITE
                                                                                                                                                                                                                                                   Ratio: 1:2
        • ICD-10: C7A.1 - MALIGNANT POORLY DIFFERENTIATED NEUROENDOCRINE TUMORS
• ICD-10: C7A.8 - OTHER MALIGNANT NEUROENDOCRINE TUMORS
                            722.0 DISPLACEMENT OF CERVICAL INTERVERTEBRAL DISC WITHOUT MYELOPATHY
                                                                                                                                                                                                                                                   Ratio: 1:4

    ICD-10: M50.20 - OTHER CERVICAL DISC DISPLACEMENT, UNSPECIFIED CERVICAL REGION
    ICD-10: M50.21 - OTHER CERVICAL DISC DISPLACEMENT, HIGH CERVICAL REGION
    ICD-10: M50.22 - OTHER CERVICAL DISC DISPLACEMENT, MID-CERVICAL REGION
    ICD-10: M50.23 - OTHER CERVICAL DISC DISPLACEMENT, CERVICOTHORACIC REGION

                             230.3 CARCINOMA IN SITU OF COLON
                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        · ICD-10: D01.0 - CARCINOMA IN SITU OF COLON
                            724.4 THORACIC OR LUMBOSACRAL NEURITIS OR RADICULITIS, UNSPECIFIED
Claims: 8
                                                                                                                                                                                                                                                   Ratio: 1:8
          ICD-10: M51.14 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, THORACIC REGION ICD-10: M51.15 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, THORACOLUMBAR REGION ICD-10: M51.16 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, LUMBAR REGION ICD-10: M51.17 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, LUMBOSACRAL REGION ICD-10: M54.14 - RADICULOPATHY, THORACIC REGION ICD-10: M54.15 - RADICULOPATHY, THORACIC REGION ICD-10: M54.15 - RADICULOPATHY, LUMBAR REGION ICD-10: M54.16 - RADICULOPATHY, LUMBAR REGION ICD-10: M54.16 - RADICULOPATHY, LUMBAR REGION ICD-10: M54.16 - RADICULOPATHY, LUMBAR REGION

    ICD-10: M54.17 - RADICULOPATHY, LUMBOSACRAL REGION

                            453.89 ACUTE VENOUS EMBOLISM AND THROMBOSIS OF OTHER SPECIFIED VEINS
                                                                                                                                                                                                                                                   Ratio: 1:2

    ICD-10: 182.890 - ACUTE EMBOLISM AND THROMBOSIS OF OTHER SPECIFIED VEINS
    ICD-10: 182.90 - ACUTE EMBOLISM AND THROMBOSIS OF UNSPECIFIED VEIN

                            780.2 SYNCOPE AND COLLAPSE
Claims: 8
                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        · ICD-10: R55 - SYNCOPE AND COLLAPSE
Claims: 8
                            789.1 HEPATOMEGALY
                                                                                                                                                                                                                                                   Ratio: 1:2
           ICD-10: R16.0 - HEPATOMEGALY, NOT ELSEWHERE CLASSIFIED
        · ICD-10: R16.2 - HEPATOMEGALY WITH SPLENOMEGALY, NOT ELSEWHERE CLASSIFIED
Claims: 8
                            585.5 CHRONIC KIDNEY DISEASE, STAGE V
                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
        · ICD-10: N18.5 - CHRONIC KIDNEY DISEASE, STAGE 5
```

Naima: 0	705 54 NONEDECIFIC DEACTION TO THEEDOM IN SVIN TEST WITHOUT ACTIVE THEEDOM ONE	Datia: 1:1 Event
Claims: 8	795.51 NONSPECIFIC REACTION TO TUBERCULIN SKIN TEST WITHOUT ACTIVE TUBERCULOSIS R76.11 - NONSPECIFIC REACTION TO TUBERCULIN SKIN TEST WITHOUT ACTIVE TUBERCULOSIS	Ratio: 1:1 Exact
Claims: 8	727.61 COMPLETE RUPTURE OF ROTATOR CUFF	Ratio: 1:3
 ICD-10: 	M75.120 - COMPLETE ROTATOR CUFF TEAR OR RUPTURE OF UNSPECIFIED SHOULDER, NOT SPECIFIED AS TRAUMATIC M75.121 - COMPLETE ROTATOR CUFF TEAR OR RUPTURE OF RIGHT SHOULDER, NOT SPECIFIED AS TRAUMATIC M75.122 - COMPLETE ROTATOR CUFF TEAR OR RUPTURE OF LEFT SHOULDER, NOT SPECIFIED AS TRAUMATIC	
Claims: 8	232.7 CARCINOMA IN SITU OF SKIN OF LOWER LIMB, INCLUDING HIP	Ratio: 1:3
• ICD-10:	D04.70 - CARCINOMA IN SITU OF SKIN OF UNSPECIFIED LOWER LIMB, INCLUDING HIP D04.71 - CARCINOMA IN SITU OF SKIN OF RIGHT LOWER LIMB, INCLUDING HIP D04.72 - CARCINOMA IN SITU OF SKIN OF LEFT LOWER LIMB, INCLUDING HIP	
Claims: 8	562.11 DIVERTICULITIS OF COLON WITHOUT MENTION OF HEMORRHAGE	Ratio: 1:6
• ICD-10: • ICD-10: • ICD-10: • ICD-10:	K57.20 - DIVERTICULITIS OF LARGE INTESTINE WITH PERFORATION AND ABSCESS WITHOUT BLEEDING K57.32 - DIVERTICULITIS OF LARGE INTESTINE WITHOUT PERFORATION OR ABSCESS WITHOUT BLEEDING K57.40 - DIVERTICULITIS OF BOTH SMALL AND LARGE INTESTINE WITH PERFORATION AND ABSCESS WITHOUT BLEEDING K57.52 - DIVERTICULITIS OF BOTH SMALL AND LARGE INTESTINE WITHOUT PERFORATION OR ABSCESS WITHOUT BLEEDING K57.80 - DIVERTICULITIS OF INTESTINE, PART UNSPECIFIED, WITH PERFORATION AND ABSCESS WITHOUT BLEEDING K57.92 - DIVERTICULITIS OF INTESTINE, PART UNSPECIFIED, WITHOUT PERFORATION OR ABSCESS WITHOUT BLEEDING	
Claims: 8	593.3 STRICTURE OR KINKING OF URETER	Ratio: 1:2
	N11.1 - CHRONIC OBSTRUCTIVE PYELONEPHRITIS N13.5 - CROSSING VESSEL AND STRICTURE OF URETER WITHOUT HYDRONEPHROSIS	
Claims: 8	inguinal Hernia, without mention of obstruction or gangrene unilateral or unspecified (not specified as recurrent)	Ratio: 1:1 Exact
	K40.90 - UNILATERAL INGUINAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	
Claims: 8	V16.9 FAMILY HISTORY OF MALIGNANT NEOPLASM UNSPECIFIED MALIGNANT NEOPLASM Z80.9 - FAMILY HISTORY OF MALIGNANT NEOPLASM, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10:	728.71 PLANTAR FASCIAL FIBROMATOSIS	Ratio: 1:1 Exact
	M72.2 - PLANTAR FASCIAL FIBROMATOSIS	Natio. 1.1 Exact
Claims: 7	789.2 SPLENOMEGALY	Ratio: 1:2
• ICD-10:	R16.1 - SPLENOMEGALY, NOT ELSEWHERE CLASSIFIED R16.2 - HEPATOMEGALY WITH SPLENOMEGALY, NOT ELSEWHERE CLASSIFIED	ridio. 1.2
Claims: 7	272.4 HYPERLIPIDEMIA OTHER AND UNSPECIFIED	Ratio: 1:2
	E78.4 - OTHER HYPERLIPIDEMIA E78.5 - HYPERLIPIDEMIA, UNSPECIFIED	
Claims: 7	465.9 ACUTE UPPER RESPIRATORY INFECTIONS OF UNSPECIFIED SITE	Ratio: 1:1
• ICD-10:	J06.9 - ACUTE UPPER RESPIRATORY INFECTION, UNSPECIFIED	
Claims: 7	574.10 CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITHOUT MENTION OF OBSTRUCTION	Ratio: 1:3
 ICD-10: 	K80.10 - CALCULUS OF GALLBLADDER WITH CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION K80.12 - CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION K80.18 - CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS WITHOUT OBSTRUCTION	
Claims: 7	793.80 ABNORMAL MAMMOGRAM, UNSPECIFIED	Ratio: 1:1
	R92.8 - OTHER ABNORMAL AND INCONCLUSIVE FINDINGS ON DIAGNOSTIC IMAGING OF BREAST	
• ICD-10:	441.4 ABDOMINAL ANEURYSM WITHOUT MENTION OF RUPTURE 171.4 - ABDOMINAL AORTIC ANEURYSM, WITHOUT RUPTURE	Ratio: 1:1 Exact
Claims: 7	793.7 NONSPECIFIC ABNORMAL FINDINGS ON RADIOLOGICAL AND OTHER EXAMINATION OF MUSCULOSKELETAL SYSTEM	Ratio: 1:2
	R93.6 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF LIMBS R93.7 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF OTHER PARTS OF MUSCULOSKELETAL SYSTEM	
Claims: 7	593.9 DISORDERS OF KIDNEY AND URETER UNSPECIFIED	Ratio: 1:2
	N28.9 - DISORDER OF KIDNEY AND URETER, UNSPECIFIED N29 - OTHER DISORDERS OF KIDNEY AND URETER IN DISEASES CLASSIFIED ELSEWHERE	
Claims: 7	091.4 ADENOPATHY DUE TO SECONDARY SYPHILIS	Ratio: 1:1
	A51.49 - OTHER SECONDARY SYPHILITIC CONDITIONS	
Claims: 7	578.1 BLOOD IN STOOL	Ratio: 1:1 Exact
	K92.1 - MELENA	Detico 4.0
	209.60 BENIGN CARCINOID TUMOR OF UNKNOWN PRIMARY SITE D3A.00 - BENIGN CARCINOID TUMOR OF UNSPECIFIED SITE D3A.8 - OTHER BENIGN NEUROENDOCRINE TUMORS	Ratio: 1:2
Claims: 7	715.90 OSTEOARTHROSIS, UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED SITE UNSPECIFIED	Ratio: 1:2
	M15.9 - POLYOSTEOARTHRITIS, UNSPECIFIED M19.90 - UNSPECIFIED OSTEOARTHRITIS, UNSPECIFIED SITE	
Claims: 7	717.3 OTHER AND UNSPECIFIED DERANGEMENT OF MEDIAL MENISCUS	Ratio: 1:15
• ICD-10: • ICD-10: • ICD-10: • ICD-10: • ICD-10: • ICD-10:	M23.031 - CYSTIC MENISCUS, OTHER MEDIAL MENISCUS, RIGHT KNEE M23.032 - CYSTIC MENISCUS, OTHER MEDIAL MENISCUS, LEFT KNEE M23.039 - CYSTIC MENISCUS, OTHER MEDIAL MENISCUS, LISTER KNEE M23.203 - DERANGEMENT OF UNSPECIFIED MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, RIGHT KNEE M23.204 - DERANGEMENT OF UNSPECIFIED MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, LEFT KNEE M23.205 - DERANGEMENT OF UNSPECIFIED MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED KNEE M23.205 - DERANGEMENT OF UNSPECIFIED MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, RIGHT KNEE M23.231 - DERANGEMENT OF OTHER MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, RIGHT KNEE M23.232 - DERANGEMENT OF OTHER MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, LEFT KNEE	

Ratio: 1:104

```
    ICD-10: M23.239 - DERANGEMENT OF O'THER MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED
    ICD-10: M23.303 - OTHER MENISCUS DERANGEMENTS, UNSPECIFIED MEDIAL MENISCUS, RIGHT KNEE
    ICD-10: M23.304 - OTHER MENISCUS DERANGEMENTS, UNSPECIFIED MEDIAL MENISCUS, LEFT KNEE
    ICD-10: M23.305 - OTHER MENISCUS DERANGEMENTS, UNSPECIFIED MEDIAL MENISCUS, UNSPECIFIED KNEE
    ICD-10: M23.331 - OTHER MENISCUS DERANGEMENTS, OTHER MEDIAL MENISCUS, RIGHT KNEE
    ICD-10: M23.332 - OTHER MENISCUS DERANGEMENTS, OTHER MEDIAL MENISCUS, LEFT KNEE
    ICD-10: M23.339 - OTHER MENISCUS DERANGEMENTS, OTHER MEDIAL MENISCUS, UNSPECIFIED KNEE

LACADE MAY AND A STATE OF THE MERIODIS DEPARTMENTS OF THE MERIODIS CONTROL OF THE MERIODIS OF PRINCIPAL WITHOUT PRINCIPAL STATE OF THE MERIODIS OF PRINCIPAL WITHOUT PRINCIPAL STATE OF THE MERIODIS CONTROL OF THE MERIODIS OF PRINCIPAL WITHOUT PRINCIPAL STATE OF THE MERIODIS OF PRINCIPAL WITHOUT PRINCIPAL STATE OF THE MERIODIS OF THE 
                                                                                                                                                                                                     OPEN WOUND OF FINGER(S) WITHOUT MENTION OF COMPLICATION
```

ICD-10: M23.239 - DERANGEMENT OF OTHER MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED KNEE

```
Claims: 6
                                                                    146 0
                                                                                                   MALIGNANT NEOPLASM OF TONSIL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:2

    ICD-10: C09.8 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF TONSIL
    ICD-10: C09.9 - MALIGNANT NEOPLASM OF TONSIL, UNSPECIFIED

                                                                                                DYSPEPSIA AND OTHER SPECIFIED DISORDERS OF FUNCTION OF STOMACH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
Claims: 6

    ICD-10: K30 - FUNCTIONAL DYSPEPSIA

                                                                    722.71 INTERVERTEBRAL DISC DISORDER WITH MYELOPATHY CERVICAL REGION
Claims: 6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:4

    ICD-10: M50.00 - CERVICAL DISC DISORDER WITH MYELOPATHY, UNSPECIFIED CERVICAL REGION
    ICD-10: M50.01 - CERVICAL DISC DISORDER WITH MYELOPATHY, HIGH CERVICAL REGION
    ICD-10: M50.02 - CERVICAL DISC DISORDER WITH MYELOPATHY, MID-CERVICAL REGION
    ICD-10: M50.03 - CERVICAL DISC DISORDER WITH MYELOPATHY, CERVICOTHORACIC REGION

Claims: 6
                                                                                                    DEVIATED NASAL SEPTUM
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
                   · ICD-10: J34.2 - DEVIATED NASAL SEPTUM
Claims: 6
                                                                   611.1 HYPERTROPHY OF BREAST
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
                   · ICD-10: N62 - HYPERTROPHY OF BREAST
Claims: 6
                                                                    788 1 DYSURIA
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:2

    ICD-10: R30.0 - DYSURIA
    ICD-10: R30.9 - PAINFUL MICTURITION, UNSPECIFIED

                                                                    070.51 ACUTE HEPATITIS C WITHOUT MENTION OF HEPATIC COMA
Claims: 6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
                    10-10-18 BIT-10 - ACUTE REPAITIS C WITHOUT HEPATIC COMA

10-10-18 MOS 40 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF UNSPECIFIED SITE

10-10-18 MOS 41 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF UNSPECIFIED SITE

10-10-18 MOS 41 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF UNSPECIFIED SITE

10-10-18 MOS 41 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT SHOULDER

10-10-18 MOS 41 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT SHOULDER

10-10-18 MOS 41 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT SHOULDER

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT SHOULDER

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT SHOULDER

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WHIST

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WHIST

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WHIST

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WAS

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WAS

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WAS

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF RIGHT HIP

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF RIGHT HIP

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF RIGHT HIP

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF RIGHT KIME

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF RIGHT KIME

10-10-18 MOS 42 - RHEUMATOID MYOPATHY WITH RHEUMATOID ARTHRITIS OF LIFT WAS AND ARTHRITIS OF RIGHT WAS AND ARTHRI
                   · ICD-10: B17.10 - ACUTE HEPATITIS C WITHOUT HEPATIC COMA
Claims: 6
                                                                   714.0 RHEUMATOID ARTHRITIS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:190
                         ICD-10: M05.769 - RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED KNEE WITHOUT ORGAN OR SYSTEMS INVOLVEMENT ICD-10: M05.7771 - RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT ANKLE AND FOOT WITHOUT ORGAN OR SYSTEMS INVOLVEMENT ICD-10: M05.772 - RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LEFT ANKLE AND FOOT WITHOUT ORGAN OR SYSTEMS INVOLVEMENT ICD-10: M05.779 - RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED ANKLE AND FOOT WITHOUT ORGAN OR SYSTEMS INVOLVEMENT ICD-10: M05.79 - RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED SITE SWITHOUT ORGAN OR SYSTEMS INVOLVEMENT ICD-10: M05.80 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED SITE ICD-10: M05.811 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF GIGHT SHOULDER ICD-10: M05.812 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LEFT SHOULDER ICD-10: M05.822 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT SHOULDER ICD-10: M05.822 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT ELBOW ICD-10: M05.822 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT ELBOW ICD-10: M05.829 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LIFT ELBOW ICD-10: M05.829 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LIFT ELBOW ICD-10: M05.829 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED ELBOW ICD-10: M05.829 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED ELBOW ICD-10: M05.829 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED ELBOW ICD-10: M05.829 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF INSPECIFIED ELBOW ICD-10: M05.831 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF INSPECIFIED ELBOW ICD-10: M05.831 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF INSPECIFIED ELBOW ICD-10: M05.831 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF INSPECIFIED ELBOW ICD-10: M05.831 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF INSPECIFIED ELBOW ICD-10: M05.831 - OTHER RHEUMATOID ARTHRITIS WI
                           ICD-10: M05.832 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LEFT WRIST
```

```
ICD-10: M05.839 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED WRIST
ICD-10: M05.841 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT HAND
ICD-10: M05.842 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LEFT HAND
ICD-10: M05.849 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED HAND
ICD-10: M05.851 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT HIP
ICD-10: M05.852 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT HIP
ICD-10: M05.852 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LIFT HIP
ICD-10: M05.859 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED HIP
ICD-10: M05.862 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED HIP
ICD-10: M05.862 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED HIP
ICD-10: M05.862 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED KNEE
ICD-10: M05.862 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF RIGHT ANKLE AND FOOT
ICD-10: M05.871 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LEFT KNEE
ICD-10: M05.872 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF LEFT ANKLE AND FOOT
ICD-10: M05.879 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED ANKLE AND FOOT
ICD-10: M05.89 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF MULTIPLE SITES
ICD-10: M06.09 - RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR, UNSPECIFIED SITE
ICD-10: M06.00 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, UNSPECIFIED SITE
ICD-10: M06.00 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, RIGHT SHOULDER
ICD-10: M06.012 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, UNSPECIFIED SITE
ICD-10: M06.012 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, UNSPECIFIED BLBOW
ICD-10: M06.002 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, UNSPECIFIED BLBOW
ICD-10: M06.003 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, RIGHT HIND
ICD-10: M06.004 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, RIGHT HIND
ICD-10: M06.005 - RHEU
                          ICD-10: M05.839 - OTHER RHEUMATOID ARTHRITIS WITH RHEUMATOID FACTOR OF UNSPECIFIED WRIST
                ICD-10: M06.071 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, RIGHT ANKLE AND FOOT ICD-10: M06.072 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, LEFT ANKLE AND FOOT ICD-10: M06.079 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, UNSPECIFIED ANKLE AND FOOT ICD-10: M06.09 - RHEUMATOID ARTHRITIS WITHOUT RHEUMATOID FACTOR, VINSPECIFIED ANKLE AND FOOT ICD-10: M06.09 - RHEUMATOID BATRHRITIS WITHOUT RHEUMATOID FACTOR, VERTEBRAE ICD-10: M06.20 - RHEUMATOID BURRITIS, UNSPECIFIED SITE ICD-10: M06.211 - RHEUMATOID BURSITIS, UNSPECIFIED SITE ICD-10: M06.2121 - RHEUMATOID BURSITIS, RIGHT SHOULDER ICD-10: M06.212 - RHEUMATOID BURSITIS, LEFT SHOULDER ICD-10: M06.212 - RHEUMATOID BURSITIS, LEFT SHOULDER ICD-10: M06.221 - RHEUMATOID BURSITIS, LEFT LEDOW ICD-10: M06.222 - RHEUMATOID BURSITIS, LEFT LEDOW ICD-10: M06.223 - RHEUMATOID BURSITIS, LEFT WIST ICD-10: M06.231 - RHEUMATOID BURSITIS, LEFT WIST ICD-10: M06.232 - RHEUMATOID BURSITIS, LEFT WIST ICD-10: M06.232 - RHEUMATOID BURSITIS, LEFT WIST ICD-10: M06.232 - RHEUMATOID BURSITIS, LEFT WIST ICD-10: M06.234 - RHEUMATOID BURSITIS, LEFT HAND ICD-10: M06.234 - RHEUMATOID BURSITIS, LEFT HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, LEFT HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, LEFT HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, LEFT HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, LEFT HIP ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, LEFT HIP ICD-10: M06.242 - RHEUMATOID BURSITIS, LEFT HIP ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HAND ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HIP ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED HIP ICD-10: M06.242 - RHEUMATOID BURSITIS, WISPECIFIED WISE ICD-10: M06.262 - RHEUMATOID BURSITIS, WISPECIFIED WISE ICD-10: M06.262 - RHEUMATOID BURSITIS, WISPECIFIED WISPECIFIED WISPE ICD-10: M06.271 - RHEUMATOID BURSI
                                ICD-10: M06.311 - RHEUMATOID NODULE, RIGHT SHOULDER
ICD-10: M06.312 - RHEUMATOID NODULE, LEFT SHOULDER
ICD-10: M06.319 - RHEUMATOID NODULE, UNSPECIFIED SHOULDER
ICD-10: M06.321 - RHEUMATOID NODULE, RIGHT ELBOW
                          ICD-10: M06.321 - RHEUMATOID NODULE, RIGHT ELBOW
ICD-10: M06.322 - RHEUMATOID NODULE, LEFT ELBOW
ICD-10: M06.329 - RHEUMATOID NODULE, UNSPECIFIED ELBOW
ICD-10: M06.331 - RHEUMATOID NODULE, RIGHT WRIST
ICD-10: M06.332 - RHEUMATOID NODULE, ELFT WRIST
ICD-10: M06.332 - RHEUMATOID NODULE, UNSPECIFIED WRIST
ICD-10: M06.341 - RHEUMATOID NODULE, RIGHT HAND
ICD-10: M06.342 - RHEUMATOID NODULE, RIGHT HAND
ICD-10: M06.342 - RHEUMATOID NODULE, UNSPECIFIED HAND
ICD-10: M06.342 - RHEUMATOID NODULE, UNSPECIFIED HAND

    ICD-10: M06.341 - RHEUMATOID NODULE, RIGHT HAND
    ICD-10: M06.349 - RHEUMATOID NODULE, UNSPECIFIED HAND
    ICD-10: M06.351 - RHEUMATOID NODULE, RIGHT HIP
    ICD-10: M06.352 - RHEUMATOID NODULE, RIGHT HIP
    ICD-10: M06.353 - RHEUMATOID NODULE, LEFT HIP
    ICD-10: M06.353 - RHEUMATOID NODULE, RIGHT HIP
    ICD-10: M06.359 - RHEUMATOID NODULE, RIGHT KNEE
    ICD-10: M06.361 - RHEUMATOID NODULE, RIGHT KNEE
    ICD-10: M06.362 - RHEUMATOID NODULE, RIGHT KNEE
    ICD-10: M06.363 - RHEUMATOID NODULE, LISPECHIED KNEE
    ICD-10: M06.371 - RHEUMATOID NODULE, LISPECHIED KNEE
    ICD-10: M06.372 - RHEUMATOID NODULE, RIGHT ANKLE AND FOOT
    ICD-10: M06.373 - RHEUMATOID NODULE, UNSPECIFIED ANKLE AND FOOT
    ICD-10: M06.373 - RHEUMATOID NODULE, UNSPECIFIED ANKLE AND FOOT
    ICD-10: M06.379 - RHEUMATOID NODULE, UNSPECIFIED ANKLE AND FOOT
    ICD-10: M06.383 - RHEUMATOID NODULE, VERTEBRAE
    ICD-10: M06.39 - RHEUMATOID NODULE, VERTEBRAE
    ICD-10: M06.39 - CHER SPECIFIED RHEUMATOID ARTHRITIS, UNSPECIFIED SITE
    ICD-10: M06.39 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, UNSPECIFIED SITE
    ICD-10: M06.39 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT SHOULDER
    ICD-10: M06.312 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, UNSPECIFIED SHOULDER
    ICD-10: M06.312 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT ELBOW
    ICD-10: M06.321 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT ELBOW
    ICD-10: M06.322 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT WRIST
    ICD-10: M06.323 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT WRIST
    ICD-10: M06.323 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT WRIST
    ICD-10: M06.323 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT HAND
    ICD-10: M06.324 - OTHER SPECIFIED RHEUMATOID ARTHRITIS, LIEFT HAND
    ICD-10: M06.325 - OTHE
```

```
Claims: 6
                                                      233.0
                                                                             CARCINOMA IN SITU OF BREAST
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:12
              ICD-10: D05.00 - LOBULAR CARCINOMA IN SITU OF UNSPECIFIED BREAST
ICD-10: D05.01 - LOBULAR CARCINOMA IN SITU OF RIGHT BREAST
ICD-10: D05.02 - LOBULAR CARCINOMA IN SITU OF LEFT BREAST
ICD-10: D05.10 - INTRADUCTAL CARCINOMA IN SITU OF LIST BREAST
ICD-10: D05.11 - INTRADUCTAL CARCINOMA IN SITU OF RIGHT BREAST
ICD-10: D05.12 - INTRADUCTAL CARCINOMA IN SITU OF LEFT BREAST
ICD-10: D05.80 - OTHER SPECIFIED TYPE OF CARCINOMA IN SITU OF RIGHT BREAST
ICD-10: D05.81 - OTHER SPECIFIED TYPE OF CARCINOMA IN SITU OF RIGHT BREAST
ICD-10: D05.82 - OTHER SPECIFIED TYPE OF CARCINOMA IN SITU OF LEFT BREAST
ICD-10: D05.90 - UNSPECIFIED TYPE OF CARCINOMA IN SITU OF LEFT BREAST
ICD-10: D05.91 - UNSPECIFIED TYPE OF CARCINOMA IN SITU OF RIGHT BREAST
ICD-10: D05.92 - UNSPECIFIED TYPE OF CARCINOMA IN SITU OF RIGHT BREAST
Claims: 6
                                                     716.94 ARTHROPATHY, UNSPECIFIED HAND
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1
               · ICD-10: M12.9 - ARTHROPATHY, UNSPECIFIED
Claims: 6
                                                      787.99 SYMPTOMS INVOLVING DIGESTIVE SYSTEM OTHER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
              • ICD-10: R19.4 - CHANGE IN BOWEL HABIT
• ICD-10: R19.8 - OTHER SPECIFIED SYMPTOMS AND SIGNS INVOLVING THE DIGESTIVE SYSTEM AND ABDOMEN
                                                      141.9 MALIGNANT NEOPLASM OF TONGUE. UNSPECIFIED
Claims: 6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
               · ICD-10: C02.9 - MALIGNANT NEOPLASM OF TONGUE, UNSPECIFIED
Claims: 6
                                                      577.0 ACUTE PANCREATITIS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:7
                    ICD-10: B25.2 - CYTOMEGALOVIRAL PANCREATITIS ICD-10: K85.0 - IDIOPATHIC ACUTE PANCREATITIS ICD-10: K85.1 - BILIARY ACUTE PANCREATITIS ICD-10: K85.2 - ALCOHOL INDUCED ACUTE PANCREATITIS

    ICD-10: K85.3 - DRUG INDUCED ACUTE PANCREATITIS
    ICD-10: K85.8 - OTHER ACUTE PANCREATITIS
    ICD-10: K85.9 - ACUTE PANCREATITIS, UNSPECIFIED

                                                      784.49 VOICE DISTURBANCE OTHER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1
               · ICD-10: R49.8 - OTHER VOICE AND RESONANCE DISORDERS
                                                     553.3 DIAPHRAGMATIC HERNIA
Claims: 6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
               · ICD-10: K44.9 - DIAPHRAGMATIC HERNIA WITHOUT OBSTRUCTION OR GANGRENE
                                                     443.9 PERIPHERAL VASCULAR DISEASE, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
               · ICD-10: 173.9 - PERIPHERAL VASCULAR DISEASE, UNSPECIFIED
Claims: 6
                                                    230.4 CARCINOMA IN SITU OF RECTUM
                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Ratio: 1:2
               • ICD-10: D01.1 - CARCINOMA IN SITU OF RECTOSIGMOID JUNCTION
• ICD-10: D01.2 - CARCINOMA IN SITU OF RECTUM
                                                      786.52 PAINFUL RESPIRATION
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
              • ICD-10: R07.1 - CHEST PAIN ON BREATHING
• ICD-10: R07.81 - PLEURODYNIA
                                                      733.99 OTHER AND UNSPECIFIED DISORDERS OF BONE AND CARTILAGE
Claims: 6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:180
                  ICD-10: M84.80 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED SITE

ICD-10: M84.811 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT SHOULDER

ICD-10: M84.812 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT SHOULDER

ICD-10: M84.812 - OTHER DISORDERS OF CONTINUITY OF BONE, LEFT SHOULDER

ICD-10: M84.813 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED SHOULDER

ICD-10: M84.821 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT HUMERUS

ICD-10: M84.822 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT HUMERUS

ICD-10: M84.822 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT HUMERUS

ICD-10: M84.823 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT UNA

ICD-10: M84.832 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT UNA

ICD-10: M84.833 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT WAR

ICD-10: M84.833 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT RADIUS

ICD-10: M84.833 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT RADIUS

ICD-10: M84.834 - OTHER DISORDERS OF CONTINUITY OF BONE, RIGHT RADIUS

ICD-10: M84.839 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED UNA AND RADIUS

ICD-10: M84.841 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED UNA AND RADIUS

ICD-10: M84.842 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED HAND

ICD-10: M84.843 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED HAND

ICD-10: M84.843 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED HAND

ICD-10: M84.851 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED HAND

ICD-10: M84.852 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED HAND

ICD-10: M84.854 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED HAND

ICD-10: M84.855 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED DEVVIC REGION AND THIGH

ICD-10: M84.852 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED DEVVIC REGION AND THIGH

ICD-10: M84.863 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED TIBIA

ICD-10: M84.864 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED TIBIA

ICD-10: M84.865 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED TIBIA

ICD-10
                     ICD-10: M84.80 - OTHER DISORDERS OF CONTINUITY OF BONE, UNSPECIFIED SITE
                    ICD-10: M85.121 - SKELETAL FLUOROSIS, RIGHT UPPER ARM
ICD-10: M85.122 - SKELETAL FLUOROSIS, LEFT UPPER ARM
ICD-10: M85.129 - SKELETAL FLUOROSIS, UNSPECIFIED UPPER ARM
ICD-10: M85.131 - SKELETAL FLUOROSIS, RIGHT FOREARM
ICD-10: M85.132 - SKELETAL FLUOROSIS, LEFT FOREARM
ICD-10: M85.132 - SKELETAL FLUOROSIS, UNSPECIFIED FOREARM
ICD-10: M85.141 - SKELETAL FLUOROSIS, RIGHT HAND
ICD-10: M85.142 - SKELETAL FLUOROSIS, LEFT HAND
ICD-10: M85.142 - SKELETAL FLUOROSIS, LEFT HAND
ICD-10: M85.142 - SKELETAL FLUOROSIS, LEFT HAND
ICD-10: M85.140 - SKELETAL FLUOROSIS, LEFT HAND
                    ICD-10: M85.142 - SKELETAL FLUOROSIS, LEFT HAND
ICD-10: M85.149 - SKELETAL FLUOROSIS, UNSPECIFIED HAND
ICD-10: M85.151 - SKELETAL FLUOROSIS, RIGHT THIGH
ICD-10: M85.152 - SKELETAL FLUOROSIS, LEFT THIGH
ICD-10: M85.159 - SKELETAL FLUOROSIS, UNSPECIFIED THIGH
ICD-10: M85.161 - SKELETAL FLUOROSIS, RIGHT LOWER LEG
ICD-10: M85.162 - SKELETAL FLUOROSIS, UNSPECIFIED LOWER LEG
ICD-10: M85.162 - SKELETAL FLUOROSIS, UNSPECIFIED LOWER LEG
ICD-10: M85.171 - SKELETAL FLUOROSIS, UNSPECIFIED LOWER LEG
ICD-10: M85.171 - SKELETAL FLUOROSIS, RIGHT ANKLE AND FOOT
ICD-10: M85.172 - SKELETAL FLUOROSIS, LEFT ANKLE AND FOOT
                     ICD-10: M85.179 - SKELETAL FLUOROSIS, UNSPECIFIED ANKLE AND FOOT
```

```
INDIA 19. MIS.18 - SKILETAL FLUOROSIS, MILTPRE SITES

GOATO MIS.19 - SKILETAL FLUOROSIS, MILTPRE SITES

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. UNDERSONED BYTE

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH SMILL GROUNDER

GOATO MIS.29 - OTHER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THOUGH EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THOUGH EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THOUGH EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THE TOWN EATH EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THE TOWN EATH EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THE TOWN EATH THAN THE SMILL GROUNDER SPECIFIED DISCOPERS OF BONE DENSITY AND STRUCTURE. EATH THAN THE SMILL GROUNDER SPECIFIED SPECIFIED SPECIFI
```

ICD-10: M89.8X8 - OTHER SPECIFIED DISORDERS OF BONE, OTHER SITE

• ICD-10: M53.3 - SACROCOCCYGEAL DISORDERS, NOT ELSEWHERE CLASSIFIED

```
ICD-10: M89.8X8 - OTHER SPECIFIED DISORDERS OF BONE, OTHER SITE ICD-10: M89.8X9 - OTHER SPECIFIED DISORDERS OF BONE, UNSPECIFIED SITE ICD-10: M94.1 - RELAPSING POLYCHONDRITIS ICD-10: M94.351 - CHONDROLYSIS, RIGHT HIP ICD-10: M94.352 - CHONDROLYSIS, LEFT HIP ICD-10: M94.359 - CHONDROLYSIS, LEFT HIP ICD-10: M94.359 - CHONDROLYSIS, UNSPECIFIED HIP ICD-10: M94.8X9 - OTHER SPECIFIED DISORDERS OF CARTILAGE, MULTIPLE SITES ICD-10: M94.8X1 - OTHER SPECIFIED DISORDERS OF CARTILAGE, SHOULDER ICD-10: M94.8X1 - OTHER SPECIFIED DISORDERS OF CARTILAGE, UPPER ARM ICD-10: M94.8X3 - OTHER SPECIFIED DISORDERS OF CARTILAGE, OF CARDILAGE, OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M94.8X8 - OTHER SPECIFIED DISORDERS OF CARDILAGE, OTHER SITE ICD-10: M
                                  238.71 THROMBOCYTHEMIA, ESSENTIAL
                                                                                                                                                                                                                                                                                                 Ratio: 1:1
         • ICD-10: D47.3 - ESSENTIAL (HEMORRHAGIC) THROMBOCYTHEMIA
Claims: 5
                                 288.50 LEUKOCYTOPENIA, UNSPECIFIED
                                                                                                                                                                                                                                                                                                Ratio: 1:1
         • ICD-10: D72.819 - DECREASED WHITE BLOOD CELL COUNT, UNSPECIFIED
                                                   SUPERFICIAL FOREIGN BODY (SPLINTER) WITHOUT MAJOR OPEN WOUND AND WITHOUT MENTION OF
Claims: 5
                                 914.6
                                                                                                                                                                                                                                                                                                Ratio: 1:3
                                                   INFECTION

    ICD-10: S60.551A - SUPERFICIAL FOREIGN BODY OF RIGHT HAND, INITIAL ENCOUNTER
    ICD-10: S60.552A - SUPERFICIAL FOREIGN BODY OF LEFT HAND, INITIAL ENCOUNTER
    ICD-10: S60.559A - SUPERFICIAL FOREIGN BODY OF UNSPECIFIED HAND, INITIAL ENCOUNTER

Claims: 5
                                  388.72 REFERRED PAIN
                                                                                                                                                                                                                                                                                                 Ratio: 1:1
         · ICD-10: H92.09 - OTALGIA, UNSPECIFIED EAR
                                  149.0 MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED
Claims: 5
                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
         • ICD-10: C14.0 - MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED
Claims: 5
                                  V72.5 RADIOLOGICAL EXAMINATION, NOT ELSEWHERE CLASSIFIED
                                                                                                                                                                                                                                                                                                 Ratio: 1:1
         • ICD-10: Z01.89 - ENCOUNTER FOR OTHER SPECIFIED SPECIAL EXAMINATIONS
Claims: 5
                                  726.71 ACHILLES BURSITIS OR TENDINITIS
                                                                                                                                                                                                                                                                                                Ratio: 1:3

    ICD-10: M76.60 - ACHILLES TENDINITIS, UNSPECIFIED LEG
    ICD-10: M76.61 - ACHILLES TENDINITIS, RIGHT LEG
    ICD-10: M76.62 - ACHILLES TENDINITIS, LEFT LEG

Claims: 5
                                  621.0
                                                POLYP OF CORPUS UTERI
                                                                                                                                                                                                                                                                                                 Ratio: 1:3
             ICD-10: N84.0 - POLYP OF CORPUS UTERI

    ICD-10: N84.8 - POLYP OF OTHER PARTS OF FEMALE GENITAL TRACT
    ICD-10: N84.9 - POLYP OF FEMALE GENITAL TRACT, UNSPECIFIED

                                                 LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC
                                                                                                                                                                                                                                                                                                 Ratio: 1:2
         • ICD-10: 188.8 - OTHER NONSPECIFIC LYMPHADENITIS
• ICD-10: 188.9 - NONSPECIFIC LYMPHADENITIS, UNSPECIFIED
                                  785.1 PALPITATIONS
                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
         · ICD-10: R00.2 - PALPITATIONS
Claims: 5
                                 V10.00 PERSONAL HISTORY OF MALIGNANT NEOPLASM GASTROINTESTINAL TRACT, UNSPECIFIED
                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
         • ICD-10: Z85.00 - PERSONAL HISTORY OF MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGAN
Claims: 5
                                 474 00 CHRONIC TONSILLITIS
                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
         • ICD-10: J35.01 - CHRONIC TONSILLITIS
                                 233.4 CARCINOMA IN SITU OF PROSTATE
Claims: 5
                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
         · ICD-10: D07.5 - CARCINOMA IN SITU OF PROSTATE
                                                 PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES
Claims: 5
                                                                                                                                                                                                                                                                                                 Ratio: 1:2
         • ICD-10: J62.0 - PNEUMOCONIOSIS DUE TO TALC DUST
• ICD-10: J62.8 - PNEUMOCONIOSIS DUE TO OTHER DUST CONTAINING SILICA
Claims: 5
                                 555.9 REGIONAL ENTERITIS UNSPECIFIED SITE
                                                                                                                                                                                                                                                                                                Ratio: 1:7

    ICD-10: K50.90 - ROHNS DISEASE, UNSPECIFIED, WITHOUT COMPLICATIONS
    ICD-10: K50.911 - ROHNS DISEASE, UNSPECIFIED, WITH RECTAL BLEEDING
    ICD-10: K50.912 - ROHNS DISEASE, UNSPECIFIED, WITH INTESTINAL OBSTRUCTION
    ICD-10: K50.913 - ROHNS DISEASE, UNSPECIFIED, WITH FISTULA
    ICD-10: K50.914 - ROHNS DISEASE, UNSPECIFIED, WITH ABSCESS
    ICD-10: K50.918 - ROHNS DISEASE, UNSPECIFIED, WITH OTHER COMPLICATION
    ICD-10: K50.919 - ROHNS DISEASE, UNSPECIFIED, WITH UNSPECIFIED COMPLICATIONS

Claims: 5
                                                  MALIGNANT NEOPLASM OF THYROID GLAND
                                  193
                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
         · ICD-10: C73 - MALIGNANT NEOPLASM OF THYROID GLAND
Claims: 5
                                  726.79 ENTHESOPATHY OF ANKLE AND TARSUS OTHER
                                                                                                                                                                                                                                                                                                Ratio: 1:6
            ICD-10: M76.70 - PERONEAL TENDINITIS. UNSPECIFIED LEG
             ICD-10: M76.71 - PERONEAL TENDINITIS, RIGHT LEG
ICD-10: M76.72 - PERONEAL TENDINITIS, RIGHT LEG
ICD-10: M77.50 - OTHER ENTHESOPATHY OF UNSPECIFIED FOOT
ICD-10: M77.51 - OTHER ENTHESOPATHY OF RIGHT FOOT
         • ICD-10: M77.52 - OTHER ENTHESOPATHY OF LEFT FOOT
Claims: 5
                                  724 79 DISORDERS OF COCCYX OTHER
                                                                                                                                                                                                                                                                                                Ratio: 1:1
```

laims: 4 V70.0 ROUTINE GENERAL MEDICAL EXAMINATION AT A HEALTH CARE FACILITY	Ratio: 1:2
 ICD-10: Z00.00 - ENCOUNTER FOR GENERAL ADULT MEDICAL EXAMINATION WITHOUT ABNORMAL FINDINGS ICD-10: Z00.01 - ENCOUNTER FOR GENERAL ADULT MEDICAL EXAMINATION WITH ABNORMAL FINDINGS 	
laims: 4 716.90 ARTHROPATHY, UNSPECIFIED, SITE UNSPECIFIED	Ratio: 1:1
• ICD-10: M12.9 - ARTHROPATHY, UNSPECIFIED	
laims: 4 735.0 HALLUX VALGUS (ACQUIRED)	Ratio: 1:3
ICD-10: M20.10 - HALLUX VALGUS (ACQUIRED), UNSPECIFIED FOOT ICD-10: M20.11 - HALLUX VALGUS (ACQUIRED), RIGHT FOOT ICD-10: M20.12 - HALLUX VALGUS (ACQUIRED), LEFT FOOT	
laims: 4 280.9 IRON DEFICIENCY ANEMIAS, UNSPECIFIED	Ratio: 1:1 Exact
ICD-10: D50.9 - IRON DEFICIENCY ANEMIA, UNSPECIFIED	
Claims: 4 230.5 CARCINOMA IN SITU OF ANAL CANAL	Ratio: 1:1
• ICD-10: D01.3 - CARCINOMA IN SITU OF ANUS AND ANAL CANAL	
Claims: 4 924.3 CONTUSION OF TOE	Ratio: 1:12
ICD-10: S90.111A - CONTUSION OF RIGHT GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.112A - CONTUSION OF LEFT GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.119A - CONTUSION OF UNSPECIFIED GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.121A - CONTUSION OF RIGHT LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.122A - CONTUSION OF LEFT LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.129A - CONTUSION OF GIBERT TOE WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.212A - CONTUSION OF RIGHT GREAT TOE WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.212A - CONTUSION OF LEFT GREAT TOE WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.212A - CONTUSION OF UNSPECIFIED REAT TOE WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.212A - CONTUSION OF UNSPECIFIED RESER TOE(S) WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.221A - CONTUSION OF UNSPECIFIED RESER TOE(S) WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.222A - CONTUSION OF LEFT LESSER TOE(S) WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.222A - CONTUSION OF UNSPECIFIED LESSER TOE(S) WITH DAMAGE TO NAIL, INITIAL ENCOUNTER ICD-10: S90.222A - CONTUSION OF UNSPECIFIED LESSER TOE(S) WITH DAMAGE TO NAIL, INITIAL ENCOUNTER	
Claims: 4 717.6 LOOSE BODY IN KNEE	Ratio: 1:3
• ICD-10: M23.40 - LOOSE BODY IN KNEE, UNSPECIFIED KNEE • ICD-10: M23.41 - LOOSE BODY IN KNEE, RIGHT KNEE • ICD-10: M23.42 - LOOSE BODY IN KNEE, LEFT KNEE	
Claims: 4 781.99 SYMPTOMS INVOLVING NERVOUS AND MUSCULOSKELETAL SYSTEMS OTHER	Ratio: 1:5
ICD-10: R29.6 - REPEATED FALLS ICD-10: R29.818 - OTHER SYMPTOMS AND SIGNS INVOLVING THE NERVOUS SYSTEM ICD-10: R29.898 - OTHER SYMPTOMS AND SIGNS INVOLVING THE MUSCUL OSKELETAL SYSTEM ICD-10: R29.90 - UNSPECIFIED SYMPTOMS AND SIGNS INVOLVING THE NERVOUS SYSTEM ICD-10: R29.91 - UNSPECIFIED SYMPTOMS AND SIGNS INVOLVING THE MUSCULOSKELETAL SYSTEM Claims: 4 289.9 DISEASES OF BLOOD AND BLOOD-FORMING ORGANS UNSPECIFIED	Ratio: 1:1
• ICD-10: D75.9 - DISEASE OF BLOOD AND BLOOD-FORMING ORGANS, UNSPECIFIED	
Claims: 4 V56.0 ENCOUNTER FOR EXTRACORPOREAL DIALYSIS	Ratio: 1:1
• ICD-10: Z49.31 - ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS	
Claims: 4 793.5 NONSPECIFIC ABNORMAL FINDINGS ON RADIOLOGICAL AND OTHER EXAMINATION OF GENITOURINARY	Ratio: 1:1
• ICD-10: R93.4 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF URINARY ORGANS	
Claims: 4 215.3 OTHER BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE LOWER LIMB, INCLUDING HIP	Ratio: 1:3
ICD-10: D21.20 - BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF UNSPECIFIED LOWER LIMB, INCLUDING HIP ICD-10: D21.21 - BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF RIGHT LOWER LIMB, INCLUDING HIP ICD-10: D21.22 - BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE OF LEFT LOWER LIMB, INCLUDING HIP	radio. 1.0
Claims: 4 796.4 OTHER ABNORMAL CLINICAL FINDINGS	Ratio: 1:1
• ICD-10: R68.89 - OTHER GENERAL SYMPTOMS AND SIGNS	
Claims: 4 141.0 MALIGNANT NEOPLASM OF BASE OF TONGUE	Ratio: 1:1 Exact
• ICD-10: C01 - MALIGNANT NEOPLASM OF BASE OF TONGUE	
Claims: 4 274.9 GOUT, UNSPECIFIED	Ratio: 1:1
• ICD-10: M10.9 - GOUT, UNSPECIFIED	
Claims: 4 789.39 ABDOMINAL OR PELVIC SWELLING, MASS, OR LUMP OTHER SPECIFIED SITE	Ratio: 1:1
ICD-10: R19.09 - OTHER INTRA-ABDOMINAL AND PELVIC SWELLING, MASS AND LUMP	
Claims: 4 208.10 LEUKEMIA OF UNSPECIFIED CELL TYPE CHRONIC WITHOUT MENTION OF REMISSION	Ratio: 1:1 Exact
ICD-10: C95.10 - CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION Name: 4	Datie: 4:0
Claims: 4 683 ACUTE LYMPHADENITIS	Ratio: 1:6
ICD-10: L04.0 - ACUTE LYMPHADENITIS OF FACE, HEAD AND NECK ICD-10: L04.1 - ACUTE LYMPHADENITIS OF TRUNK ICD-10: L04.2 - ACUTE LYMPHADENITIS OF LOWER LIMB ICD-10: L04.3 - ACUTE LYMPHADENITIS OF LOWER LIMB ICD-10: L04.8 - ACUTE LYMPHADENITIS OF OTHER SITES ICD-10: L04.8 - ACUTE LYMPHADENITIS OF OTHER SITES	
Claims: 4 049.0 LYMPHOCYTIC CHORIOMENINGITIS	Ratio: 1:1 Exact
• ICD-10: A87.2 - LYMPHOCYTIC CHORIOMENINGITIS	
Claims: 4 789.05 ABDOMINAL PAIN PERIUMBILIC	Ratio: 1:1 Exact
• ICD-10: R10.33 - PERIUMBILICAL PAIN	
Claims: 4 273.9 DISORDERS OF PLASMA PROTEIN METABOLISM UNSPECIFIED	Ratio: 1:1

• ICD-10: E88.09 - OTHER DISORDERS OF PLASMA-PROTEIN METABOLISM, NOT ELSEWHERE CLASSIFIED Claims: 4 702.8 DERMATOSES OTHER SPECIFIED Ratio: 1:2 • ICD-10: L11.1 - TRANSIENT ACANTHOLYTIC DERMATOSIS [GROVER]
• ICD-10: L98.8 - OTHER SPECIFIED DISORDERS OF THE SKIN AND SUBCUTANEOUS TISSUE LIPOMA OTHER SKIN AND SUBCUTANEOUS TISSUE Ratio: 1:8 ICD-10: D17.1 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF TRUNK
 ICD-10: D17.20 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF UNSPECIFIED LIMB
 ICD-10: D17.21 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF RIGHT ARM
 ICD-10: D17.22 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF LEFT ARM
 ICD-10: D17.23 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF RIGHT LEG
 ICD-10: D17.24 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF LEFT LEG
 ICD-10: D17.30 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF UNSPECIFIED SITES
 ICD-10: D17.39 - BENIGN LIPOMATOUS NEOPLASM OF SKIN AND SUBCUTANEOUS TISSUE OF OTHER SITES Claims: 4 527.2 SIALOADENITIS Ratio: 1:4 ICD-10: K11.20 - SIALOADENITIS, UNSPECIFIED
 ICD-10: K11.21 - ACUTE SIALOADENITIS
 ICD-10: K11.22 - ACUTE RECURRENT SIALOADENITIS
 ICD-10: K11.23 - CHRONIC SIALOADENITIS 719.40 PAIN IN JOINT SITE UNSPECIFIED Ratio: 1:1 · ICD-10: M25.50 - PAIN IN UNSPECIFIED JOINT Claims: 4 611.79 SIGNS AND SYMPTOMS IN BREAST OTHER Ratio: 1:4 ICD-10: N64 51 - INDURATION OF BREAST ICD-10: N64.52 - NIPPLE DISCHARGE
ICD-10: N64.53 - RETRACTION OF NIPPLE
ICD-10: N64.53 - RETRACTION OF NIPPLE
ICD-10: N64.59 - OTHER SIGNS AND SYMPTOMS IN BREAST SYMPTOMS ASSOCIATED WITH FEMALE GENITAL ORGANS OTHER SPECIFIED Ratio: 1:1 · ICD-10: N94.89 - OTHER SPECIFIED CONDITIONS ASSOCIATED WITH FEMALE GENITAL ORGANS AND MENSTRUAL CYCLE Claims: 4 726.72 TIBIALIS TENDINITIS Ratio: 1:6 ICD-10: M76.811 - ANTERIOR TIBIAL SYNDROME, RIGHT LEG
 ICD-10: M76.812 - ANTERIOR TIBIAL SYNDROME, LEFT LEG
 ICD-10: M76.819 - ANTERIOR TIBIAL SYNDROME, UNSPECIFIED LEG
 ICD-10: M76.821 - POSTERIOR TIBIAL TENDINITIS, RIGHT LEG
 ICD-10: M76.822 - POSTERIOR TIBIAL TENDINITIS, LEFT LEG
 ICD-10: M76.829 - POSTERIOR TIBIAL TENDINITIS, UNSPECIFIED LEG 530.20 ULCER OF ESOPHAGUS WITHOUT BLEEDING Claims: 4 Ratio: 1:1 Exact · ICD-10: K22.10 - ULCER OF ESOPHAGUS WITHOUT BLEEDING 188.5 MALIGNANT NEOPLASM OF BLADDER NECK Ratio: 1:1 Exact Claims: 4 • ICD-10: C67.5 - MALIGNANT NEOPLASM OF BLADDER NECK OPEN WOUND OF FOOT EXCEPT TOE(S) ALONE WITHOUT MNTION OF COMPLICATION Claims: 4 892.0 Ratio: 1:12 ICD-10: \$91.301A - UNSPECIFIED OPEN WOUND, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.309A - UNSPECIFIED OPEN WOUND, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.309A - UNSPECIFIED OPEN WOUND, UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: \$91.319A - LACERATION WITHOUT FOREIGN BODY, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.319A - LACERATION WITHOUT FOREIGN BODY, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.319A - LACERATION WITHOUT FOREIGN BODY, UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: \$91.332A - PUNCTURE WOUND WITHOUT FOREIGN BODY, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.339A - PUNCTURE WOUND WITHOUT FOREIGN BODY, UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: \$91.339A - PUNCTURE WOUND WITHOUT FOREIGN BODY, UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: \$91.352A - OPEN BITE, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.352A - OPEN BITE, LEFT FOOT, INITIAL ENCOUNTER
ICD-10: \$91.359A - OPEN BITE, UNSPECIFIED FOOT, INITIAL ENCOUNTER Claims: 4 784.92 JAW PAIN Ratio: 1:1 Exact • ICD-10: R68.84 - JAW PAIN NONSPECIFIC ABNORMAL FINDINGS ON RADIOLOGICAL AND OTHER EXAMINATION OF ABDOMINAL AREA, Claims: 4 Ratio: 1:1 793 6 INCLUDING RETROPERITONEUM · ICD-10: R93.5 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF OTHER ABDOMINAL REGIONS, INCLUDING RETROPERITONEUM PERITONEAL ADHESIONS (POSTOPERATIVE) (POSTINFECTION) Ratio: 1:2 Claims: 4 • ICD-10: K66.0 - PERITONEAL ADHESIONS (POSTPROCEDURAL) (POSTINFECTION)
• ICD-10: N99.4 - POSTPROCEDURAL PELVIC PERITONEAL ADHESIONS 388.70 OTALGIA, UNSPECIFIED Ratio: 1:4 • ICD-10: H92.01 - OTALGIA, RIGHT EAR • ICD-10: H92.02 - OTALGIA, LEFT EAR • ICD-10: H92.03 - OTALGIA, BILATERAL • ICD-10: H92.09 - OTALGIA, UNSPECIFIED EAR 238.75 MYELODYSPLASTIC SYNDROME, UNSPECIFIED Ratio: 1:2 • ICD-10: D46.9 - MYELODYSPLASTIC SYNDROME, UNSPECIFIED • ICD-10: D46.Z - OTHER MYELODYSPLASTIC SYNDROMES 578.9 HEMORRHAGE OF GASTROINTESTINAL TRACT, UNSPECIFIED Ratio: 1:1 Exact • ICD-10: K92.2 - GASTROINTESTINAL HEMORRHAGE, UNSPECIFIED Claims: 3 786.7 ABNORMAL CHEST SOUNDS Ratio: 1:1 · ICD-10: R09.89 - OTHER SPECIFIED SYMPTOMS AND SIGNS INVOLVING THE CIRCULATORY AND RESPIRATORY SYSTEMS 608.9 DISORDERS OF MALE GENITAL ORGANS UNSPECIFIED Ratio: 1:2 • ICD-10: N50.9 - DISORDER OF MALE GENITAL ORGANS, UNSPECIFIED • ICD-10: R10.2 - PELVIC AND PERINEAL PAIN

```
Claims: 3
                                                                       807.00 FRACTURE OF RIB(S), CLOSED, RIB(S), UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1
                    • ICD-10: $22,39XA - FRACTURE OF ONE RIB. UNSPECIFIED SIDE. INITIAL ENCOUNTER FOR CLOSED FRACTURE
Claims: 3
                                                                      726.33 OLECRANON BURSITIS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:3

    ICD-10: M70.20 - OLECRANON BURSITIS, UNSPECIFIED ELBOW
    ICD-10: M70.21 - OLECRANON BURSITIS, RIGHT ELBOW
    ICD-10: M70.22 - OLECRANON BURSITIS, LEFT ELBOW

                                                                                                     SPINAL CORD INJURY WITHOUT EVIDENCE OF SPINAL BONE INJURY LUMBAR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:19
                       IS: 3 932.2 SPINAL CORD INJURY WITHOUT EVIDENCE OF SPINAL BOINE INJURY LUMBAR

ICD-10: S34.01XA - CONCUSSION AND EDEMA OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.101A - UNSPECIFIED INJURY TO L1 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.102A - UNSPECIFIED INJURY TO L2 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.103A - UNSPECIFIED INJURY TO L3 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.103A - UNSPECIFIED INJURY TO L4 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.103A - UNSPECIFIED INJURY TO L5 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.103A - UNSPECIFIED INJURY TO UNSPECIFIED LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L1 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L2 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L3 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L4 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L5 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.113A - COMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.124A - INCOMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.124A - INCOMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.124A - INCOMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.125A - INCOMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.125A - INCOMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.125A - INCOMPLETE LESION OF L7 LEVEL OF LUMBAR SPINAL CORD, INITIAL ENCOUNTER

ICD-10: S34.125A - INCOMPLETE LESION OF US LEVEL OF LUMBAR SPINAL 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:5
                                                                       791 0 PROTFINURIA

    ICD-10: R80.0 - ISOLATED PROTEINURIA
    ICD-10: R80.1 - PERSISTENT PROTEINURIA, UNSPECIFIED
    ICD-10: R80.3 - BENCE JONES PROTEINURIA
    ICD-10: R80.8 - OTHER PROTEINURIA
    ICD-10: R80.9 - PROTEINURIA, UNSPECIFIED
Claims: 3
                                                                       V01.1 CONTACT WITH OR EXPOSURE TO TUBERCULOSIS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1 Exact
                    • ICD-10: Z20.1 - CONTACT WITH AND (SUSPECTED) EXPOSURE TO TUBERCULOSIS
                                                                      727.51 SYNOVIAL CYST OF POPLITEAL SPACE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:4
                    • ICD-10: M66.0 - RUPTURE OF POPLITEAL CYST
• ICD-10: M71.20 - SYNOVIAL CYST OF POPLITEAL SPACE [BAKER], UNSPECIFIED KNEE
• ICD-10: M71.21 - SYNOVIAL CYST OF POPLITEAL SPACE [BAKER], RIGHT KNEE
• ICD-10: M71.22 - SYNOVIAL CYST OF POPLITEAL SPACE [BAKER], LEFT KNEE
                                                                      368.2 DIPLOPIA
Claims: 3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1 Exact
                    • ICD-10: H53.2 - DIPLOPIA
                                                                     723.4 BRACHIA NEURITIS OR RADICULITIS NOS
Claims: 3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:7

    ICD-10: M50.10 - CERVICAL DISC DISORDER WITH RADICULOPATHY, UNSPECIFIED CERVICAL REGION
    ICD-10: M50.11 - CERVICAL DISC DISORDER WITH RADICULOPATHY, HIGH CERVICAL REGION
    ICD-10: M50.12 - CERVICAL DISC DISORDER WITH RADICULOPATHY, MID-CERVICAL REGION
    ICD-10: M50.13 - CERVICAL DISC DISORDER WITH RADICULOPATHY, CERVICOTHORACIC REGION
    ICD-10: M54.11 - RADICULOPATHY, CEVIPITO-ATLANTO-AXIAL REGION
    ICD-10: M54.12 - RADICULOPATHY, CERVICAL REGION
    ICD-10: M54.13 - RADICULOPATHY, CERVICOTHORACIC REGION

Claims: 3
                                                                      428.0 CONGESTIVE HEART FAILURE, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:13
                  ICD-10: 150.20 - UNSPECIFIED SYSTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.21 - ACUTE SYSTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.22 - CUTE SYSTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.23 - ACUTE ON CHRONIC SYSTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.30 - UNSPECIFIED DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.31 - ACUTE DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.32 - CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.33 - ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.34 - ACUTE ON CHRONIC DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.40 - UNSPECIFIED COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.41 - ACUTE COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.42 - CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.43 - ACUTE ON CHRONIC COMBINED SYSTOLIC (CONGESTIVE) AND DIASTOLIC (CONGESTIVE) HEART FAILURE

ICD-10: 150.49 - HEART FAILURE, UNSPECIFIED
Claims: 3
                                                                       780.96 PAIN, GENERALIZED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
                    · ICD-10: R52 - PAIN, UNSPECIFIED
                                                                       996.59 MECHANICAL COMPLICATION DUE TO OTHER IMPLANT AND INTERNAL DEVICE, NOT ELSEWHERE
Claims: 3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:29
                        CLASSIFIED

CLASSIFIED

CLASSIFIED

CLASSIFIED

CLASSIFIED

CLO-10: T85.310A - BREAKDOWN (MECHANICAL) OF PROSTHETIC ORBIT OF RIGHT EYE, INITIAL ENCOUNTER

(ICD-10: T85.311A - BREAKDOWN (MECHANICAL) OF PROSTHETIC ORBIT OF LEFT EYE, INITIAL ENCOUNTER

(ICD-10: T85.31A - BREAKDOWN (MECHANICAL) OF OTHER OCULAR PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.320A - DISPLACEMENT OF PROSTHETIC ORBIT OF RIGHT EYE, INITIAL ENCOUNTER

(ICD-10: T85.320A - DISPLACEMENT OF PROSTHETIC ORBIT OF RIGHT EYE, INITIAL ENCOUNTER

(ICD-10: T85.320A - DISPLACEMENT OF PROSTHETIC ORBIT OF RIGHT EYE, INITIAL ENCOUNTER

(ICD-10: T85.320A - OTHER MECHANICAL COMPLICATION OF PROSTHETIC ORBIT OF RIGHT EYE, INITIAL ENCOUNTER

(ICD-10: T85.320A - OTHER MECHANICAL COMPLICATION OF PROSTHETIC ORBIT OF LEFT EYE, INITIAL ENCOUNTER

(ICD-10: T85.320A - OTHER MECHANICAL COMPLICATION OF OTHER OCULAR PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF BILE DUCT PROSTHESIS, INITIAL ENCOUNTER

(ICD-10: T85.551A) - BREAKDOWN (MECHANICAL) OF BILE DUCT PROSTHESIS, INITIAL ENCOUNTER

(ICD-10: T85.551A) - BREAKDOWN (MECHANICAL) OF OTHER GASTROINTESTINAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF BILE DUCT PROSTHESIS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF BILE DUCT PROSTHESIS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF OTHER GASTROINTESTINAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF OTHER GASTROINTESTINAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF OTHER GASTROINTESTINAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.520A - DISPLACEMENT OF OTHER GASTROINTESTINAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.620A - DISPLACEMENT OF OTHER GASTROINTESTINAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

(ICD-10: T85.620A - DISPLACEMENT OF PERMANENT
                                                                                                           CLASSIFIED
```

```
ICD-10: T85.630A - LEAKAGE OF EPIDURAL AND SUBDURAL INFUSION CATHETER, INITIAL ENCOUNTER

    ICD-10: T85.638A - LEAKAGE OF OTHER SPECIFIED INTERNAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER
    ICD-10: T85.698A - OTHER MECHANICAL COMPLICATION OF EPIDURAL AND SUBDURAL INFUSION CATHETER, INITIAL ENCOUNTER
    ICD-10: T85.699A - OTHER MECHANICAL COMPLICATION OF PERMANENT SUTURES, INITIAL ENCOUNTER
    ICD-10: T85.698A - OTHER MECHANICAL COMPLICATION OF OTHER SPECIFIED INTERNAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER
    ICD-10: T85.698A - OTHER MECHANICAL COMPLICATION OF OTHER SPECIFIED INTERNAL PROSTHETIC DEVICES, IMPLANTS AND GRAFTS, INITIAL ENCOUNTER

                                              732.7
                                                                 OSTEOCHONDRITIS DISSECANS
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:24
               IS: 3 732.7 OSTEOCHONDRITIS DISSECANS

ICD-10: M93.20 - OSTEOCHONDRITIS DISSECANS OF UNSPECIFIED SITE
ICD-10: M93.211 - OSTEOCHONDRITIS DISSECANS, RIGHT SHOULDER
ICD-10: M93.212 - OSTEOCHONDRITIS DISSECANS, LEFT SHOULDER
ICD-10: M93.219 - OSTEOCHONDRITIS DISSECANS, LEFT SHOULDER
ICD-10: M93.221 - OSTEOCHONDRITIS DISSECANS, RIGHT ELBOW
ICD-10: M93.222 - OSTEOCHONDRITIS DISSECANS, RIGHT ELBOW
ICD-10: M93.223 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED BEDW
ICD-10: M93.223 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED LEBOW
ICD-10: M93.223 - OSTEOCHONDRITIS DISSECANS, LIFT ELBOW
ICD-10: M93.224 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED WRIST
ICD-10: M93.234 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED WRIST
ICD-10: M93.239 - OSTEOCHONDRITIS DISSECANS, JOINTS OF RIGHT HAND
ICD-10: M93.242 - OSTEOCHONDRITIS DISSECANS, JOINTS OF LEFT HAND
ICD-10: M93.249 - OSTEOCHONDRITIS DISSECANS, JOINTS OF LEFT HAND
ICD-10: M93.249 - OSTEOCHONDRITIS DISSECANS, JOINTS OF UNSPECIFIED HAND
ICD-10: M93.252 - OSTEOCHONDRITIS DISSECANS, JOINTS OF UNSPECIFIED HAND
ICD-10: M93.252 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED HIP
ICD-10: M93.252 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED HIP
ICD-10: M93.252 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED HIP
ICD-10: M93.261 - OSTEOCHONDRITIS DISSECANS, UNSPECIFIED HIP
ICD-10: M93.263 - OSTEOCHONDRITIS DISSECANS, RIGHT NEE
ICD-10: M93.264 - OSTEOCHONDRITIS DISSECANS, RIGHT NEE
ICD-10: M93.271 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF RIGHT FOOT
ICD-10: M93.271 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF LEFT FOOT
ICD-10: M93.272 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF LEFT FOOT
ICD-10: M93.273 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF LEFT FOOT
ICD-10: M93.273 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF LEFT FOOT
ICD-10: M93.274 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF LEFT FOOT
ICD-10: M93.275 - OSTEOCHONDRITIS DISSECANS, RIGHT ANKLE AND JOINTS OF LEFT FOOT
ICD-10: M93.280 - OSTEOCHONDRITIS DISSECANS ON UNTITE ESTEOCHONDRITIS DISSECANS ON 
             • ICD-10: M93.28 - OSTEOCHONDRITIS DISSECANS OTHER SITE • ICD-10: M93.29 - OSTEOCHONDRITIS DISSECANS MULTIPLE SITES
Claims: 3
                                             218.9 UTERINE LEIOMYOMA, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
             • ICD-10: D25.9 - LEIOMYOMA OF UTERUS, UNSPECIFIED
                                              241.1 NONTOXIC MULTINODULAR GOITER
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
            • ICD-10: E01.1 - IODINE-DEFICIENCY RELATED MULTINODULAR (ENDEMIC) GOITER
• ICD-10: E04.2 - NONTOXIC MULTINODULAR GOITER
                                              284.81 RED CELL APLASIA (ACQUIRED)(ADULT)(WITH THYMOMA)
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:4

    ICD-10: D60.0 - CHRONIC ACQUIRED PURE RED CELL APLASIA
    ICD-10: D60.1 - TRANSIENT ACQUIRED PURE RED CELL APLASIA
    ICD-10: D60.8 - OTHER ACQUIRED PURE RED CELL APLASIAS
    ICD-10: D60.9 - ACQUIRED PURE RED CELL APLASIA, UNSPECIFIED

                                                                  NONSPECIFIC ABNORMAL RESULTS OF FUNCTION STUDIES THYROID
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
             · ICD-10: R94.6 - ABNORMAL RESULTS OF THYROID FUNCTION STUDIES
Claims: 3
                                             415 19 PULMONARY EMBOLISM AND INFARCTION OTHER
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
             • ICD-10: 126.09 - OTHER PULMONARY EMBOLISM WITH ACUTE COR PULMONALE
• ICD-10: 126.99 - OTHER PULMONARY EMBOLISM WITHOUT ACUTE COR PULMONALE
                                             458.9 HYPOTENSION, UNSPECIFIED
Claims: 3
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
             • ICD-10: 195.9 - HYPOTENSION, UNSPECIFIED
Claims: 3
                                              354.0 CARPAL TUNNEL SYNDROME
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:3
                 ICD-10: G56.00 - CARPAL TUNNEL SYNDROME, UNSPECIFIED UPPER LIMB ICD-10: G56.01 - CARPAL TUNNEL SYNDROME, RIGHT UPPER LIMB
             · ICD-10: G56.02 - CARPAL TUNNEL SYNDROME, LEFT UPPER LIMB
Claims: 3
                                              719.91 DISORDERS OF JOINT UNSPECIFIED SHOULDER REGION
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1
             • ICD-10: M25.9 - JOINT DISORDER, UNSPECIFIED
                                             840.9 SPRAINS AND STRAINS OF SHOULDER AND UPPER ARM UNSPECIFIED SITE
Claims: 3
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:9
             · ICD-10: S43.401A - UNSPECIFIED SPRAIN OF RIGHT SHOULDER JOINT. INITIAL ENCOUNTER
                 ICD-10: $43.402A - UNSPECIFIED SPRAIN OF LEFT SHOULDER JOINT, INITIAL ENCOUNTER
ICD-10: $43.409A - UNSPECIFIED SPRAIN OF UNSPECIFIED SHOULDER JOINT, INITIAL ENCOUNTER

    ICD-10: S43.90XA - SPRAIN OF UNSPECIFIED SHOULDER JOINT, INTIAL ENCOUNTER
    ICD-10: S43.90XA - SPRAIN OF UNSPECIFIED PARTS OF UNSPECIFIED SHOULDER GIRDLE, INITIAL ENCOUNTER
    ICD-10: S43.91XA - SPRAIN OF UNSPECIFIED PARTS OF RIGHT SHOULDER GIRDLE, INITIAL ENCOUNTER
    ICD-10: S43.92XA - SPRAIN OF UNSPECIFIED PARTS OF LEFT SHOULDER GIRDLE, INITIAL ENCOUNTER
    ICD-10: S46.911A - STRAIN OF UNSPECIFIED MUSCLE, FASCIA AND TENDON AT SHOULDER AND UPPER ARM LEVEL, RIGHT ARM, INITIAL ENCOUNTER
    ICD-10: S46.912A - STRAIN OF UNSPECIFIED MUSCLE, FASCIA AND TENDON AT SHOULDER AND UPPER ARM LEVEL, LEFT ARM, INITIAL ENCOUNTER
    ICD-10: S46.919A - STRAIN OF UNSPECIFIED MUSCLE, FASCIA AND TENDON AT SHOULDER AND UPPER ARM LEVEL, UNSPECIFIED ARM, INITIAL ENCOUNTER
    ICD-10: S46.919A - STRAIN OF UNSPECIFIED MUSCLE, FASCIA AND TENDON AT SHOULDER AND UPPER ARM LEVEL, UNSPECIFIED ARM, INITIAL ENCOUNTER

                                              531.30 GASTRIC ULCER ACUTE WITHOUT MENTION OF HEMORRHAGE OR PERFORATION WITHOUT MENTION OF OBSTRUCTION
Claims: 3
             • ICD-10: K25.3 - ACUTE GASTRIC ULCER WITHOUT HEMORRHAGE OR PERFORATION
Claims: 3
                                              726.2 OTHER AFFECTIONS OF SHOULDER REGION, NOT ELSEWHERE CLASSIFIED
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:15
                ICD-10: M25.711 - OSTEOPHYTE, RIGHT SHOULDER
ICD-10: M25.712 - OSTEOPHYTE, LEFT SHOULDER
ICD-10: M25.719 - OSTEOPHYTE, LEFT SHOULDER
ICD-10: M75.30 - CALCIFIC TENDINITIS OF UNSPECIFIED SHOULDER
ICD-10: M75.31 - CALCIFIC TENDINITIS OF RIGHT SHOULDER
ICD-10: M75.32 - CALCIFIC TENDINITIS OF RIGHT SHOULDER
ICD-10: M75.32 - CALCIFIC TENDINITIS OF LEFT SHOULDER
ICD-10: M75.40 - IMPINGEMENT SYNDROME OF UNSPECIFIED SHOULDER
ICD-10: M75.41 - IMPINGEMENT SYNDROME OF RIGHT SHOULDER
ICD-10: M75.42 - IMPINGEMENT SYNDROME OF LEFT SHOULDER
ICD-10: M75.80 - OTHER SHOULDER LESSONS LINSPECIFIED SHOULDER

    ICD-10: M75.80 - OTHER SHOULDER LESIONS, UNSPECIFIED SHOULDER
    ICD-10: M75.81 - OTHER SHOULDER LESIONS, RIGHT SHOULDER
    ICD-10: M75.82 - OTHER SHOULDER LESIONS, RIGHT SHOULDER
    ICD-10: M75.82 - OTHER SHOULDER LESIONS, LEFT SHOULDER
    ICD-10: M75.90 - SHOULDER LESION, UNSPECIFIED, UNSPECIFIED SHOULDER
    ICD-10: M75.91 - SHOULDER LESION, UNSPECIFIED, RIGHT SHOULDER
    ICD-10: M75.92 - SHOULDER LESION, UNSPECIFIED, LEFT SHOULDER
                                              719.04 EFFUSION OF JOINT HAND
                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:3

ICD-10: M25.441 - EFFUSION, RIGHT HAND
ICD-10: M25.442 - EFFUSION, LEFT HAND
ICD-10: M25.449 - EFFUSION, UNSPECIFIED HAND
```

Claims: 3 938 FOREIGN BODY IN DIGESTIVE SYSTEM, UNSPECIFIED	Ratio: 1:2
• ICD-10: T18.8XXA - FOREIGN BODY IN OTHER PARTS OF ALIMENTARY TRACT, INITIAL ENCOUNTER	
ICD-10: T18.9XXA - FOREIGN BODY OF ALIMENTARY TRACT, PART UNSPECIFIED, INITIAL ENCOUNTER	
laims: 3 959.19 INJURY, TRUNK OTHER SITES	Ratio: 1:8
 ICD-10: S39.002A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LOWER BACK, INITIAL ENCOUNTER ICD-10: S39.003A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF PELVIS, INITIAL ENCOUNTER 	
 ICD-10: S39.092A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF LOWER BACK, INITIAL ENCOUNTER ICD-10: S39.093A - OTHER INJURY OF MUSCLE, FASCIA AND TENDON OF PELVIS, INITIAL ENCOUNTER 	
 ICD-10: S39.82XA - OTHER SPECIFIED INJURIES OF LOWER BACK, INITIAL ENCOUNTER ICD-10: S39.83XA - OTHER SPECIFIED INJURIES OF PELVIS, INITIAL ENCOUNTER 	
ICD-10: S39.92XA - UNSPECIFIED INJURY OF LOWER BACK, INITIAL ENCOUNTER ICD-10: S39.93XA - UNSPECIFIED INJURY OF PELVIS, INITIAL ENCOUNTER	
laims: 3 240.9 GOITER, UNSPECIFIED	Ratio: 1:3
CD-10: E01.0 - IODINE-DEFICIENCY RELATED DIFFUSE (ENDEMIC) GOITER	Natio. 1.3
ICD-10: E01.2 - IODINE-DEFICIENCY RELATED (ENDEMIC) GOITER, UNSPECIFIED ICD-10: E04.9 - NONTOXIC GOITER, UNSPECIFIED	
Claims: 3 783.0 ANOREXIA	Ratio: 1:1 Exact
• ICD-10: R63.0 - ANOREXIA	
Claims: 3 726.10 DISORDERS OF BURSAE AND TENDONS IN SHOULDER REGION, UNSPECIFIED	Ratio: 1:12
• ICD-10: M66.211 - SPONTANEOUS RUPTURE OF EXTENSOR TENDONS, RIGHT SHOULDER • ICD-10: M66.212 - SPONTANEOUS RUPTURE OF EXTENSOR TENDONS. LEFT SHOULDER	
ICD-10: M66.219 - SPONTANEOUS RUPTURE OF EXTENSOR TENDONS, UNSPECIFIED SHOULDER ICD-10: M66.811 - SPONTANEOUS RUPTURE OF OTHER TENDONS, RIGHT SHOULDER	
ICD-10: M66.812 - SPONTANEOUS RUPTURE OF OTHER TENDONS, LEFT SHOULDER	
 ICD-10: M66.819 - SPONTANEOUS RUPTURE OF OTHER TENDONS, UNSPECIFIED SHOULDER ICD-10: M75.100 - UNSPECIFIED ROTATOR CUFF TEAR OR RUPTURE OF UNSPECIFIED SHOULDER, NOT SPECIFIED AS 	TRAUMATIC
 ICD-10: M75.101 - UNSPECIFIED ROTATOR CUFF TEAR OR RUPTURE OF RIGHT SHOULDER, NOT SPECIFIED AS TRAUM ICD-10: M75.102 - UNSPECIFIED ROTATOR CUFF TEAR OR RUPTURE OF LEFT SHOULDER, NOT SPECIFIED AS TRAUM 	MATIC ATIC
 ICD-10: M75.50 - BURSITIS OF UNSPECIFIED SHOULDER ICD-10: M75.51 - BURSITIS OF RIGHT SHOULDER 	
• ICD-10: M75.52 - BURSITIS OF LEFT SHOULDER	
laims: 3 608.86 EDEMA OF MALE GENITAL ORGANS	Ratio: 1:1
ICD-10: N50.8 - OTHER SPECIFIED DISORDERS OF MALE GENITAL ORGANS	
laims: 3 726.64 PATELLAR TENDINITIS	Ratio: 1:3
• ICD-10: M76.50 - PATELLAR TENDINITIS, UNSPECIFIED KNEE • ICD-10: M76.51 - PATELLAR TENDINITIS, RIGHT KNEE	
• ICD-10: M76.52 - PATELLAR TENDINITIS, RIGHT KNEE • ICD-10: M76.52 - PATELLAR TENDINITIS, LEFT KNEE	
claims: 3 153.9 MALIGNANT NEOPLASM OF COLON, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: C18.9 - MALIGNANT NEOPLASM OF COLON, UNSPECIFIED	
Claims: 3 599.0 URINARY TRACT INFECTION, SITE NOT SPECIFIED	Ratio: 1:1 Exact
ICD-10: N39.0 - URINARY TRACT INFECTION, SITE NOT SPECIFIED	
Claims: 3 441.2 THORACIC ANEURYSM WITHOUT MENTION OF RUPTURE	Ratio: 1:1 Exact
• ICD-10: 171.2 - THORACIC AORTIC ANEURYSM, WITHOUT RUPTURE	
Claims: 3 389.10 SENSORINEURAL HEARING LOSS, UNSPECIFIED	Ratio: 1:1
• ICD-10: H90.5 - UNSPECIFIED SENSORINEURAL HEARING LOSS	
Claims: 3 959.01 INJURY HEAD UNSPECIFIED	Ratio: 1:5
ICD-10: S09.10XA - UNSPECIFIED INJURY OF MUSCLE AND TENDON OF HEAD, INITIAL ENCOUNTER	Natio. 1.5
ICD-10: S09.11XA - STRAIN OF MUSCLE AND TENDON OF HEAD, INITIAL ENCOUNTER	
 ICD-10: S09.19XA - OTHER SPECIFIED INJURY OF MUSCLE AND TENDON OF HEAD, INITIAL ENCOUNTER ICD-10: S09.8XXA - OTHER SPECIFIED INJURIES OF HEAD, INITIAL ENCOUNTER 	
ICD-10: S09.90XA - UNSPECIFIED INJURY OF HEAD, INITIAL ENCOUNTER	
Claims: 3 920 CONTUSION OF FACE, SCALP, AND NECK EXCEPT EYE(S)	Ratio: 1:12
• ICD-10: S00.03XA - CONTUSION OF SCALP, INITIAL ENCOUNTER • ICD-10: S00.33XA - CONTUSION OF NOSE, INITIAL ENCOUNTER	
ICD-10: S00.431A - CONTUSION OF RIGHT EAR, INITIAL ENCOUNTER ICD-10: S00.432A - CONTUSION OF LEFT EAR, INITIAL ENCOUNTER	
• ICD-10: S00.439A - CONTUSION OF UNSPECIFIED EAR, INITIAL ENCOUNTER • ICD-10: S00.531A - CONTUSION OF LIP, INITIAL ENCOUNTER	
ICD-10: S00.532A - CONTUSION OF ORAL CAVITY, INITIAL ENCOUNTER	
ICD-10: S00.83XA - CONTUSION OF OTHER PART OF HEAD, INITIAL ENCOUNTER ICD-10: S00.93XA - CONTUSION OF UNSPECIFIED PART OF HEAD, INITIAL ENCOUNTER	
 ICD-10: S10.0XXA - CONTUSION OF THROAT, INITIAL ENCOUNTER ICD-10: S10.83XA - CONTUSION OF OTHER SPECIFIED PART OF NECK, INITIAL ENCOUNTER 	
ICD-10: S10.93XA - CONTUSION OF UNSPECIFIED PART OF NECK, INITIAL ENCOUNTER	
Claims: 3 244.9 HYPOTHYROIDISM UNSPECIFIED	Ratio: 1:1 Exact
ICD-10: E03.9 - HYPOTHYROIDISM, UNSPECIFIED	
laims: 3 346.90 MIGRAINE, UNSPECIFIED WITHOUT MENTION OF INTRACTABLE MIGRAINE	Ratio: 1:1 Exact
CD-10: G43.909 - MIGRAINE, UNSPECIFIED, NOT INTRACTABLE, WITHOUT STATUS MIGRAINOSUS	
laims: 3 039.2 ACTINOMYCOTIC INFECTIONS ABDOMINAL	Ratio: 1:1 Exact
• ICD-10: A42.1 - ABDOMINAL ACTINOMYCOSIS	
claims: 3 788.43 NOCTURIA	Ratio: 1:1 Exact
• ICD-10: R35.1 - NOCTURIA	
Claims: 3 234.9 CARCINOMA IN SITU OF SITE UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: D09.9 - CARCINOMA IN SITU, UNSPECIFIED	
	Datio: 4.4 Ev4
Claims: 3 751.9 OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM UNSPECIFIED	Ratio: 1:1 Exact

• ICD-10: Q45.9 - CONGENITAL MALFORMATION OF DIGESTIVE SYSTEM, UNSPECIFIED	
Claims: 3 183.9 MALIGNANT NEOPLASM OF UTERINE ADNEXA, UNSPECIFIED	Ratio: 1:1
• ICD-10: C57.4 - MALIGNANT NEOPLASM OF UTERINE ADNEXA, UNSPECIFIED	
Claims: 3 781.3 LACK OF COORDINATION	Ratio: 1:3
ICD-10: R27.0 - ATAXIA, UNSPECIFIED ICD-10: R27.8 - OTHER LACK OF COORDINATION	
• ICD-10: R27.8 - OTHER LACK OF COORDINATION • ICD-10: R27.9 - UNSPECIFIED LACK OF COORDINATION	
Claims: 3 621.30 ENDOMETRIAL HYPERPLASIA, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: N85.00 - ENDOMETRIAL HYPERPLASIA, UNSPECIFIED	
Claims: 3 232.5 CARCINOMA IN SITU OF SKIN OF TRUNK, EXCEPT SCROTUM	Ratio: 1:1
• ICD-10: D04.5 - CARCINOMA IN SITU OF SKIN OF TRUNK	
Claims: 3 V16.0 FAMILY HISTORY OF MALIGNANT NEOPLASM GASTROINTESTINAL TRACT	Ratio: 1:1 Exact
• ICD-10: Z80.0 - FAMILY HISTORY OF MALIGNANT NEOPLASM OF DIGESTIVE ORGANS	
Claims: 3 611.71 MASTODYNIA	Ratio: 1:1 Exact
• ICD-10: N64.4 - MASTODYNIA	
Claims: 3 171.0 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE HEAD, FACE, AND NECK	Ratio: 1:2
• ICD-10: C47.0 - MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF HEAD, FACE AND NECK • ICD-10: C49.0 - MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF HEAD, FACE AND NECK	
Claims: 3 146.9 MALIGNANT NEOPLASM OF OROPHARYNX, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: C10.9 - MALIGNANT NEOPLASM OF OROPHARYNX, UNSPECIFIED	
Claims: 3 560.31 GALLSTONE ILEUS	Ratio: 1:1 Exact
• ICD-10: K56.3 - GALLSTONE ILEUS	
Claims: 3 794.8 NONSPECIFIC ABNORMAL RESULTS OF FUNCTION STUDIES LIVER	Ratio: 1:1 Exact
• ICD-10: R94.5 - ABNORMAL RESULTS OF LIVER FUNCTION STUDIES	
Claims: 3 516.34 RESPIRATORY BRONCHIOLITIS INTERSTITIAL LUNG DISEASE	Ratio: 1:1 Exact
• ICD-10: J84.115 - RESPIRATORY BRONCHIOLITIS INTERSTITIAL LUNG DISEASE	
Claims: 3 825.25 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, METATARSAL BONE(S) CLOSED	Ratio: 1:33
• ICD-10: S92.302A - FRACTURE OF UNSPECIFIED METATARSAL BONE(S), LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.311A - DISPLACED FRACTURE OF FIRST METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.312A - DISPLACED FRACTURE OF FIRST METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.313A - DISPLACED FRACTURE OF FIRST METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.313A - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.315A - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.315A - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.315A - NONDISPLACED FRACTURE OF FIRST METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.314A - DISPLACED FRACTURE OF SECOND METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.322A - DISPLACED FRACTURE OF SECOND METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.323A - DISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.323A - DISPLACED FRACTURE OF SECOND METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.325A - NONDISPLACED FRACTURE OF SECOND METATARSAL BONE, INSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.332A - NONDISPLACED FRACTURE OF SECOND METATARSAL BONE, INSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.332A - NONDISPLACED FRACTURE OF THIRD METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.333A - DISPLACED FRACTURE OF THIRD METATARSAL BONE, UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE • ICD-10: S92.335A - NONDISPLACED FRACTURE OF THIRD METATARSAL BONE, RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FR	
Claims: 3 456.4 SCROTAL VARICES	Ratio: 1:1 Exact
• ICD-10: 186.1 - SCROTAL VARICES	
Claims: 3 788.31 URGE INCONTINENCE	Ratio: 1:1 Exact
• ICD-10: N39.41 - URGE INCONTINENCE	
Claims: 3 560.9 INTESTINAL OBSTRUCTION UNSPECIFIED	Ratio: 1:5
ICD-10: K50.012 - ROHNS DISEASE OF SMALL INTESTINE WITH INTESTINAL OBSTRUCTION ICD-10: K50.112 - ROHNS DISEASE OF LARGE INTESTINE WITH INTESTINAL OBSTRUCTION ICD-10: K50.812 - ROHNS DISEASE OF BOTH SMALL AND LARGE INTESTINE WITH INTESTINAL OBSTRUCTION ICD-10: K50.912 - ROHNS DISEASE, UNSPECIFIED, WITH INTESTINAL OBSTRUCTION ICD-10: K56.60 - UNSPECIFIED INTESTINAL OBSTRUCTION	
Claims: 3 726.0 ADHESIVE CAPSULITIS OF SHOULDER	Ratio: 1:3
 ICD-10: M75.00 - ADHESIVE CAPSULITIS OF UNSPECIFIED SHOULDER ICD-10: M75.01 - ADHESIVE CAPSULITIS OF RIGHT SHOULDER ICD-10: M75.02 - ADHESIVE CAPSULITIS OF LEFT SHOULDER 	
Claims: 2 471.0 POLYP OF NASAL CAVITY	Ratio: 1:1 Exact

• ICD-10: J33.0 - POLYP OF NASAL CAVITY

```
Claims: 2
                                       569.0
                                                       ANAL AND RECTAL POLYP
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:2
          • ICD-10: K62.0 - ANAL POLYP
• ICD-10: K62.1 - RECTAL POLYP
                                       E888.1 FALL RESULTING IN STRIKING AGAINST OTHER OBJECT
                                                                                                                                                                                                                                                                                                                                         No Match
Claims: 2
           · No Corresponding Codes Found
                                                      FRACTURE OF ONE OR MORE PHALANGES OF FOOT CLOSED
Claims: 2
                                       826.0
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:51
        ICD-16: 932-4014 - DISPLACED UNSPECIFIED FRACTURE OF RIGHT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4034 - DISPLACED UNSPECIFIED FRACTURE OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4034 - NONDISPLACED UNSPECIFIED FRACTURE OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4034 - NONDISPLACED UNSPECIFIED FRACTURE OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4034 - NONDISPLACED UNSPECIFIED FRACTURE OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4034 - NONDISPLACED UNSPECIFIED FRACTURE OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - DISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - DISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - NONDISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - NONDISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - NONDISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - NONDISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4134 - NONDISPLACED FRACTURE OF PROXIMAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4234 - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4234 - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4234 - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4334 - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-4334 - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LEFT GREAT TOE, INTIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-16: 932-
               ICD-10: $92.401A - DISPLACED UNSPECIFIED FRACTURE OF RIGHT GREAT TOE, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: $92.402A - DISPLACED UNSPECIFIED FRACTURE OF LEFT GREAT TOE, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: $92.403A - DISPLACED UNSPECIFIED FRACTURE OF UNSPECIFIED GREAT TOE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Claims: 2
                                       E888.0 FALL RESULTING IN STRIKING AGAINST SHARP OBJECT
                                                                                                                                                                                                                                                                                                                                         No Match

    No Corresponding Codes Found

                                       737.41 KYPHOSISCURVATURE OF SPINE ASSOCIATED WITH OTHER CONDITIONS
Claims: 2
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:5
               ICD-10: M40.10 - OTHER SECONDARY KYPHOSIS, SITE UNSPECIFIED ICD-10: M40.12 - OTHER SECONDARY KYPHOSIS, CERVICAL REGION ICD-10: M40.13 - OTHER SECONDARY KYPHOSIS, CERVICOTHORACIC REGION ICD-10: M40.14 - OTHER SECONDARY KYPHOSIS, THORACIC REGION

    ICD-10: M40.15 - OTHER SECONDARY KYPHOSIS, THORACOLUMBAR REGION

Claims: 2
                                       V10.3 PERSONAL HISTORY OF MALIGNANT NEOPLASM BREAST
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
            · ICD-10: Z85.3 - PERSONAL HISTORY OF MALIGNANT NEOPLASM OF BREAST
Claims: 2
                                       453.6 VENOUS EMBOLISM AND THROMBOSIS OF SUPERFICIAL VESSELS OF LOWER EXTREMITY
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:4
               ICD-10: 182.811 - EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF RIGHT LOWER EXTREMITIES ICD-10: 182.812 - EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF LEFT LOWER EXTREMITIES ICD-10: 182.813 - EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF LOWER EXTREMITIES, BILATERAL ICD-10: 182.819 - EMBOLISM AND THROMBOSIS OF SUPERFICIAL VEINS OF UNSPECIFIED LOWER EXTREMITIES
                                       715.04 OSTEOARTHROSIS, GENERALIZED HAND
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:2
                ICD-10: M15.1 - EBERDENS NODES (WITH ARTHROPATHY
           • ICD-10: M15.2 - OUCHARDS NODES (WITH ARTHROPATHY
                                       154.3 MALIGNANT NEOPLASM OF ANUS, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
           · ICD-10: C21.0 - MALIGNANT NEOPLASM OF ANUS. UNSPECIFIED
                                                        SPRAINS AND STRAINS OF ROTATOR CUFF (CAPSULE)
Claims: 2
                                       840.4
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:3

    ICD-10: S43.421A - SPRAIN OF RIGHT ROTATOR CUFF CAPSULE, INITIAL ENCOUNTER
    ICD-10: S43.422A - SPRAIN OF LEFT ROTATOR CUFF CAPSULE, INITIAL ENCOUNTER
    ICD-10: S43.429A - SPRAIN OF UNSPECIFIED ROTATOR CUFF CAPSULE, INITIAL ENCOUNTER

Claims: 2
                                       289.59 OTHER DISEASES OF SPLEEN
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:5
               ICD-10: D73.0 - HYPOSPLENISM
ICD-10: D73.3 - ABSCESS OF SPLEEN
ICD-10: D73.4 - CYST OF SPLEEN
ICD-10: D73.5 - INFARCTION OF SPLEEN
           . ICD-10: D73.89 - OTHER DISEASES OF SPLEEN
Claims: 2
                                       715.16 OSTEOARTHROSIS, LOCALIZED, PRIMARY LOWER LEG
                                                                                                                                                                                                                                                                                                                                         Ratio: 1:4
```

• ICD-10: M17.0 - BILATERAL PRIMARY OSTEOARTHRITIS OF KNEE

· ICD-10: M17.10 - UNILATERAL PRIMARY OSTEOARTHRITIS, UNSPECIFIED KNEE

• ICD-10: M17.11 - UNILATERAL PRIMARY OSTEOARTHRITIS, RIGHT KNEE • ICD-10: M17.12 - UNILATERAL PRIMARY OSTEOARTHRITIS, LEFT KNEE 519.8 DISEASES OF RESPIRATORY SYSTEM OTHER, NOT ELSEWHERE CLASSIFIED Ratio: 1:2 • ICD-10: J22 - UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION • ICD-10: J98.8 - OTHER SPECIFIED RESPIRATORY DISORDERS Claims: 2 288.1 FUNCTIONAL DISORDERS OF POLYMORPHONUCLEAR NEUTROPHILS Ratio: 1:1 Exact • ICD-10: D71 - FUNCTIONAL DISORDERS OF POLYMORPHONUCLEAR NEUTROPHILS HEART FAILURE, UNSPECIFIED Ratio: 1:1 · ICD-10: I50.9 - HEART FAILURE, UNSPECIFIED 208.00 LEUKEMIA OF UNSPECIFIED CELL TYPE ACUTE WITHOUT MENTION OF REMISSION Claims: 2 Ratio: 1:1 Exact • ICD-10: C95.00 - ACUTE LEUKEMIA OF UNSPECIFIED CELL TYPE NOT HAVING ACHIEVED REMISSION 721.2 THORACIC SPONDYLOSIS WITHOUT MYELOPATHY Ratio: 1:6 ICD-10: M47.24 - OTHER SPONDYLOSIS WITH RADICULOPATHY, THORACIC REGION ICD-10: M47.25 - OTHER SPONDYLOSIS WITH RADICULOPATHY, THORACOLUMBAR REGION ICD-10: M47.814 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, THORACIC REGION ICD-10: M47.815 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, THORACOLUMBAR REGION ICD-10: M47.894 - OTHER SPONDYLOSIS, THORACIC REGION
 ICD-10: M47.895 - OTHER SPONDYLOSIS, THORACOLUMBAR REGION Claims: 2 102 6 YAWS BONE AND JOINT LESIONS Ratio: 1:1 Exact · ICD-10: A66.6 - BONE AND JOINT LESIONS OF YAWS Claims: 2 788.99 OTHER SYMPTOMS INVOLVING URINARY SYSTEM Ratio: 1:4 ICD-10: R30.1 - VESICAL TENESMUS
 ICD-10: R39.2 - EXTRARENAL UREMIA
 ICD-10: R39.89 - OTHER SYMPTOMS AND SIGNS INVOLVING THE GENITOURINARY SYSTEM
 ICD-10: R39.9 - UNSPECIFIED SYMPTOMS AND SIGNS INVOLVING THE GENITOURINARY SYSTEM 275.02 HEMOCHROMATOSIS DUE TO REPEATED RED BLOOD CELL TRANSFUSIONS Ratio: 1:1 Exact • ICD-10: E83.111 - HEMOCHROMATOSIS DUE TO REPEATED RED BLOOD CELL TRANSFUSIONS 846.9 SPRAINS AND STRAINS OF SACROILIAC REGION UNSPECIFIED SITE Claims: 2 Ratio: 1:1 • ICD-10: S33.9XXA - SPRAIN OF UNSPECIFIED PARTS OF LUMBAR SPINE AND PELVIS. INITIAL ENCOUNTER FOREIGN BODY ON EXTERNAL EYE UNSPECIFIED SITE Claims: 2 930.9 Ratio: 1:3 ICD-10: T15.90XA - FOREIGN BODY ON EXTERNAL EYE, PART UNSPECIFIED, UNSPECIFIED EYE, INITIAL ENCOUNTER
 ICD-10: T15.91XA - FOREIGN BODY ON EXTERNAL EYE, PART UNSPECIFIED, RIGHT EYE, INITIAL ENCOUNTER
 ICD-10: T15.92XA - FOREIGN BODY ON EXTERNAL EYE, PART UNSPECIFIED, LEFT EYE, INITIAL ENCOUNTER 440.8 ATHEROSCLEROSIS OF OTHER SPECIFIED ARTERIES Ratio: 1:1 · ICD-10: I70.8 - ATHEROSCLEROSIS OF OTHER ARTERIES Claims: 2 148.9 MALIGNANT NEOPLASM OF HYPOPHARYNX, UNSPECIFIED Ratio: 1:1 Exact • ICD-10: C13.9 - MALIGNANT NEOPLASM OF HYPOPHARYNX, UNSPECIFIED 724.00 SPINAL STENOSIS, UNSPECIFIED REGION Ratio: 1:1 Exact Claims: 2 · ICD-10: M48.00 - SPINAL STENOSIS, SITE UNSPECIFIED Claims: 2 742.2 REDUCTION DEFORMITIES OF BRAIN CONGENITAL Ratio: 1:4 ICD-10: Q04.0 - CONGENITAL MALFORMATIONS OF CORPUS CALLOSUM
 ICD-10: Q04.1 - ARHINENCEPHALY
 ICD-10: Q04.2 - HOLOPROSENCEPHALY
 ICD-10: Q04.3 - OTHER REDUCTION DEFORMITIES OF BRAIN 228.00 HEMANGIOMA OF UNSPECIFIED SITE Ratio: 1:1 Exact Claims: 2 · ICD-10: D18.00 - HEMANGIOMA UNSPECIFIED SITE Claims: 2 733.6 TIETZES DISEASE Ratio: 1:1 Exact · ICD-10: M94.0 - CHONDROCOSTAL JUNCTION SYNDROME [TIETZE] 427.5 CARDIAC ARREST Ratio: 1:3 ICD-10: 146.2 - CARDIAC ARREST DUE TO UNDERLYING CARDIAC CONDITION
 ICD-10: 146.8 - CARDIAC ARREST DUE TO OTHER UNDERLYING CONDITION
 ICD-10: 146.9 - CARDIAC ARREST, CAUSE UNSPECIFIED 756.19 CONGENITAL ANOMALIES OF SPINE OTHER Ratio: 1:7 ICD-10: Q76.411 - CONGENITAL KYPHOSIS, OCCIPITO-ATLANTO-AXIAL REGION
 ICD-10: Q76.412 - CONGENITAL KYPHOSIS, CERVICAL REGION
 ICD-10: Q76.413 - CONGENITAL KYPHOSIS, CERVICOTHORACIC REGION
 ICD-10: Q76.414 - CONGENITAL KYPHOSIS, THORACIC REGION
 ICD-10: Q76.415 - CONGENITAL KYPHOSIS, THORACOLUMBAR REGION
 ICD-10: Q76.419 - CONGENITAL KYPHOSIS, UNSPECIFIED REGION • ICD-10: Q76.49 - OTHER CONGENITAL MALFORMATIONS OF SPINE, NOT ASSOCIATED WITH SCOLIOSIS Claims: 2 173.50 UNSPECIFIED MALIGNANT NEOPLASM OF SKIN OF TRUNK, EXCEPT SCROTUM Ratio: 1:3 ICD-10: C44.500 - UNSPECIFIED MALIGNANT NEOPLASM OF ANAL SKIN
 ICD-10: C44.501 - UNSPECIFIED MALIGNANT NEOPLASM OF SKIN OF BREAST
 ICD-10: C44.509 - UNSPECIFIED MALIGNANT NEOPLASM OF SKIN OF OTHER PART OF TRUNK Claims: 2 191.9 MALIGNANT NEOPLASM OF BRAIN, UNSPECIFIED Ratio: 1:1 Exact • ICD-10: C71.9 - MALIGNANT NEOPLASM OF BRAIN, UNSPECIFIED Claims: 2 ACUTE PHARYNGITIS Ratio: 1:2

ICD-10: J02.8 - ACUTE PHARYNGITIS DUE TO OTHER SPECIFIED ORGANISMS

```
. ICD-10: J02.9 - ACUTE PHARYNGITIS, UNSPECIFIED
Claims: 2
                                      257.2 TESTICULAR HYPOFUNCTION OTHER
                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
          • ICD-10: E29.1 - TESTICULAR HYPOFUNCTION
Claims: 2
                                      780.39 CONVULSIONS OTHER
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1
          . ICD-10: R56.9 - UNSPECIFIED CONVULSIONS
                                     719.95 DISORDERS OF JOINT UNSPECIFIED PELVIC REGION AND THIGH
Claims: 2
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1
          · ICD-10: M25.9 - JOINT DISORDER, UNSPECIFIED
Claims: 2
                                      259.2 CARCINOID SYNDROME
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
          · ICD-10: E34.0 - CARCINOID SYNDROME
                                      719.7 DIFFICULTY IN WALKING, OTHER AND UNSPECIFIED DISORDERS OF JOINT
Claims: 2
                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
          · ICD-10: R26.2 - DIFFICULTY IN WALKING, NOT ELSEWHERE CLASSIFIED
Claims: 2
                                                      OTHER AND UNSPECIFIED ANTERIOR PITUITARY HYPERFUNCTION
                                                                                                                                                                                                                                                                                                                                Ratio: 1:3
                                      253.1
           · ICD-10: E22.1 - HYPERPROLACTINEMIA

    ICD-10: E22.8 - OTHER HYPERFUNCTION OF PITUITARY GLAND
    ICD-10: E22.9 - HYPERFUNCTION OF PITUITARY GLAND, UNSPECIFIED

                                                      HEARTBURN
                                      787.1
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
          · ICD-10: R12 - HEARTBURN
Claims: 2
                                     530.89 DISEASES OF ESOPHAGUS OTHER
                                                                                                                                                                                                                                                                                                                                Ratio: 1:2
          • ICD-10: K22.8 - OTHER SPECIFIED DISEASES OF ESOPHAGUS
• ICD-10: K23 - DISORDERS OF ESOPHAGUS IN DISEASES CLASSIFIED ELSEWHERE
                                                         OPEN WOUND OF OPEN WOUND(S) (MULTIPLE) OF UNSPECIFIED SITE(S) WITHOUT MENTION OF
Claims: 2
                                      879.8
                                                                                                                                                                                                                                                                                                                                Ratio: 1:5
                                                        COMPLICATION
          • ICD-10: S31.000A - UNSPECIFIED OPEN WOUND OF LOWER BACK AND PELVIS WITHOUT PENETRATION INTO RETROPERITONEUM, INITIAL ENCOUNTER
• ICD-10: S31.010A - LACERATION WITHOUT FOREIGN BODY OF LOWER BACK AND PELVIS WITHOUT PENETRATION INTO RETROPERITONEUM, INITIAL ENCOUNTER
• ICD-10: S31.030A - PUNCTURE WOUND WITHOUT FOREIGN BODY OF LOWER BACK AND PELVIS WITHOUT PENETRATION INTO RETROPERITONEUM, INITIAL ENCOUNTER
• ICD-10: S31.050A - OPEN BITE OF LOWER BACK AND PELVIS WITHOUT PENETRATION INTO RETROPERITONEUM, INITIAL ENCOUNTER
• ICD-10: S38.3XXA - TRANSECTION (PARTIAL) OF ABDOMEN, INITIAL ENCOUNTER
Claims: 2
                                      491.21 OBSTRUCTIVE CHRONIC BRONCHITIS WITH (ACUTE) EXACERBATION
                                                                                                                                                                                                                                                                                                                                Ratio: 1:1
          • ICD-10: J44.1 - CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH (ACUTE) EXACERBATION
Claims: 2
                                      715.98 OSTEOARTHROSIS, UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED OTHER SPECIFIED SITES
                                                                                                                                                                                                                                                                                                                                Ratio: 1:1
          · ICD-10: M19.90 - UNSPECIFIED OSTEOARTHRITIS, UNSPECIFIED SITE
Claims: 2
                                                     CARCINOMA IN SITU OF EAR AND EXTERNAL AUDITORY CANAL
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:3

    ICD-10: D04.20 - CARCINOMA IN SITU OF SKIN OF UNSPECIFIED EAR AND EXTERNAL AURICULAR CANAL
    ICD-10: D04.21 - CARCINOMA IN SITU OF SKIN OF RIGHT EAR AND EXTERNAL AURICULAR CANAL
    ICD-10: D04.22 - CARCINOMA IN SITU OF SKIN OF LEFT EAR AND EXTERNAL AURICULAR CANAL

                                      728.85 SPASM OF MUSCLE
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:26

ICD-10: M62.40 - CONTRACTURE OF MUSCLE, UNSPECIFIED SITE
ICD-10: M62.411 - CONTRACTURE OF MUSCLE, RIGHT SHOULDER
ICD-10: M62.412 - CONTRACTURE OF MUSCLE, LEFT SHOULDER
ICD-10: M62.412 - CONTRACTURE OF MUSCLE, UNSPECIFIED SHOULDER
ICD-10: M62.421 - CONTRACTURE OF MUSCLE, RIGHT UPPER ARM
ICD-10: M62.422 - CONTRACTURE OF MUSCLE, RIGHT UPPER ARM
ICD-10: M62.423 - CONTRACTURE OF MUSCLE, UNSPECIFIED UPPER ARM
ICD-10: M62.429 - CONTRACTURE OF MUSCLE, RIGHT FOREARM
ICD-10: M62.431 - CONTRACTURE OF MUSCLE, RIGHT FOREARM
ICD-10: M62.439 - CONTRACTURE OF MUSCLE, LEFT FOREARM
ICD-10: M62.439 - CONTRACTURE OF MUSCLE, RIGHT HAND
ICD-10: M62.441 - CONTRACTURE OF MUSCLE, RIGHT HAND
ICD-10: M62.4421 - CONTRACTURE OF MUSCLE, LEFT HAND
ICD-10: M62.4429 - CONTRACTURE OF MUSCLE, LEFT THAND
ICD-10: M62.4459 - CONTRACTURE OF MUSCLE, RIGHT HAND
ICD-10: M62.459 - CONTRACTURE OF MUSCLE, RIGHT HIGH
ICD-10: M62.459 - CONTRACTURE OF MUSCLE, RIGHT HIGH
ICD-10: M62.459 - CONTRACTURE OF MUSCLE, LEFT THIGH
              ICD-10: M62.459 - CONTRACTURE OF MUSCLE, UNSPECIFIED THIGH ICD-10: M62.461 - CONTRACTURE OF MUSCLE, RIGHT LOWER LEG ICD-10: M62.462 - CONTRACTURE OF MUSCLE, LEFT LOWER LEG ICD-10: M62.469 - CONTRACTURE OF MUSCLE, UNSPECIFIED LOWER LEG ICD-10: M62.471 - CONTRACTURE OF MUSCLE, RIGHT ANKLE AND FOOT ICD-10: M62.472 - CONTRACTURE OF MUSCLE, LEFT ANKLE AND FOOT ICD-10: M62.479 - CONTRACTURE OF MUSCLE, UNSPECIFIED ANKLE AND FOOT ICD-10: M62.489 - CONTRACTURE OF MUSCLE, UNSPECIFIED ANKLE AND FOOT ICD-10: M62.48 - CONTRACTURE OF MUSCLE, OTHER SITE ICD-10: M62.831 - MUSCLE SPASM OF CALF ICD-10: M62.838 - OTHER MUSCLE SPASM
                                      900.00 INJURY TO CAROTID ARTERY, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:4

    ICD-10: S15.009A - UNSPECIFIED INJURY OF UNSPECIFIED CAROTID ARTERY, INITIAL ENCOUNTER
    ICD-10: S15.019A - MINOR LACERATION OF UNSPECIFIED CAROTID ARTERY, INITIAL ENCOUNTER
    ICD-10: S15.029A - MAJOR LACERATION OF UNSPECIFIED CAROTID ARTERY, INITIAL ENCOUNTER
    ICD-10: S15.099A - OTHER SPECIFIED INJURY OF UNSPECIFIED CAROTID ARTERY, INITIAL ENCOUNTER

                                      790.93 ELEVATED PROSTATE SPECIFIC ANTIGEN [PSA]
                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
          • ICD-10: R97.2 - ELEVATED PROSTATE SPECIFIC ANTIGEN [PSA]
Claims: 2
                                     959.6 INJURY, HIP AND THIGH
                                                                                                                                                                                                                                                                                                                                Ratio: 1:48
              ICD-10: S76.001A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF RIGHT HIP, INITIAL ENCOUNTER ICD-10: S76.002A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LEFT HIP, INITIAL ENCOUNTER ICD-10: S76.009A - UNSPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF UNSPECIFIED HIP, INITIAL ENCOUNTER ICD-10: S76.091A - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LIGHT HIP, INITIAL ENCOUNTER ICD-10: S76.092A - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF LEFT HIP, INITIAL ENCOUNTER ICD-10: S76.093A - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF UNSPECIFIED HIP, INITIAL ENCOUNTER ICD-10: S76.0101A - UNSPECIFIED HINJURY OF RIGHT QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER ICD-10: S76.102A - UNSPECIFIED INJURY OF LIEFT QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER ICD-10: S76.102A - UNSPECIFIED INJURY OF LIEFT QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER
```

```
(CD-40: $76:1994 - UNSPECIFIED INJURY OF UNSPECIFIED QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER

(ICD-40: $76:1914 - OTHER SPECIFIED INJURY OF RIGHT QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER

(ICD-40: $76:1924 - OTHER SPECIFIED INJURY OF LEFT QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER

(ICD-40: $76:1924 - OTHER SPECIFIED INJURY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF RIGHT THINGH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - UNSPECIFIED INJURY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF RIGHT THINGH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - UNSPECIFIED INJURY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED INJURY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED INJURY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THICH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - OTHER NULRY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THICH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - OTHER NULRY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THICH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - OTHER NULRY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THICH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - OTHER NULRY OF ADDUCTOR MUSCLE, FASCIA AND TENDON OF UNSPECIFIED THICH, INITIAL ENCOUNTER

(ICD-40: $76:2014 - OTHER NULRY OF MUSCLE, FASCIA AND TENDON OF THE POSTERIOR MUSCLE GROUP AT THICH LEVEL, RIGHT THICH, INITIAL ENCOUNTER

(ICD-40: $76:3014 - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF THE POSTERIOR MUSCLE GROUP AT THICH LEVEL, LEFT THICH, INITIAL ENCOUNTER

(ICD-40: $76:3014 - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF THE POSTERIOR MUSCLE GROUP AT THICH LEVEL, LEFT THICH, INITIAL ENCOUNTER

(ICD-40: $76:3014 - OTHER SPECIFIED INJURY OF MUSCLE, FASCIA AND TENDON OF THE POSTERIOR MUSCLE GROUP AT THICH LEVEL, LEFT THICH, INITIAL ENCOUNTER

(ICD-40: $76:3014 - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES, FASCIA AND TENDONS AT THICH LEVEL, LIFET THICH, INITIAL ENCOUNTER

(ICD-40: $76:3014 - OTHER SPECIFIED INJURY OF OTHER SPECIFIED MUSCLES, FASCIA AND T
                   ICD-10: S76.109A - UNSPECIFIED INJURY OF UNSPECIFIED QUADRICEPS MUSCLE, FASCIA AND TENDON, INITIAL ENCOUNTER
Claims: 2
                                                                       FOLLOW-UP EXAMINATION UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:2
                                                  V67.9
             • ICD-10: Z08 - ENCOUNTER FOR FOLLOW-UP EXAMINATION AFTER COMPLETED TREATMENT FOR MALIGNANT NEOPLASM
• ICD-10: Z09 - ENCOUNTER FOR FOLLOW-UP EXAMINATION AFTER COMPLETED TREATMENT FOR CONDITIONS OTHER THAN MALIGNANT NEOPLASM
                                                  309.21 SEPARATION ANXIETY DISORDER
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1 Exact
              • ICD-10: E93.0 - SEPARATION ANXIETY DISORDER OF CHILDHOOD
Claims: 2
                                                379.91 PAIN IN OR AROUND EYE
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:4
              • ICD-10: H57.10 - OCULAR PAIN, UNSPECIFIED EYE
• ICD-10: H57.11 - OCULAR PAIN, RIGHT EYE
• ICD-10: H57.12 - OCULAR PAIN, LEFT EYE
• ICD-10: H57.13 - OCULAR PAIN, BILATERAL
                                                 715.97 OSTEOARTHROSIS, UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED ANKLE AND FOOT
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1
              • ICD-10: M19.90 - UNSPECIFIED OSTEOARTHRITIS, UNSPECIFIED SITE
                                                 845.11 SPRAINS AND STRAINS OF FOOT TARSOMETATARSAL (JOINT) (LIGAMENT)
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:3
                  ICD-10: S93.621A - SPRAIN OF TARSOMETATARSAL LIGAMENT OF RIGHT FOOT, INITIAL ENCOUNTER

    ICD-10: S93.622A - SPRAIN OF TARSOMETATARSAL LIGAMENT OF LEFT FOOT, INITIAL ENCOUNTER
    ICD-10: S93.629A - SPRAIN OF TARSOMETATARSAL LIGAMENT OF UNSPECIFIED FOOT, INITIAL ENCOUNTER

                                                                       IRREGULAR MENSTRUAL CYCLE
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:2
              • ICD-10: N92.5 - OTHER SPECIFIED IRREGULAR MENSTRUATION
• ICD-10: N92.6 - IRREGULAR MENSTRUATION, UNSPECIFIED
                                                  923.02 CONTUSION OF AXILLARY REGION
Claims: 2
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:3
                    ICD-10: S40.011A - CONTUSION OF RIGHT SHOULDER. INITIAL ENCOUNTER
                    ICD-10: S40 012A - CONTUSION OF LEFT SHOULDER INITIAL ENCOUNTER

    ICD-10: S40.019A - CONTUSION OF UNSPECIFIED SHOULDER, INITIAL ENCOUNTER

Claims: 2
                                                 471.9 NASAL POLYP UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
              · ICD-10: J33.9 - NASAL POLYP, UNSPECIFIED
                                                  621.8 DISORDERS OF UTERUS, NOT ELSEWHERE CLASSIFIED OTHER SPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:1
Claims: 2
              · ICD-10: N85.8 - OTHER SPECIFIED NONINFLAMMATORY DISORDERS OF UTERUS
Claims: 2
                IS: 2 845.19 SPRAINS AND STRAINS OF FOOT OTHER

Ratio: 1:27

ICD-10: $93.501A - UNSPECIFIED SPRAIN OF RIGHT GREAT TOE, INITIAL ENCOUNTER
ICD-10: $93.502A - UNSPECIFIED SPRAIN OF LEFT GREAT TOE, INITIAL ENCOUNTER
ICD-10: $93.502A - UNSPECIFIED SPRAIN OF UNSPECIFIED GREAT TOE, INITIAL ENCOUNTER
ICD-10: $93.503A - UNSPECIFIED SPRAIN OF UNSPECIFIED GREAT TOE, INITIAL ENCOUNTER
ICD-10: $93.503A - UNSPECIFIED SPRAIN OF UNSPECIFIED GREAT TOE, INITIAL ENCOUNTER
ICD-10: $93.503A - UNSPECIFIED SPRAIN OF LEFT LESSER TOE(S), INITIAL ENCOUNTER
ICD-10: $93.503A - UNSPECIFIED SPRAIN OF UNSPECIFIED LESSER TOE(S), INITIAL ENCOUNTER
ICD-10: $93.503A - UNSPECIFIED SPRAIN OF UNSPECIFIED LESSER TOE(S), INITIAL ENCOUNTER
ICD-10: $93.503A - UNSPECIFIED SPRAIN OF UNSPECIFIED TOE(S), INITIAL ENCOUNTER
ICD-10: $93.611A - SPRAIN OF TARSAL LIGAMENT OF UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: $93.619A - SPRAIN OF TARSAL LIGAMENT OF UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: $93.619A - SPRAIN OF TARSAL LIGAMENT OF UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: $93.619A - OTHER SPRAIN OF LIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $93.619A - OTHER SPRAIN OF LIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG FLEXOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG FLEXOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, UNSPECIFIED FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG EXERNSOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG EXTENSOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG EXTENSOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, LIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG EXTENSOR MUSCLE OF TOE AT ANKLE AND FOOT LEVEL, LIGHT FOOT, INITIAL ENCOUNTER
ICD-10: $96.011A - STRAIN OF MUSCLE AND TENDON OF LONG EXTENSOR MUSCLE OF TO
                                                 845.19 SPRAINS AND STRAINS OF FOOT OTHER
                                                                                                                                                                                                                                                                                                                                                                                                                                 Ratio: 1:27
```

• ICD-10: S96.911A - STRAIN OF UNSPECIFIED MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, RIGHT FOOT, INITIAL ENCOUNTER
• ICD-10: S96.912A - STRAIN OF UNSPECIFIED MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, LEFT FOOT, INITIAL ENCOUNTER 807.09 FRACTURE OF RIB(S), CLOSED, MULTIPLE RIBS, UNSPECIFIED Ratio: 1:4 ICD-10: S22.41XA - MULTIPLE FRACTURES OF RIBS, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
 ICD-10: S22.42XA - MULTIPLE FRACTURES OF RIBS, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
 ICD-10: S22.43XA - MULTIPLE FRACTURES OF RIBS, BILATERAL, INITIAL ENCOUNTER FOR CLOSED FRACTURE
 ICD-10: S22.49XA - MULTIPLE FRACTURES OF RIBS, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE 331.4 OBSTRUCTIVE HYDROCEPHALUS Ratio: 1:4 ICD-10: G91.1 - OBSTRUCTIVE HYDROCEPHALUS
 ICD-10: G91.3 - POST-TRAUMATIC HYDROCEPHALUS, UNSPECIFIED
 ICD-10: G91.8 - OTHER HYDROCEPHALUS
 ICD-10: G91.9 - HYDROCEPHALUS, UNSPECIFIED 784.99 SYMTOMS INVOLVING HEAD AND NECK, OTHER Claims: 2 Ratio: 1:4 • ICD-10: R06.5 - MOUTH BREATHING • ICD-10: R06.7 - SNEEZING • ICD-10: R06.89 - OTHER ABNORMALITIES OF BREATHING • ICD-10: R19.6 - HALITOSIS 454.1 VARICOSE VEINS OF LOWER EXTREMITIES WITH INFLAMMATION Ratio: 1:3 ICD-10: I83.10 - VARICOSE VEINS OF UNSPECIFIED LOWER EXTREMITY WITH INFLAMMATION
 ICD-10: I83.11 - VARICOSE VEINS OF RIGHT LOWER EXTREMITY WITH INFLAMMATION
 ICD-10: I83.12 - VARICOSE VEINS OF LEFT LOWER EXTREMITY WITH INFLAMMATION 536.9 UNSPECIFIED FUNCTIONAL DISORDER OF STOMACH Ratio: 1:2 ICD-10: K31.89 - OTHER DISEASES OF STOMACH AND DUODENUM
 ICD-10: K31.9 - DISEASE OF STOMACH AND DUODENUM, UNSPECIFIED 788.5 OLIGURIA AND ANURIA Claims: 2 Ratio: 1:1 Exact · ICD-10: R34 - ANURIA AND OLIGURIA Claims: 2 146.1 MALIGNANT NEOPLASM OF TONSILLAR FOSSA Ratio: 1:1 Exact · ICD-10: C09.0 - MALIGNANT NEOPLASM OF TONSILLAR FOSSA Claims: 2 791.9 OTHER NONSPECIFIC FINDINGS ON EXAMINATION OF URINE Ratio: 1:7 ICD-10: R82.5 - ELEVATED URINE LEVELS OF DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES
 ICD-10: R82.6 - ABNORMAL URINE LEVELS OF SUBSTANCES CHIEFLY NONMEDICINAL AS TO SOURCE
 ICD-10: R82.8 - ABNORMAL FINDINGS ON MICROBIOLOGICAL EXAMINATION OF URINE
 ICD-10: R82.8 - ABNORMAL FINDINGS ON CYTOLOGICAL AND HISTOLOGICAL EXAMINATION OF URINE
 ICD-10: R82.90 - UNSPECIFIED ABNORMAL FINDINGS IN URINE
 ICD-10: R82.91 - OTHER CHROMOABNORMALITIES OF URINE
 ICD-10: R82.99 - OTHER ABNORMAL FINDINGS IN URINE 456.1 ESOPHAGEAL VARICES WITHOUT MENTION OF BLEEDING Ratio: 1:1 Exact · ICD-10: I85.00 - ESOPHAGEAL VARICES WITHOUT BLEEDING 172.3 MALIGNANT MELANOMA OF SKIN OTHER AND UNSPECIFIED PARTS OF FACE Ratio: 1:5 ICD-10: C43.30 - MALIGNANT MELANOMA OF UNSPECIFIED PART OF FACE
 ICD-10: C43.31 - MALIGNANT MELANOMA OF NOSE
 ICD-10: C43.39 - MALIGNANT MELANOMA OF OTHER PARTS OF FACE
 ICD-10: D03.30 - MELANOMA IN SITU OF UNSPECIFIED PART OF FACE
 ICD-10: D03.39 - MELANOMA IN SITU OF OTHER PARTS OF FACE 736.79 ACQUIRED DEFORMITIES OF ANKLE AND FOOT OTHER Ratio: 1:9 ICD-10: M21.071 - VALGUS DEFORMITY, NOT ELSEWHERE CLASSIFIED, RIGHT ANKLE
 ICD-10: M21.072 - VALGUS DEFORMITY, NOT ELSEWHERE CLASSIFIED, LEFT ANKLE
 ICD-10: M21.079 - VALGUS DEFORMITY, NOT ELSEWHERE CLASSIFIED, UNSPECIFIED ANKLE
 ICD-10: M21.371 - FOOT DROP, RIGHT FOOT
 ICD-10: M21.372 - FOOT DROP, LEFT FOOT
 ICD-10: M21.379 - FOOT DROP, UNSPECIFIED FOOT
 ICD-10: M21.379 - FOOT DROP, UNSPECIFIED FOOT
 ICD-10: M21.6X1 - OTHER ACQUIRED DEFORMITIES OF RIGHT FOOT
 ICD-10: M21.6X2 - OTHER ACQUIRED DEFORMITIES OF LEFT FOOT
 ICD-10: M21.6X9 - OTHER ACQUIRED DEFORMITIES OF UNSPECIFIED FOOT Claims: 2 135 SARCOIDOSIS Ratio: 1:13 ICD-10: D86.0 - SARCOIDOSIS OF LUNG
ICD-10: D86.1 - SARCOIDOSIS OF LUNG
ICD-10: D86.1 - SARCOIDOSIS OF LUNG WITH SARCOIDOSIS OF LYMPH NODES
ICD-10: D86.2 - SARCOIDOSIS OF SIN
ICD-10: D86.3 - SARCOIDOSIS OF SIN
ICD-10: D86.81 - SARCOID MENINGITIS
ICD-10: D86.82 - MULTIPLE CRANIAL NERVE PALSIES IN SARCOIDOSIS
ICD-10: D86.83 - SARCOID IRIDOCYCLITIS
ICD-10: D86.84 - SARCOID PYELONEPHRITIS
ICD-10: D86.85 - SARCOID MYOCARDITIS
ICD-10: D86.87 - SARCOID ARTHROPATHY
ICD-10: D86.87 - SARCOID MYOSITIS
ICD-10: D86.89 - SARCOIDOSIS OF OTHER SITES
ICD-10: D86.9 - SARCOIDOSIS, UNSPECIFIED 306.4 PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS, GGASTROINTESTINAL Ratio: 1:1 • ICD-10: F45.8 - OTHER SOMATOFORM DISORDERS 252.1 HYPOPARATHYROIDISM Claims: 2 Ratio: 1:4 ICD-10: E20.0 - IDIOPATHIC HYPOPARATHYROIDISM
 ICD-10: E20.8 - OTHER HYPOPARATHYROIDISM
 ICD-10: E20.9 - HYPOPARATHYROIDISM, UNSPECIFIED
 ICD-10: E89.2 - POSTPROCEDURAL HYPOPARATHYROIDISM Claims: 2 786.30 HEMOPTYSIS, UNSPECIFIED Ratio: 1:2

• ICD-10: S96.819A - STRAIN OF OTHER SPECIFIED MUSCLES AND TENDONS AT ANKLE AND FOOT LEVEL. UNSPECIFIED FOOT, INITIAL ENCOUNTER

- ICD-10: R04.2 HEMOPTYSIS
 ICD-10: R04.9 HEMORRHAGE FROM RESPIRATORY PASSAGES, UNSPECIFIED

Claims: 2 V10.46 PERSONAL HISTORY OF MALIGNANT NEOPLASM PROSTATE	Ratio: 1:1 Exact
• ICD-10: Z85.46 - PERSONAL HISTORY OF MALIGNANT NEOPLASM OF PROSTATE	
aims: 2 171.9 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE, SITE UNSPECIFIED	Ratio: 1:2
 ICD-10: C47.9 - MALIGNANT NEOPLASM OF PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM, UNSPECIFIED ICD-10: C49.9 - MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE, UNSPECIFIED 	
aims: 2 461.9 ACUTE SINUSITIS, UNSPECIFIED	Ratio: 1:2
ICD-10: J01.90 - ACUTE SINUSITIS, UNSPECIFIED ICD-10: J01.91 - ACUTE RECURRENT SINUSITIS, UNSPECIFIED	
aims: 2 142.9 MALIGNANT NEOPLASM OF SALIVARY GLAND, UNSPECIFIED	Ratio: 1:1
• ICD-10: C08.9 - MALIGNANT NEOPLASM OF MAJOR SALIVARY GLAND, UNSPECIFIED	
aims: 2 429.9 HEART DISEASE, UNSPECIFIED	Ratio: 1:2
ICD-10: 151.9 - HEART DISEASE, UNSPECIFIED ICD-10: 152 - OTHER HEART DISORDERS IN DISEASES CLASSIFIED ELSEWHERE	
aims: 2 724.6 DISORDERS OF SACRUM	Ratio: 1:8
ICD-10: M43.27 - FUSION OF SPINE, LUMBOSACRAL REGION ICD-10: M43.28 - FUSION OF SPINE, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M53.2X7 - SPINAL INSTABILITIES, LUMBOSACRAL REGION ICD-10: M53.2X8 - SPINAL INSTABILITIES, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M53.33 - SACROCOCCYGEAL DISORDERS, NOT ELSEWHERE CLASSIFIED ICD-10: M53.86 - OTHER SPECIFIED DORSOPATHIES, LUMBOSACRAL REGION ICD-10: M53.87 - OTHER SPECIFIED DORSOPATHIES, LUMBOSACRAL REGION ICD-10: M53.88 - OTHER SPECIFIED DORSOPATHIES, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M53.88 - OTHER SPECIFIED DORSOPATHIES, SACRAL AND SACROCOCCYGEAL REGION	
aims: 2 238.79 LYMPHATIC AND HEMATOPOIETIC TISSUES, OTHER	Ratio: 1:8
ICD-10: C88.8 - OTHER MALIGNANT IMMUNOPROLIFERATIVE DISEASES ICD-10: C94.40 - ACUTE PANMYELOSIS WITH MYELOFIBROSIS NOT HAVING ACHIEVED REMISSION ICD-10: C94.41 - ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN REMISSION ICD-10: C94.42 - ACUTE PANMYELOSIS WITH MYELOFIBROSIS, IN RELAPSE ICD-10: C94.6 - MYELODYSPLASTIC DISEASE, NOT CLASSIFIED ICD-10: D47.1 - CHRONIC MYELOPROLIFERATIVE DISEASE ICD-10: D47.2 - NEOPLASM OF UNCERTAIN BEHAVIOR OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE, UNSPECIFIED ICD-10: D47.29 - OTHER SPECIFIED NEOPLASMS OF UNCERTAIN BEHAVIOR OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE	
aims: 2 573.9 DISORDERS OF LIVER UNSPECIFIED	Ratio: 1:1
• ICD-10: K76.9 - LIVER DISEASE, UNSPECIFIED	
aims: 2 717.40 DERANGEMENT OF LATERAL MENISCUS, UNSPECIFIED • ICD-10: M23.200 - DERANGEMENT OF UNSPECIFIED LATERAL MENISCUS DUE TO OLD TEAR OR INJURY, RIGHT KNEE	Ratio: 1:9
(ICD-10: M23.201 - DERANGEMENT OF UNSPECIFIED LATERAL MENISCUS DUE TO OLD TEAR OR INJURY, LEFT KNEE (ICD-10: M23.202 - DERANGEMENT OF UNSPECIFIED LATERAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED KNEE (ICD-10: M23.261 - DERANGEMENT OF OTHER LATERAL MENISCUS DUE TO OLD TEAR OR INJURY, RIGHT KNEE (ICD-10: M23.262 - DERANGEMENT OF OTHER LATERAL MENISCUS DUE TO OLD TEAR OR INJURY, LEFT KNEE (ICD-10: M23.203 - DERANGEMENT OF OTHER LATERAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED KNEE (ICD-10: M23.300 - OTHER MENISCUS DERANGEMENTS, UNSPECIFIED LATERAL MENISCUS, RIGHT KNEE (ICD-10: M23.301 - OTHER MENISCUS DERANGEMENTS, UNSPECIFIED LATERAL MENISCUS, LEFT KNEE (ICD-10: M23.302 - OTHER MENISCUS DERANGEMENTS, UNSPECIFIED LATERAL MENISCUS, UNSPECIFIED KNEE	
laims: 2 388.31 SUBJECTIVE TINNITUS	Ratio: 1:4
ICD-10: H93.11 - TINNITUS, RIGHT EAR ICD-10: H93.12 - TINNITUS, LEFT EAR ICD-10: H93.13 - TINNITUS, BILATERAL ICD-10: H93.13 - TINNITUS, UNSPECIFIED EAR	
aims: 2 682.6 CELLULITIS AND ABSCESS LEG, EXCEPT FOOT	Ratio: 1:9
ICD-10: L02.415 - CUTANEOUS ABSCESS OF RIGHT LOWER LIMB ICD-10: L02.416 - CUTANEOUS ABSCESS OF LEFT LOWER LIMB ICD-10: L02.419 - CUTANEOUS ABSCESS OF LIMB, UNSPECIFIED ICD-10: L03.115 - CELLULITIS OF RIGHT LOWER LIMB ICD-10: L03.116 - CELLULITIS OF LEFT LOWER LIMB ICD-10: L03.119 - CELLULITIS OF UNSPECIFIED PART OF LIMB ICD-10: L03.125 - ACUTE LYMPHANGITIS OF RIGHT LOWER LIMB ICD-10: L03.125 - ACUTE LYMPHANGITIS OF LEFT LOWER LIMB ICD-10: L03.126 - ACUTE LYMPHANGITIS OF LEFT LOWER LIMB ICD-10: L03.129 - ACUTE LYMPHANGITIS OF LEFT LOWER LIMB	
aims: 2 755.67 CONGENITAL ANOMALIES OF FOOT, NEC	Ratio: 1:2
ICD-10: Q66.89 - OTHER SPECIFIED CONGENITAL DEFORMITIES OF FEET ICD-10: Q72.70 - SPLIT FOOT, UNSPECIFIED LOWER LIMB	
aims: 2 524.60 TEMPOROMANDIBULAR JOINT DISORDERS, UNSPECIFIED	Ratio: 1:2
ICD-10: M26.69 - OTHER SPECIFIED DISORDERS OF TEMPOROMANDIBULAR JOINT	
aims: 2 719.86 DISORDERS OF JOINT OTHER SPECIFIED LOWER LEG	Ratio: 1:6
ICD-10: M25.161 - FISTULA, RIGHT KNEE ICD-10: M25.162 - FISTULA, LEFT KNEE ICD-10: M25.169 - FISTULA, UNSPECIFIED KNEE ICD-10: M25.861 - OTHER SPECIFIED JOINT DISORDERS, RIGHT KNEE ICD-10: M25.862 - OTHER SPECIFIED JOINT DISORDERS, LEFT KNEE ICD-10: M25.869 - OTHER SPECIFIED JOINT DISORDERS, LUSPECIFIED KNEE	radio 1.0
aims: 2 924.11 CONTUSION OF KNEE	Ratio: 1:3
ICD-10: S80.00XA - CONTUSION OF UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: S80.01XA - CONTUSION OF RIGHT KNEE, INITIAL ENCOUNTER ICD-10: S80.02XA - CONTUSION OF LEFT KNEE, INITIAL ENCOUNTER	
aims: 2 355.6 LESION OF PLANTAR NERVE	Ratio: 1:3
ICD-10: G57.60 - LESION OF PLANTAR NERVE, UNSPECIFIED LOWER LIMB ICD-10: G57.61 - LESION OF PLANTAR NERVE, RIGHT LOWER LIMB ICD-10: G57.62 - LESION OF PLANTAR NERVE, LEFT LOWER LIMB	

```
Claims: 2
                                                   723.8 OTHER SYNDROMES AFFECTING CERVICAL REGION
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:4

    ICD-10: M53.81 - OTHER SPECIFIED DORSOPATHIES, OCCIPITO-ATLANTO-AXIAL REGION
    ICD-10: M53.82 - OTHER SPECIFIED DORSOPATHIES, CERVICAL REGION
    ICD-10: M53.83 - OTHER SPECIFIED DORSOPATHIES, CERVICOTHORACIC REGION
    ICD-10: M54.81 - OCCIPITAL NEURALGIA

                                                    733.13 PATHOLOGIC FRACTURE OF VERTEBRAE
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:14
             ABNORMAL FINDINGS ON RADIOLOGICAL AND OTHER EXAMINATIONS OF BODY STRUCTURE. NONSPECIFIC
                                                   793.99 OTHER
Claims: 2
              • ICD.10: R90.89 - OTHER ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF CENTRAL NERVOUS SYSTEM • ICD.10: R93.8 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF OTHER SPECIFIED BODY STRUCTURES
                                                                             NONSPECIFIC ABNORMAL FINDINGS ON RADIOLOGICAL AND OTHER EXAMINATION OF INTRATHORACIC
                                                   793.2
Claims: 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:2
                                                                             ORGAN OTHER
             • ICD-10: R93.1 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF HEART AND CORONARY CIRCULATION
• ICD-10: R93.8 - ABNORMAL FINDINGS ON DIAGNOSTIC IMAGING OF OTHER SPECIFIED BODY STRUCTURES
Claims: 2
                                                    157.9 MALIGNANT NEOPLASM OF PANCREAS PART UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
              • ICD-10: C25.9 - MALIGNANT NEOPLASM OF PANCREAS, UNSPECIFIED
                                                    737.30 SCOLIOSIS [AND KYPHOSCOLIOSIS], IDIOPATHIC
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:21
             ICD-10: M41.112 - JUVENILE IDIOPATHIC SCOLIOSIS, CERVICAL REGION
ICD-10: M41.113 - JUVENILE IDIOPATHIC SCOLIOSIS, CERVICOTHORACIC REGION
ICD-10: M41.114 - JUVENILE IDIOPATHIC SCOLIOSIS, CERVICOTHORACIC REGION
ICD-10: M41.114 - JUVENILE IDIOPATHIC SCOLIOSIS, THORACIC REGION
ICD-10: M41.115 - JUVENILE IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.117 - JUVENILE IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.117 - JUVENILE IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.119 - JUVENILE IDIOPATHIC SCOLIOSIS, STE UNSPECIFIED
ICD-10: M41.122 - ADOLESCENT IDIOPATHIC SCOLIOSIS, CERVICATOHORACIC REGION
ICD-10: M41.124 - ADOLESCENT IDIOPATHIC SCOLIOSIS, THORACIC REGION
ICD-10: M41.125 - ADOLESCENT IDIOPATHIC SCOLIOSIS, THORACIC REGION
ICD-10: M41.126 - ADOLESCENT IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.127 - ADOLESCENT IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.126 - ADOLESCENT IDIOPATHIC SCOLIOSIS, STE UNSPECIFIED
ICD-10: M41.20 - OTHER IDIOPATHIC SCOLIOSIS, STE UNSPECIFIED
ICD-10: M41.22 - OTHER IDIOPATHIC SCOLIOSIS, STE UNSPECIFIED
ICD-10: M41.22 - OTHER IDIOPATHIC SCOLIOSIS, CERVICOTHORACIC REGION
ICD-10: M41.22 - OTHER IDIOPATHIC SCOLIOSIS, CERVICAL REGION
ICD-10: M41.25 - OTHER IDIOPATHIC SCOLIOSIS, CERVICAL REGION
ICD-10: M41.25 - OTHER IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.25 - OTHER IDIOPATHIC SCOLIOSIS, LUMBAR REGION
ICD-10: M41.27 - OTHER IDIOPATHIC SCOLIOSIS, LUMBAR REGION
Claims: 2
                                                    153.4 MALIGNANT NEOPLASM OF CECUM
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1 Exact
               · ICD-10: C18.0 - MALIGNANT NEOPLASM OF CECUM
                                                    733.20 CYST OF BONE (LOCALIZED), UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:1
              · ICD-10: M85.60 - OTHER CYST OF BONE, UNSPECIFIED SITE
                                                  239.2 NEOPLASMS OF UNSPECIFIED NATURE BONE, SOFT TISSUE, AND SKIN
Claims: 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                   Ratio: 1:1 Exact
              • ICD-10: D49.2 - NEOPLASM OF UNSPECIFIED BEHAVIOR OF BONE. SOFT TISSUE, AND SKIN
                                                    727.09 SYNOVITIS AND TENOSYNOVITIS OTHER
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ratio: 1:63
                ICD-10: M65.10 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE

ICD-10: M65.111 - OTHER INFECTIVE (TENO)SYNOVITIS, RIGHT SHOULDER

ICD-10: M65.112 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT SHOULDER

ICD-10: M65.112 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT SHOULDER

ICD-10: M65.112 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT SHOULDER

ICD-10: M65.121 - OTHER INFECTIVE (TENO)SYNOVITIS, LISPECIFIED SHOULDER

ICD-10: M65.122 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT BLBOW

ICD-10: M65.122 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT BLBOW

ICD-10: M65.123 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT WRIST

ICD-10: M65.132 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT WRIST

ICD-10: M65.139 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT WRIST

ICD-10: M65.139 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HAND

ICD-10: M65.141 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HAND

ICD-10: M65.142 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HAND

ICD-10: M65.143 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HAND

ICD-10: M65.142 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HAND

ICD-10: M65.145 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HIP

ICD-10: M65.151 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HIP

ICD-10: M65.161 - OTHER INFECTIVE (TENO)SYNOVITIS, LEFT HIP

ICD-10: M65.161 - OTHER INFECTIVE (TENO)SYNOVITIS, LISPECIFIED HIP

ICD-10: M65.161 - OTHER INFECTIVE (TENO)SYNOVITIS, LISPECIFIED HIP

ICD-10: M65.163 - OTHER INFECTIVE (TENO)SYNOVITIS, LISPECIFIED KNEE

ICD-10: M65.161 - OTHER INFECTIVE (TENO)SYNOVITIS, LISPECIFIED SITE

ICD-10: M65.163 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE

ICD-10: M65.171 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE

ICD-10: M65.18 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE

ICD-10: M65.18 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE

ICD-10: M65.19 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE

ICD-10: M65.
                    ICD-10: M65.10 - OTHER INFECTIVE (TENO)SYNOVITIS, UNSPECIFIED SITE
```

```
Claims: 2
                                        556.9 ULCERATIVE COLITIS UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:7

    ICD-10: K51.90 - ULCERATIVE COLITIS, UNSPECIFIED, WITHOUT COMPLICATIONS
    ICD-10: K51.911 - ULCERATIVE COLITIS, UNSPECIFIED WITH RECTAL BLEEDING
    ICD-10: K51.912 - ULCERATIVE COLITIS, UNSPECIFIED WITH INTESTINAL OBSTRUCTION
    ICD-10: K51.913 - ULCERATIVE COLITIS, UNSPECIFIED WITH FISTULA
    ICD-10: K51.914 - ULCERATIVE COLITIS, UNSPECIFIED WITH ABSCESS
    ICD-10: K51.918 - ULCERATIVE COLITIS, UNSPECIFIED WITH OTHER COMPLICATION
    ICD-10: K51.919 - ULCERATIVE COLITIS, UNSPECIFIED WITH OTHER COMPLICATIONS

                                        924.20 CONTUSION OF FOOT, EXCLUDING TOE(S)
Claims: 2
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:3

    ICD-10: S90.30XA - CONTUSION OF UNSPECIFIED FOOT, INITIAL ENCOUNTER
    ICD-10: S90.31XA - CONTUSION OF RIGHT FOOT, INITIAL ENCOUNTER
    ICD-10: S90.32XA - CONTUSION OF LEFT FOOT, INITIAL ENCOUNTER

                                                         MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE DISSEMINATED
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
Claims: 2
           • ICD-10: C80.0 - DISSEMINATED MALIGNANT NEOPLASM, UNSPECIFIED
                                                             FRACTURE OF VERTEBRAL COLUMN WITHOUT MENTION OF SPINAL CORD INJURY, SACRUM AND COCCYX,
Claims: 2
                                        805.6
                                                             CLOSED
          Claims: 2
                                        715.94 OSTEOARTHROSIS. UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED HAND
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1
           • ICD-10: M18.9 - OSTEOARTHRITIS OF FIRST CARPOMETACARPAL JOINT, UNSPECIFIED
                                         726.90 ENTHESOPATHY OF UNSPECIFIED SITE
                                                                                                                                                                                                                                                                                                                                                          Ratio: 1:1 Exact
           · ICD-10: M77.9 - ENTHESOPATHY, UNSPECIFIED
Claims: 1
                                        726.32 LATERAL EPICONDYLITIS
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:3
                 ICD-10: M77.10 - LATERAL EPICONDYLITIS, UNSPECIFIED ELBOW ICD-10: M77.11 - LATERAL EPICONDYLITIS, RIGHT ELBOW

    ICD-10: M77.12 - LATERAL EPICONDYLITIS, LEFT ELBOW

                                        272.2 MIXED HYPERLIPIDEMIA
Claims: 1
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
            · ICD-10: E78.2 - MIXED HYPERLIPIDEMIA
                                        175.9 MALIGNANT NEOPLASM OF MALE BREAST OTHER AND UNSPECIFIED SITES
                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:24
              ICD-10: C50.121 - MALIGNANT NEOPLASM OF CENTRAL PORTION OF RIGHT MALE BREAST ICD-10: C50.122 - MALIGNANT NEOPLASM OF CENTRAL PORTION OF LEFT MALE BREAST ICD-10: C50.122 - MALIGNANT NEOPLASM OF CENTRAL PORTION OF LEFT MALE BREAST ICD-10: C50.122 - MALIGNANT NEOPLASM OF CENTRAL PORTION OF UNSPECIFIED MALE BREAST ICD-10: C50.222 - MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF IGHT MALE BREAST ICD-10: C50.222 - MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF LIFT MALE BREAST ICD-10: C50.322 - MALIGNANT NEOPLASM OF UPPER-INNER QUADRANT OF UNSPECIFIED MALE BREAST ICD-10: C50.321 - MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF UNSPECIFIED MALE BREAST ICD-10: C50.322 - MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF LIFT MALE BREAST ICD-10: C50.322 - MALIGNANT NEOPLASM OF LOWER-INNER QUADRANT OF LIFT MALE BREAST ICD-10: C50.322 - MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF RIGHT MALE BREAST ICD-10: C50.422 - MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF LIFT MALE BREAST ICD-10: C50.422 - MALIGNANT NEOPLASM OF UPPER-OUTER QUADRANT OF LIFT MALE BREAST ICD-10: C50.521 - MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF LIFT MALE BREAST ICD-10: C50.522 - MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF RIGHT MALE BREAST ICD-10: C50.522 - MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF RIGHT MALE BREAST ICD-10: C50.522 - MALIGNANT NEOPLASM OF LOWER-OUTER QUADRANT OF UNSPECIFIED MALE BREAST ICD-10: C50.521 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF RIGHT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF RIGHT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT MALE BREAST ICD-10: C50.621 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT MALE BREAST ICD-10: C50.622 - MALIGNANT NEOPLASM OF AXILLARY TAIL OF LIFT M
```

```
ICD-10: C50.822 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT MALE BREAST

    ICD-10: C50.829 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED MALE BREAST ICD-10: C50.921 - MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF RIGHT MALE BREAST ICD-10: C50.922 - MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF LEFT MALE BREAST ICD-10: C50.929 - MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED MALE BREAST ICD-10: C50.929 - MALIGNANT NEOPLASM OF UNSPECIFIED SITE OF UNSPECIFIED MALE BREAST
                                245.9 THYROIDITIS, UNSPECIFIED
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         · ICD-10: E06.9 - THYROIDITIS, UNSPECIFIED
Claims: 1
                               300.02 GENERALIZED ANXIETY DISORDER
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         . ICD-10: F41.1 - GENERALIZED ANXIETY DISORDER
Claims: 1
                                289.1 CHRONIC LYMPHADENITIS
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         · ICD-10: I88.1 - CHRONIC LYMPHADENITIS, EXCEPT MESENTERIC
Claims: 1
                                569.89 DISORDERS OF INTESTINE OTHER
                                                                                                                                                                                                                                                                              Ratio: 1:3
            ICD-10: K63.4 - ENTEROPTOSIS

    ICD-10: K63.89 - OTHER SPECIFIED DISEASES OF INTESTINE
    ICD-10: K92.89 - OTHER SPECIFIED DISEASES OF THE DIGESTIVE SYSTEM

                                289.83 MYELOFIBROSIS
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         · ICD-10: D75.81 - MYELOFIBROSIS
                                802.0 FRACTURE OF NASAL BONES, CLOSED
                                                                                                                                                                                                                                                                              Ratio: 1:1
Claims: 1
         • ICD-10: S02.2XXA - FRACTURE OF NASAL BONES, INITIAL ENCOUNTER FOR CLOSED FRACTURE
Claims: 1
                               388.11 ACOUSTIC TRAUMA (EXPLOSIVE) TO EAR
                                                                                                                                                                                                                                                                              Ratio: 1:4
            ICD-10: H91.8X1 - OTHER SPECIFIED HEARING LOSS, RIGHT EAR
            ICD-10: H91 8X2 - OTHER SPECIFIED HEARING LOSS LEFT FAR

    ICD-10: H91.8X3 - OTHER SPECIFIED HEARING LOSS, BILATERAL
    ICD-10: H91.8X9 - OTHER SPECIFIED HEARING LOSS, UNSPECIFIED EAR
    ICD-10: H91.8X9 - OTHER SPECIFIED HEARING LOSS, UNSPECIFIED EAR
Claims: 1
                                053.9 HERPES ZOSTER WITHOUT MENTION OF COMPLICATION
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         . ICD-10: B02.9 - ZOSTER WITHOUT COMPLICATIONS
                                               FRACTURE OF OTHER TARSAL AND METATARSAL BONES, UNSPECIFIED BONE(S) OF FOOT [EXCEPT TOES]
Claims: 1
                                825.30
                                                                                                                                                                                                                                                                              Ratio: 1:3

    ICD-10: S92.901B - UNSPECIFIED FRACTURE OF RIGHT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE
    ICD-10: S92.902B - UNSPECIFIED FRACTURE OF LEFT FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE
    ICD-10: S92.909B - UNSPECIFIED FRACTURE OF UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR OPEN FRACTURE

                                              CARCINOMA IN SITU OF BLADDER
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         . ICD-10: D09.0 - CARCINOMA IN SITU OF BLADDER
Claims: 1
                               230.8 CARCINOMA IN SITU OF LIVER AND BILIARY SYSTEM
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         · ICD-10: D01.5 - CARCINOMA IN SITU OF LIVER, GALLBLADDER AND BILE DUCTS
                                718.92 DERANGEMENT OF JOINT UNSPECIFIED, UPPER ARM
                                                                                                                                                                                                                                                                              Ratio: 1:1
         • ICD-10: M24.9 - JOINT DERANGEMENT, UNSPECIFIED
Claims: 1
                               717.7 CHONDROMALACIA OF PATELLA
                                                                                                                                                                                                                                                                              Ratio: 1:3
         • ICD-10: M22.40 - CHONDROMALACIA PATELLAE, UNSPECIFIED KNEE
• ICD-10: M22.41 - CHONDROMALACIA PATELLAE, RIGHT KNEE
• ICD-10: M22.42 - CHONDROMALACIA PATELLAE, LEFT KNEE
                               553.1 UMBILICAL HERNIA
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
          · ICD-10: K42.9 - UMBILICAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE
Claims: 1
                                288.3 EOSINOPHILIA
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         · ICD-10: D72.1 - EOSINOPHILIA
                                893.1 OPEN WOUND OF TOE(S) COMPLICATED
Claims: 1
           ISS. 1 893.1 OPEN WOUND OF TOE(S) COMPLICATED

ICD-10: S91.121A - LACERATION WITH FOREIGN BODY OF RIGHT GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.122A - LACERATION WITH FOREIGN BODY OF LEFT GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.123A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.124A - LACERATION WITH FOREIGN BODY OF RIGHT LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.125A - LACERATION WITH FOREIGN BODY OF LEFT LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.126A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.126A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.126A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.126A - LACERATION WITH FOREIGN BODY OF THE TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.141A - PUNCTURE WOUND WITH FOREIGN BODY OF LEFT GREAT TOE WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.142A - PUNCTURE WOUND WITH FOREIGN BODY OF RIGHT LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.143A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED LESSER TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.146A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.146A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.146A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.224A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.225A - LACERATION WITH FOREIGN BODY OF RIGHT GREAT TOE WITH DAMAGE TO NAIL, INITIAL ENCOUNTER
ICD-10: S91.225A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITH DAMAG
                                                                                                                                                                                                                                                                              Ratio: 1:28
          · ICD-10: S91.249A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED TOE(S) WITH DAMAGE TO NAIL, INITIAL ENCOUNTER
Claims: 1
                               235.3 NEOPLASM OF UNCERTAIN BEHAVIOR OF LIVER AND BILIARY PASSAGES
                                                                                                                                                                                                                                                                              Ratio: 1:1 Exact
         · ICD-10: D37.6 - NEOPLASM OF UNCERTAIN BEHAVIOR OF LIVER, GALLBLADDER AND BILE DUCTS
```

Claims: 1 186.9 MALIGNANT NEOPLASM OF TESTIS OTHER AND UNSPECIFIED	Ratio: 1:6
ICD-10: C62.10 - MALIGNANT NEOPLASM OF UNSPECIFIED DESCENDED TESTIS ICD-10: C62.11 - MALIGNANT NEOPLASM OF DESCENDED RIGHT TESTIS ICD-10: C62.12 - MALIGNANT NEOPLASM OF DESCENDED LEFT TESTIS ICD-10: C62.90 - MALIGNANT NEOPLASM OF UNSPECIFIED TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED ICD-10: C62.91 - MALIGNANT NEOPLASM OF RIGHT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED ICD-10: C62.92 - MALIGNANT NEOPLASM OF RIGHT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED ICD-10: C62.92 - MALIGNANT NEOPLASM OF LEFT TESTIS, UNSPECIFIED WHETHER DESCENDED OR UNDESCENDED	
Claims: 1 927.3 CRUSHING INJURY OF FINGER(S)	Ratio: 1:13
ICD-10: S67.00XA - CRUSHING INJURY OF UNSPECIFIED THUMB, INITIAL ENCOUNTER ICD-10: S67.01XA - CRUSHING INJURY OF RIGHT THUMB, INITIAL ENCOUNTER ICD-10: S67.02XA - CRUSHING INJURY OF LEFT THUMB, INITIAL ENCOUNTER ICD-10: S67.10XA - CRUSHING INJURY OF LEFT THUMB, INITIAL ENCOUNTER ICD-10: S67.190A - CRUSHING INJURY OF RIGHT INDEX FINGER, INITIAL ENCOUNTER ICD-10: S67.1914 - CRUSHING INJURY OF LEFT INDEX FINGER, INITIAL ENCOUNTER ICD-10: S67.192A - CRUSHING INJURY OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S67.192A - CRUSHING INJURY OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S67.193A - CRUSHING INJURY OF RIGHT KING FINGER, INITIAL ENCOUNTER ICD-10: S67.195A - CRUSHING INJURY OF RIGHT KING FINGER, INITIAL ENCOUNTER ICD-10: S67.195A - CRUSHING INJURY OF RIGHT KING FINGER, INITIAL ENCOUNTER ICD-10: S67.196A - CRUSHING INJURY OF RIGHT KINGER, INITIAL ENCOUNTER ICD-10: S67.196A - CRUSHING INJURY OF RIGHT KINGER, INITIAL ENCOUNTER ICD-10: S67.196A - CRUSHING INJURY OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER ICD-10: S67.196A - CRUSHING INJURY OF OTHER FINGER, INITIAL ENCOUNTER ICD-10: S67.196A - CRUSHING INJURY OF OTHER FINGER, INITIAL ENCOUNTER ICD-10: S67.196A - CRUSHING INJURY OF OTHER FINGER, INITIAL ENCOUNTER	
Claims: 1 453.40 VENOUS EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VESSELS OF LOWER EXTREMITY	Ratio: 1:4
ICD-10: 182.401 - ACUTE EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF RIGHT LOWER EXTREMITY ICD-10: 182.402 - ACUTE EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF LEFT LOWER EXTREMITY ICD-10: 182.403 - ACUTE EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF LOWER EXTREMITY, BILATERAL ICD-10: 182.409 - ACUTE EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF UNSPECIFIED LOWER EXTREMITY	
Claims: 1 681.02 ONYCHIA AND PARONYCHIA OF FINGER	Ratio: 1:3
• ICD-10: L03.011 - CELLULITIS OF RIGHT FINGER • ICD-10: L03.012 - CELLULITIS OF LEFT FINGER • ICD-10: L03.019 - CELLULITIS OF UNSPECIFIED FINGER	
Claims: 1 722.4 DEGENERATION OF CERVICAL INTERVERTEBRAL DISC	Ratio: 1:4
ICD-10: M50.30 - OTHER CERVICAL DISC DEGENERATION, UNSPECIFIED CERVICAL REGION ICD-10: M50.31 - OTHER CERVICAL DISC DEGENERATION, HIGH CERVICAL REGION ICD-10: M50.32 - OTHER CERVICAL DISC DEGENERATION, MID-CERVICAL REGION ICD-10: M50.33 - OTHER CERVICAL DISC DEGENERATION, CERVICAL REGION	
Claims: 1 788.41 URINARY FREQUENCY	Ratio: 1:1 Exact
• ICD-10: R35.0 - FREQUENCY OF MICTURITION	
Claims: 1 924.8 CONTUSION OF MULTIPLE SITES, NOT ELSEWHERE CLASSIFIED	Ratio: 1:1
ICD-10: T14.8 - OTHER INJURY OF UNSPECIFIED BODY REGION	
Claims: 1 695.9 ERYTHEMATOUS CONDITIONS UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: L53.9 - ERYTHEMATOUS CONDITION, UNSPECIFIED	
Claims: 1 596.89 OTHER SPECIFIED DISORDERS OF BLADDER	Ratio: 1:2
 ICD-10: N32.89 - OTHER SPECIFIED DISORDERS OF BLADDER ICD-10: N33 - BLADDER DISORDERS IN DISEASES CLASSIFIED ELSEWHERE 	
Claims: 1 171.4 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE THORAX	Ratio: 1:2
• ICD-10: C47.3 - MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF THORAX • ICD-10: C49.3 - MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF THORAX	
Claims: 1 V74.1 SPECIAL SCREENING EXAMINATION FOR PULMONARY TUBERCULOSIS	Ratio: 1:1 Exact
ICD-10: Z11.1 - ENCOUNTER FOR SCREENING FOR RESPIRATORY TUBERCULOSIS	
Claims: 1 251.2 HYPOGLYCEMIA, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: E16.2 - HYPOGLYCEMIA, UNSPECIFIED	
Claims: 1 717.0 OLD BUCKET HANDLE TEAR OF MEDIAL MENISCUS	Ratio: 1:1
ICD-10: M23.205 - DERANGEMENT OF UNSPECIFIED MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED KNEE	
Claims: 1 783.22 UNDERWEIGHT	Ratio: 1:1 Exact
• ICD-10: R63.6 - UNDERWEIGHT	
Claims: 1 306.6 PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS EENDOCRINE	Ratio: 1:1
• ICD-10: F45.8 - OTHER SOMATOFORM DISORDERS	
Claims: 1 894.0 MULTIPLE AND UNSPECIFIED OPEN WOUND OF LOWER LIMB WITHOUT MENTION OF COMPLICATION	Ratio: 1:1
ICD-10: S71.009A - UNSPECIFIED OPEN WOUND, UNSPECIFIED HIP, INITIAL ENCOUNTER OLIVINA 404.0 CURPONIC PRONOUNTIC UNSPECIFIED.	Defined of Earl
Claims: 1 491.9 CHRONIC BRONCHITIS UNSPECIFIED	Ratio: 1:1 Exact
ICD-10: J42 - UNSPECIFIED CHRONIC BRONCHITIS Claims: 1	Datio: 4:4 Ev+
Claims: 1 284.09 ANEMIA APLASTIC CONSTITUTIONAL, OTHER	Ratio: 1:1 Exact
• ICD-10: D61.09 - OTHER CONSTITUTIONAL APLASTIC ANEMIA Claims: 1 501 ASBESTOSIS	Ratio: 1:1
• ICD-10: J61 - PNEUMOCONIOSIS DUE TO ASBESTOS AND OTHER MINERAL FIBERS	INAUU. 1.1
Claims: 1 737.10 KYPHOSIS (ACQUIRED) (POSTURAL)	Ratio: 1:9
IGD-10: M40.00 - POSTURAL KYPHOSIS, CERVICOTHORACIC REGION ICD-10: M40.03 - POSTURAL KYPHOSIS, CERVICOTHORACIC REGION ICD-10: M40.04 - POSTURAL KYPHOSIS, THORACIC REGION ICD-10: M40.05 - POSTURAL KYPHOSIS, THORACOLUMBAR REGION ICD-10: M40.02 - VINSPECIFIED KYPHOSIS, CERVICAL REGION ICD-10: M40.03 - UNSPECIFIED KYPHOSIS, CERVICOTHORACIC REGION ICD-10: M40.203 - UNSPECIFIED KYPHOSIS, CERVICOTHORACIC REGION	rauo. 1.9

· ICD-10: M40.204 - UNSPECIFIED KYPHOSIS, THORACIC REGION

```
    ICD-10: M40.205 - UNSPECIFIED KYPHOSIS, THORACOLUMBAR REGION
    ICD-10: M40.209 - UNSPECIFIED KYPHOSIS, SITE UNSPECIFIED

                                                834.00 DISLOCATION OF FINGER CLOSED, UNSPECIFIED PART
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:26
                ICD-10: S63.101A - UNSPECIFIED SUBLUXATION OF RIGHT THUMB, INITIAL ENCOUNTER ICD-10: S63.102A - UNSPECIFIED SUBLUXATION OF RIGHT THUMB, INITIAL ENCOUNTER ICD-10: S63.102A - UNSPECIFIED SUBLUXATION OF LEFT THUMB, INITIAL ENCOUNTER ICD-10: S63.103A - UNSPECIFIED SUBLUXATION OF UNSPECIFIED THUMB, INITIAL ENCOUNTER ICD-10: S63.105A - UNSPECIFIED DISLOCATION OF RIGHT THUMB, INITIAL ENCOUNTER ICD-10: S63.105A - UNSPECIFIED DISLOCATION OF UNSPECIFIED THUMB, INITIAL ENCOUNTER ICD-10: S63.105A - UNSPECIFIED DISLOCATION OF UNSPECIFIED THUMB, INITIAL ENCOUNTER ICD-10: S63.200A - UNSPECIFIED SUBLUXATION OF RIGHT INDEX FINGER, INITIAL ENCOUNTER ICD-10: S63.200A - UNSPECIFIED SUBLUXATION OF LEFT INDEX FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT RING FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT RING FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF OTHER FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED SUBLUXATION OF DISPECIFIED FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED DISLOCATION OF RIGHT LITDER FINGER, INITIAL ENCOUNTER ICD-10: S63.203A - UNSPECIFIED DISLOCATION OF RIGHT INDEX FINGER, INITIAL ENCOUNTER ICD-10: S63.250A - UNSPECIFIED DISLOCATION OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S63.250A - UNSPECIFIED DISLOCATION OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S63.250A - UNSPECIFIED DISLOCATION OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER ICD-10: S63.250A - UNSPECIFIED DISLOCATION OF RIGHT MIDDLE FI

    ICD-10: S63.254A - UNSPECIFIED DISLOCATION OF RIGHT KING FINGER, INITIAL ENCOUNTER
    ICD-10: S63.255A - UNSPECIFIED DISLOCATION OF LEFT RING FINGER, INITIAL ENCOUNTER
    ICD-10: S63.256A - UNSPECIFIED DISLOCATION OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER
    ICD-10: S63.257A - UNSPECIFIED DISLOCATION OF LEFT LITTLE FINGER, INITIAL ENCOUNTER
    ICD-10: S63.259A - UNSPECIFIED DISLOCATION OF OTHER FINGER, INITIAL ENCOUNTER
    ICD-10: S63.259A - UNSPECIFIED DISLOCATION OF UNSPECIFIED FINGER, INITIAL ENCOUNTER

Claims: 1
                                                242.20 TOXIC MULTINODULAR GOITER WITHOUT MENTION OF THYROTOXIC CRISIS OR STORM
                                                                                                                                                                                                                                                                                                                                                                                                                           Ratio: 1:1
             • ICD-10: E05.20 - THYROTOXICOSIS WITH TOXIC MULTINODULAR GOITER WITHOUT THYROTOXIC CRISIS OR STORM
                                                574.00 CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITHOUT MENTION OF OBSTRUCTION
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:2
             • ICD-10: K80.00 - CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS WITHOUT OBSTRUCTION
• ICD-10: K80.12 - CALCULUS OF GALLBLADDER WITH ACUTE AND CHRONIC CHOLECYSTITIS WITHOUT OBSTRUCTION
                                                                     SPRAINS AND STRAINS OF LUMBAR
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1
             · ICD-10: S33.5XXA - SPRAIN OF LIGAMENTS OF LUMBAR SPINE, INITIAL ENCOUNTER
                                                153.3 MALIGNANT NEOPLASM OF SIGMOID COLON
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
Claims: 1
             · ICD-10: C18.7 - MALIGNANT NEOPLASM OF SIGMOID COLON
                                                682.2 CELLULITIS AND ABSCESS TRUNK
Claims: 1
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:21
            ICD-10: L02.211 - CUTANEOUS ABSCESS OF ABDOMINAL WALL
ICD-10: L02.212 - CUTANEOUS ABSCESS OF BACK [ANY PART, EXCEPT BUTTOCK]
ICD-10: L02.213 - CUTANEOUS ABSCESS OF CHEST WALL
ICD-10: L02.214 - CUTANEOUS ABSCESS OF GROIN
ICD-10: L02.215 - CUTANEOUS ABSCESS OF GROIN
ICD-10: L02.216 - CUTANEOUS ABSCESS OF PERINEUM
ICD-10: L02.216 - CUTANEOUS ABSCESS OF TRINKI, UNSPECIFIED
ICD-10: L02.219 - CUTANEOUS ABSCESS OF TRINKI, UNSPECIFIED
ICD-10: L03.311 - CELLULITIS OF ABDOMINAL WALL
ICD-10: L03.312 - CELLULITIS OF BACK [ANY PART EXCEPT BUTTOCK]
ICD-10: L03.313 - CELLULITIS OF CHEST WALL
ICD-10: L03.314 - CELLULITIS OF GROIN
ICD-10: L03.315 - CELLULITIS OF TRINKI UNSPECIFIED
ICD-10: L03.316 - CELLULITIS OF PERINEUM
ICD-10: L03.316 - CELLULITIS OF TRUNK, UNSPECIFIED
ICD-10: L03.321 - ACUTE LYMPHANGITIS OF BACK [ANY PART EXCEPT BUTTOCK]
ICD-10: L03.322 - ACUTE LYMPHANGITIS OF BACK [ANY PART EXCEPT BUTTOCK]
ICD-10: L03.323 - ACUTE LYMPHANGITIS OF CHEST WALL
ICD-10: L03.324 - ACUTE LYMPHANGITIS OF CHEST WALL
ICD-10: L03.325 - ACUTE LYMPHANGITIS OF PERINEUM
ICD-10: L03.325 - ACUTE LYMPHANGITIS OF PERINEUM
ICD-10: L03.325 - ACUTE LYMPHANGITIS OF PERINEUM
ICD-10: L03.325 - ACUTE LYMPHANGITIS OF TRUNK, UNSPECIFIED
                  ICD-10: L02.211 - CUTANEOUS ABSCESS OF ABDOMINAL WALL
                                                753.3 CONGENITAL ANOMALIES OF KIDNEY OTHER SPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:6
                  ICD-10: Q63.0 - ACCESSORY KIDNEY ICD-10: Q63.1 - LOBULATED, FUSED AND HORSESHOE KIDNEY ICD-10: Q63.2 - ECTOPIC KIDNEY

    ICD-10: Q63.3 - HYPERPLASTIC AND GIANT KIDNEY
    ICD-10: Q63.8 - OTHER SPECIFIED CONGENITAL MALFORMATIONS OF KIDNEY
    ICD-10: Q63.9 - CONGENITAL MALFORMATION OF KIDNEY, UNSPECIFIED

                                                 288.00 NEUTROPENIA, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
             · ICD-10: D70.9 - NEUTROPENIA, UNSPECIFIED
                                                741.90 SPINA BIFIDA WITHOUT MENTION OF HYDROCEPHALUS UNSPECIFIED REGION
Claims: 1
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:3
                   ICD-10: Q05.8 - SACRAL SPINA BIFIDA WITHOUT HYDROCEPHALUS

    ICD-10: Q05.9 - SPINA BIFIDA, UNSPECIFIED
    ICD-10: Q07.00 - ARNOLD-CHIARI SYNDROME WITHOUT SPINA BIFIDA OR HYDROCEPHALUS

                                                                    SPRAINS AND STRAINS OF BACK UNSPECIFIED PARTS
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:3

    ICD-10: S13.9XXA - SPRAIN OF JOINTS AND LIGAMENTS OF UNSPECIFIED PARTS OF NECK, INITIAL ENCOUNTER
    ICD-10: S23.9XXA - SPRAIN OF UNSPECIFIED PARTS OF THORAX, INITIAL ENCOUNTER
    ICD-10: S33.9XXA - SPRAIN OF UNSPECIFIED PARTS OF LUMBAR SPINE AND PELVIS, INITIAL ENCOUNTER

Claims: 1
                                                727 67 RUPTURE NONTRAUMATIC ACHILLES TENDON
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:6

    ICD-10: M66.361 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, RIGHT LOWER LEG
    ICD-10: M66.362 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, LEFT LOWER LEG
    ICD-10: M66.369 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, UNSPECIFIED LOWER LEG
    ICD-10: M66.861 - SPONTANEOUS RUPTURE OF OTHER TENDONS, RIGHT LOWER LEG
    ICD-10: M66.862 - SPONTANEOUS RUPTURE OF OTHER TENDONS, LEFT LOWER LEG
    ICD-10: M66.869 - SPONTANEOUS RUPTURE OF OTHER TENDONS, UNSPECIFIED LOWER LEG

                                                203.02 MULTIPLE MYELOMA, IN RELAPSE
                                                                                                                                                                                                                                                                                                                                                                                                                            Ratio: 1:1 Exact
             · ICD-10: C90.02 - MULTIPLE MYELOMA IN RELAPSE
```

Claims: 1 332.0 PARALYSIS AGITANS Ratio: 1:2 · ICD-10: G20 - ARKINSONS DISEASE • ICD-10: G21.4 - VASCULAR PARKINSONISM 482.9 BACTERIAL PNEUMONIA UNSPECIFIED Claims: 1 Ratio: 1:1 Exact • ICD-10: J15.9 - UNSPECIFIED BACTERIAL PNEUMONIA Claims: 1 813.81 FRACTURE OF RADIUS (ALONE) UNSPECIFIED PART, CLOSED Ratio: 1:1 • ICD-10: S52.90XA - UNSPECIFIED FRACTURE OF UNSPECIFIED FOREARM. INITIAL ENCOUNTER FOR CLOSED FRACTURE V15.1 PERSONAL HISTORY SURGERY TO HEART AND GREAT VESSELS Claims: 1 Ratio: 1:1 · ICD-10: Z98.89 - OTHER SPECIFIED POSTPROCEDURAL STATES 355.2 OTHER LESION OF FEMORAL NERVE Ratio: 1:3 · ICD-10: G57.20 - LESION OF FEMORAL NERVE, UNSPECIFIED LOWER LIMB ICD-10: G57.21 - LESION OF FEMORAL NERVE, RIGHT LOWER LIM
 ICD-10: G57.22 - LESION OF FEMORAL NERVE, LEFT LOWER LIMB NEOPLASM OF UNCERTAIN BEHAVIOR OF SITE UNSPECIFIED Ratio: 1:1 Exact • ICD-10: D48.9 - NEOPLASM OF UNCERTAIN BEHAVIOR, UNSPECIFIED 385.33 CHOLESTEATOMA OF MIDDLE EAR AND MASTOID Ratio: 1:4 ICD-10: H71.20 - CHOLESTEATOMA OF MASTOID, UNSPECIFIED EAR
 ICD-10: H71.21 - CHOLESTEATOMA OF MASTOID, RIGHT EAR
 ICD-10: H71.22 - CHOLESTEATOMA OF MASTOID, LEFT EAR
 ICD-10: H71.23 - CHOLESTEATOMA OF MASTOID, BILATERAL 170.8 MALIGNANT NEOPLASM OF SHORT BONES OF LOWER LIMB Ratio: 1:3 ICD-10: C40.30 - MALIGNANT NEOPLASM OF SHORT BONES OF UNSPECIFIED LOWER LIMB
 ICD-10: C40.31 - MALIGNANT NEOPLASM OF SHORT BONES OF RIGHT LOWER LIMB
 ICD-10: C40.32 - MALIGNANT NEOPLASM OF SHORT BONES OF LEFT LOWER LIMB 583.81 NEFTHERE NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC, IN DISEASES CLASSIFIED Ratio: 1:8 ICD-10: E09.21 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH DIABETIC NEPHROPATHY
 ICD-10: E09.22 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH DIABETIC CHRONIC KIDNEY DISEASE
 ICD-10: E09.29 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH OTHER DIABETIC KIDNEY COMPLICATION
 ICD-10: M32.14 - GLOMERULAR DISEASE IN SYSTEMIC LUPUS ERYTHEMATOSUS
 ICD-10: M32.15 - TUBULO-INTERSTITIAL NEPHROPATHY IN SYSTEMIC LUPUS ERYTHEMATOSUS
 ICD-10: M35.04 - SICCA SYNDROME WITH TUBULO-INTERSTITIAL NEPHROPATHY
 ICD-10: N08 - GLOMERULAR DISORDERS IN DISEASES CLASSIFIED ELSEWHERE
 ICD-10: N16 - RENAL TUBULO-INTERSTITIAL DISORDERS IN DISEASES CLASSIFIED ELSEWHERE 812.20 FRACTURE OF HUMERUS UNSPECIFIED PART CLOSED Claims: 1 Ratio: 1:6 • ICD-10: S42.301A - UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, RIGHT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: S42.302A - UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, LEFT ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: S42.309A - UNSPECIFIED FRACTURE OF SHAFT OF HUMERUS, UNSPECIFIED ARM, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: S42.90XA - FRACTURE OF UNSPECIFIED SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: S42.91XA - FRACTURE OF RIGHT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: S42.92XA - FRACTURE OF LEFT SHOULDER GIRDLE, PART UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE 729.90 DISORDERS OF SOFT TISSUE, UNSPECIFIED Ratio: 1:25 IS: 1 729.90 DISORDERS OF SOFT TISSUE, UNSPECIFIED

ICD-10: M70.90 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE OF UNSPECIFIED SITE
ICD-10: M70.911 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, RIGHT SHOULDER
ICD-10: M70.912 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LEFT SHOULDER
ICD-10: M70.919 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, UNSPECIFIED SHOULDER
ICD-10: M70.919 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, UNSPECIFIED SHOULDER
ICD-10: M70.921 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LEFT UPPER ARM
ICD-10: M70.922 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LEFT UPPER ARM
ICD-10: M70.931 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LEFT UPPER ARM
ICD-10: M70.932 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LEFT FOREARM
ICD-10: M70.932 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT FOREARM
ICD-10: M70.939 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT FOREARM
ICD-10: M70.942 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT HAND
ICD-10: M70.942 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, UNSPECIFIED FOREARM
ICD-10: M70.942 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT HAND
ICD-10: M70.942 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, UNSPECIFIED HAND
ICD-10: M70.941 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, UNSPECIFIED HAND
ICD-10: M70.942 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT THIGH
ICD-10: M70.951 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT THIGH
ICD-10: M70.961 - UNSPECIFIED SOFT TISSUE DISORDER RELATED TO USE, OVERUSE AND PRESSURE, LIEFT LOWER LEG
ICD-10: M70. ICD-10: M79.9 - SOFT TISSUE DISORDER, UNSPECIFIED 610.1 DIFFUSE CYSTIC MASTOPATHY Ratio: 1:3 ICD-10: N60.11 - DIFFUSE CYSTIC MASTOPATHY OF RIGHT BREAST ICD-10: N60.12 - DIFFUSE CYSTIC MASTOPATHY OF LEFT BREAST ICD-10: N60.19 - DIFFUSE CYSTIC MASTOPATHY OF UNSPECIFIED BREAST 342.00 FLACCID HEMIPLEGIA AFFECTING UNSPECIFIED SIDE Ratio: 1:1 · ICD-10: G81.00 - FLACCID HEMIPLEGIA AFFECTING UNSPECIFIED SIDE 290.40 VASCULAR DEMENTIA, UNCOMPLICATED Ratio: 1:1 Claims: 1 · ICD-10: F01.50 - VASCULAR DEMENTIA WITHOUT BEHAVIORAL DISTURBANCE 338 18 PAIN POSTOPERATIVE ACUTE OTHER Claims: 1 Ratio: 1:1 Exact · ICD-10: G89.18 - OTHER ACUTE POSTPROCEDURAL PAIN Claims: 1 231.0 CARCINOMA IN SITU OF LARYNX Ratio: 1:1 Exact · ICD-10: D02.0 - CARCINOMA IN SITU OF LARYNX

```
INS. 1 823.00 FRACTURE OF TIBIA UPPER END, CLOSED

** (CD-10: S82 1014 - UNSPECIFIED FRACTURE OF UPPER END OF RIGHT TIBIA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1024 - UNSPECIFIED FRACTURE OF UPPER END OF LIFST TIBIA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1114 - DISPLACED FRACTURE OF UPPER END OF URSPECIFIED TIBIA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1114 - DISPLACED FRACTURE OF RIGHT TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1114 - DISPLACED FRACTURE OF RIGHT TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1114 - DISPLACED FRACTURE OF RIGHT TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1144 - NONDISPLACED FRACTURE OF LIFST TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1145 - DISPLACED FRACTURE OF LIFST TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1145 - NONDISPLACED FRACTURE OF LIFST TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1145 - NONDISPLACED FRACTURE OF LIFST TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - DISPLACED FRACTURE OF LIFST TIBIAL SPINE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - NONDISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: S82 1245 - DISPLACED FRACTURE OF LATERAL CONDYLE OF RIGHT TIBIAL INITIAL ENCOUNTER FOR CLOSED FRACTURE

** (CD-10: 
Claims: 1
                                        823.00 FRACTURE OF TIBIA UPPER END, CLOSED
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:54
Claims: 1
                                      589.9 SMALL KIDNEY, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1 Exact
           • ICD-10: N27.9 - SMALL KIDNEY, UNSPECIFIED
                                       701.4 KELOID SCAR
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1 Exact
           · ICD-10: L91.0 - HYPERTROPHIC SCAR
Claims: 1
                                       174.8 MALIGNANT NEOPLASM OF FEMALE BREAST OTHER SPECIFIED SITES
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:3

    ICD-10: C50.811 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF RIGHT FEMALE BREAST
    ICD-10: C50.812 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF LEFT FEMALE BREAST
    ICD-10: C50.819 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF UNSPECIFIED FEMALE BREAST
                                       611.0 INFLAMMATORY DISEASE OF BREAST
Claims: 1
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1 Exact
           · ICD-10: N61 - INFLAMMATORY DISORDERS OF BREAST
                                       695.89 ERYTHEMATOUS CONDITIONS OTHER SPECIFIED
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:7
               ICD-10: L26 - EXECULATIVE DERMATITIS
               ICD-10: L20 - EACULATIVE DERIVATITIS
ICD-10: L30.4 - ERYTHEMA INTERTRIGO
ICD-10: L53.8 - OTHER SPECIFIED ERYTHEMATOUS CONDITIONS
ICD-10: L54 - ERYTHEMA IN DISEASES CLASSIFIED ELSEWHERE

    ICD-10: 192.0 - GRANULOMA ANNULARE
    ICD-10: 195.1 - ERYTHEMA ELEVATUM DIUTINUM
    ICD-10: L98.2 - FEBRILE NEUTROPHILIC DERMATOSIS [SWEET]

                                                        SCAR CONDITIONS AND FIBROSIS OF SKIN
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1 Exact
           . ICD-10: L90.5 - SCAR CONDITIONS AND FIBROSIS OF SKIN
                                       278.01 MORBID OBESITY
Claims: 1
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1
           · ICD-10: E66.01 - MORBID (SEVERE) OBESITY DUE TO EXCESS CALORIES
Claims: 1
                                        727.43 GANGLION, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1
           · ICD-10: M67.40 - GANGLION, UNSPECIFIED SITE
                                       383.1
                                                       CHRONIC MASTOIDITIS
Claims: 1
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:4
               ICD-10: H70.10 - CHRONIC MASTOIDITIS, UNSPECIFIED EAR ICD-10: H70.11 - CHRONIC MASTOIDITIS, RIGHT EAR ICD-10: H70.12 - CHRONIC MASTOIDITIS, LEFT EAR
           • ICD-10: H70.13 - CHRONIC MASTOIDITIS, BILATERAL
                                       203 01 MULTIPLE MYELOMA IN REMISSION
Claims: 1
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1 Exact
           · ICD-10: C90.01 - MULTIPLE MYELOMA IN REMISSION
Claims: 1
                                        719.97 DISORDERS OF JOINT UNSPECIFIED ANKLE AND FOOT
                                                                                                                                                                                                                                                                                                                                             Ratio: 1:1
           · ICD-10: M25.9 - JOINT DISORDER, UNSPECIFIED
```

IMBS. 1 805.2 FRACTURE OF VERTEBRAL COLUMN WITHOUT MENTION OF SPINAL CORD INJURY, DORSAL [THORACIC CLOSED]

***ROD-10**: \$22.000.4 - WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WISTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.010.4 - UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.010.4 - UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WISD-ECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WISD-ECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WISD-ECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE (IOD-10**: \$22.000.4 - WISD-ECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER F Claims: 1 FRACTURE OF VERTEBRAL COLUMN WITHOUT MENTION OF SPINAL CORD INJURY, DORSAL [THORACIC], Ratio: 1:45 384.21 CENTRAL PERFORATION OF TYMPANIC MEMBRANE Ratio: 1:4 ICD-10: H72.00 - CENTRAL PERFORATION OF TYMPANIC MEMBRANE, UNSPECIFIED EAR
 ICD-10: H72.01 - CENTRAL PERFORATION OF TYMPANIC MEMBRANE, RIGHT EAR
 ICD-10: H72.02 - CENTRAL PERFORATION OF TYMPANIC MEMBRANE, LEFT EAR
 ICD-10: H72.03 - CENTRAL PERFORATION OF TYMPANIC MEMBRANE, BILATERAL BENIGN NEOPLASM OF LONG BONES OF LOWER LIMB Ratio: 1:3 ICD-10: D16.20 - BENIGN NEOPLASM OF LONG BONES OF UNSPECIFIED LOWER LIMB
 ICD-10: D16.21 - BENIGN NEOPLASM OF LONG BONES OF RIGHT LOWER LIMB
 ICD-10: D16.22 - BENIGN NEOPLASM OF LONG BONES OF LEFT LOWER LIMB 569.3 HEMORRHAGE OF RECTUM AND ANUS Ratio: 1:1 Exact · ICD-10: K62.5 - HEMORRHAGE OF ANUS AND RECTUM Claims: 1 744.3 CONGENITAL ANOMALIES OF EAR UNSPECIFIED Ratio: 1:1 Exact · ICD-10: Q17.9 - CONGENITAL MALFORMATION OF EAR, UNSPECIFIED Claims: 1 810.00 FRACTURE OF CLAVICLE CLOSED UNSPECIFIED PART Ratio: 1:3 ICD-10: \$42,001A - FRACTURE OF LINSPECIFIED PART OF RIGHT CLAVICLE INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S42.002A - FRACTURE OF UNSPECIFIED PART OF LEFT CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
 ICD-10: S42.009A - FRACTURE OF UNSPECIFIED PART OF UNSPECIFIED CLAVICLE, INITIAL ENCOUNTER FOR CLOSED FRACTURE 719.94 DISORDERS OF JOINT UNSPECIFIED HAND Ratio: 1:1 · ICD-10: M25.9 - JOINT DISORDER, UNSPECIFIED Claims: 1 V12.59 PERSONAL HISTORY OF DISEASES OF CIRCULATORY SYSTEM OTHER Ratio: 1:1 • ICD-10: Z86.79 - PERSONAL HISTORY OF OTHER DISEASES OF THE CIRCULATORY SYSTEM 780.99 GENERAL SYMPTOMS OTHER Ratio: 1:3 ICD-10: R41.9 - UNSPECIFIED SYMPTOMS AND SIGNS INVOLVING COGNITIVE FUNCTIONS AND AWARENESS ICD-10: R45.84 - ANHEDONIA • ICD-10: R45.84 - ANHEDONIA • ICD-10: R68.89 - OTHER GENERAL SYMPTOMS AND SIGNS 780.8 GENERALIZED HYPERHIDROSIS Ratio: 1:1 Exact · ICD-10: R61 - GENERALIZED HYPERHIDROSIS Claims: 1 721.41 THORACIC SPONDYLOSIS WITH MYELOPATHY Ratio: 1:2 • ICD-10: M47.14 - OTHER SPONDYLOSIS WITH MYELOPATHY, THORACIC REGION
• ICD-10: M47.15 - OTHER SPONDYLOSIS WITH MYELOPATHY, THORACOLUMBAR REGION 756.11 SPONDYLOLYSIS, LUMBOSACRAL REGION Claims: 1 Ratio: 1:1 · ICD-10: Q76.2 - CONGENITAL SPONDYLOLISTHESIS 550.10 INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE UNILATERAL OR UNSPECIFIED (NOT SPECIFIED AS RECURRENT) Ratio: 1:1 Exact Claims: 1 · ICD-10: K40.30 - UNILATERAL INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT GANGRENE, NOT SPECIFIED AS RECURRENT 601.9 PROSTATITIS, UNSPECIFIED Ratio: 1:1 Exact Claims: 1 • ICD-10: N41 9 - INFLAMMATORY DISEASE OF PROSTATE LINSPECIFIED

ICD-10: C08.0 - MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND Claims: 1	Ratio: 1:1 Ratio: 1:1 Exact Ratio: 1:2
Claims: 1 142.1 MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND • ICD-10: C08.0 - MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND Claims: 1 459.9 CIRCULATORY SYSTEM DISORDERS UNSPECIFIED • ICD-10: 187.9 - DISORDER OF VEIN, UNSPECIFIED • ICD-10: 189.9 - UNSPECIFIED DISORDER OF CIRCULATORY SYSTEM Claims: 1 825.20 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, UNSPECIFIED BONE(S) OF FOOT [EXCEPT TOES]	
ICD-10: C08.0 - MALIGNANT NEOPLASM OF SUBMANDIBULAR GLAND Claims: 1	
Claims: 1 459.9 CIRCULATORY SYSTEM DISORDERS UNSPECIFIED • ICD-10: 187.9 - DISORDER OF VEIN, UNSPECIFIED • ICD-10: 199.9 - UNSPECIFIED DISORDER OF CIRCULATORY SYSTEM **Plaims: 1 825.20 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, UNSPECIFIED BONE(S) OF FOOT [EXCEPT TOES]	Ratio: 1:2
ICD-10: 187.9 - DISORDER OF VEIN, UNSPECIFIED ICD-10: 199.9 - UNSPECIFIED DISORDER OF CIRCULATORY SYSTEM Plaime: 1 825.20 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, UNSPECIFIED BONE(S) OF FOOT [EXCEPT TOES]	Ratio: 1:2
ICD-10: 199.9 - UNSPECIFIED DISORDER OF CIRCULATORY SYSTEM Name: 1 826.20 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, UNSPECIFIED BONE(S) OF FOOT [EXCEPT TOES]	Natio. 1.2
CLOSED CLOSED	Ratio: 1:3
 ICD-10: S92.901A - UNSPECIFIED FRACTURE OF RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.902A - UNSPECIFIED FRACTURE OF LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.909A - UNSPECIFIED FRACTURE OF UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE 	
Claims: 1 825.29 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, OTHER CLOSED	Ratio: 1:6
ICD-10: S92.201A - FRACTURE OF UNSPECIFIED TARSAL BONE(S) OF RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.202A - FRACTURE OF UNSPECIFIED TARSAL BONE(S) OF LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.203A - FRACTURE OF UNSPECIFIED TARSAL BONE(S) OF UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.301A - FRACTURE OF UNSPECIFIED METATARSAL BONE(S), RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.302A - FRACTURE OF UNSPECIFIED METATARSAL BONE(S), LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S92.309A - FRACTURE OF UNSPECIFIED METATARSAL BONE(S), UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE	
Claims: 1 145.9 MALIGNANT NEOPLASM OF MOUTH, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: C06.9 - MALIGNANT NEOPLASM OF MOUTH, UNSPECIFIED	
Claims: 1 256.39 OVARIAN FAILURE OTHER	Ratio: 1:1 Exact
• ICD-10: E28.39 - OTHER PRIMARY OVARIAN FAILURE	
Claims: 1 253.3 PITUITARY DWARFISM	Ratio: 1:1
• ICD-10: E23.0 - HYPOPITUITARISM	
Claims: 1 288.59 WHITE BLOOD CELL COUNT DECREASED, OTHER	Ratio: 1:1 Exact
• ICD-10: D72.818 - OTHER DECREASED WHITE BLOOD CELL COUNT	
Claims: 1 825.0 FRACTURE OF CALCANEUS, CLOSED	Ratio: 1:39
I CD-10: \$92.011A - DISPLACED FRACTURE OF BODY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.013A - DISPLACED FRACTURE OF BODY OF UNSPECIFIED CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.014A - NONDISPLACED FRACTURE OF BODY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.015A - NONDISPLACED FRACTURE OF BODY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.015A - NONDISPLACED FRACTURE OF BODY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.015A - NONDISPLACED FRACTURE OF BODY OF UNSPECIFIED CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - DISPLACED FRACTURE OF BODY OF UNSPECIFIED CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - DISPLACED FRACTURE OF ANTERIOR PROCESS OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF ANTERIOR PROCESS OF UNSPECIFIED CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF ANTERIOR PROCESS OF INFORMATION INTIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF ANTERIOR PROCESS OF INFORMATION INTIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF ANTERIOR PROCESS OF UNSPECIFIED CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF ANTERIOR PROCESS OF UNSPECIFIED CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF TUBEROSITY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.025A - NONDISPLACED FRACTURE OF TUBEROSITY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.035A - NONDISPLACED AVULSION FRACTURE OF TUBEROSITY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.035A - NONDISPLACED AVULSION FRACTURE OF TUBEROSITY OF RIGHT CALCANEUS, INITIAL ENCOUNTER FOR CLOSED FRACTURE I CD-10: \$92.035A - NONDISPLACED AVULSION FRACTURE OF TUBEROSITY OF RIGHT CALCANEUS,	TURE
Claims: 1 722.51 DEGENERATION THORACIC OR THORACOLUMBAR INTERVERTEBRAL DISC	Ratio: 1:2
• ICD-10: M51.34 - OTHER INTERVERTEBRAL DISC DEGENERATION, THORACIC REGION • ICD-10: M51.35 - OTHER INTERVERTEBRAL DISC DEGENERATION, THORACOLUMBAR REGION	
Claims: 1 491.22 OBSTRUCTIVE CHRONIC BRONCHITIS WITH ACUTE BRONCHITIS	Ratio: 1:1
• ICD-10: J44.0 - CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH ACUTE LOWER RESPIRATORY INFECTION	
Claims: 1 282.7 HEMOGLOBINOPATHIES OTHER	Ratio: 1:2
• ICD-10: D56.4 - HEREDITARY PERSISTENCE OF FETAL HEMOGLOBIN [HPFH] • ICD-10: D58.2 - OTHER HEMOGLOBINOPATHIES	
Claims: 1 368.9 VISUAL DISTURBANCES UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: H53.9 - UNSPECIFIED VISUAL DISTURBANCE	
Claims: 1 799.02 HYPOXEMIA	Ratio: 1:1 Exact
• ICD-10: R09.02 - HYPOXEMIA	
Claims: 1 202.00 NODULAR LYMPHOMA UNSPECIFIED SITE	Ratio: 1:16

```
ICD-10: C82.00 - FOLLICULAR LYMPHOMA GRADE I, UNSPECIFIED SITE
ICD-10: C82.09 - FOLLICULAR LYMPHOMA GRADE I, EXTRANODAL AND SOLID ORGAN SITES
ICD-10: C82.10 - FOLLICULAR LYMPHOMA GRADE II, EXTRANODAL AND SOLID ORGAN SITES
ICD-10: C82.10 - FOLLICULAR LYMPHOMA GRADE III, EXTRANODAL AND SOLID ORGAN SITES
ICD-10: C82.20 - FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, UNSPECIFIED SITE
ICD-10: C82.20 - FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED SITE
ICD-10: C82.30 - FOLLICULAR LYMPHOMA GRADE IIIA, UNSPECIFIED SITE
ICD-10: C82.30 - FOLLICULAR LYMPHOMA GRADE IIIA, UNSPECIFIED SITE
ICD-10: C82.30 - FOLLICULAR LYMPHOMA GRADE IIIA, UNSPECIFIED SITE
ICD-10: C82.40 - FOLLICULAR LYMPHOMA GRADE IIIB, UNSPECIFIED SITE
ICD-10: C82.40 - FOLLICULAR LYMPHOMA GRADE IIIB, UNSPECIFIED SITE
ICD-10: C82.40 - FOLLICULAR LYMPHOMA GRADE IIIB, EXTRANODAL AND SOLID ORGAN SITES
ICD-10: C82.60 - CUTANEOUS FOLLICLE CENTER LYMPHOMA, UNSPECIFIED SITE
ICD-10: C82.60 - CUTANEOUS FOLLICLE CENTER LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES
ICD-10: C82.80 - OTHER TYPES OF FOLLICULAR LYMPHOMA, UNSPECIFIED SITE
ICD-10: C82.80 - OTHER TYPES OF FOLLICULAR LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES
ICD-10: C82.80 - FOLLICULAR LYMPHOMA, UNSPECIFIED SITE
ICD-10: C82.80 - FOLLICULAR LYMPHOMA, UNSPECIFIED SITE
ICD-10: C82.80 - FOLLICULAR LYMPHOMA, UNSPECIFIED SITE
ICD-10: C82.90 - FOLLICULAR LYMPHOMA, UNSPECIFIED SITE
ICD-10: C82.90 - FOLLICULAR LYMPHOMA, UNSPECIFIED SITE
                                      816.00 FRACTURE OF PHALANX OR PHALANGES, UNSPECIFIED CLOSED
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:13
             ICD-10: S62.501A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.502A - FRACTURE OF UNSPECIFIED PHALANX OF LEFT THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.509A - FRACTURE OF UNSPECIFIED PHALANX OF UNSPECIFIED THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.600A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT INDEX FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.601A - FRACTURE OF UNSPECIFIED PHALANX OF LEFT INDEX FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.601A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT MIDDLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.603A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT RIDDLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.605A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT RING FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT RING FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF RIGHT LITTLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF LEFT LITTLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF LEFT LITTLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF OTHER FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF UNSPECIFIED FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF UNSPECIFIED FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF UNSPECIFIED FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
ICD-10: S62.606A - FRACTURE OF UNSPECIFIED PHALANX OF UNSPECIFIED FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
                                      722.93 INTERVERTEBRAL DISC DISORDERS OTHER AND UNSPECIFIED DISC DISORDER LUMBAR REGION
Claims: 1
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:4
              ICD-10: M46.46 - DISCITIS, UNSPECIFIED, LUMBAR REGION ICD-10: M46.47 - DISCITIS, UNSPECIFIED, LUMBOSACRAL REGION

    ICD-10: M51.86 - OTHER INTERVERTEBRAL DISC DISORDERS, LUMBAR REGION
    ICD-10: M51.87 - OTHER INTERVERTEBRAL DISC DISORDERS, LUMBOSACRAL REGION

Claims: 1
                                       786.39 OTHER HEMOPTYSIS
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1
          · ICD-10: R04.89 - HEMORRHAGE FROM OTHER SITES IN RESPIRATORY PASSAGES
                                       208.11 LEUKEMIA OF UNSPECIFIED CELL TYPE CHRONIC IN REMISSION
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          • ICD-10: C95.11 - CHRONIC LEUKEMIA OF UNSPECIFIED CELL TYPE, IN REMISSION
Claims: 1
                                      719.67 OTHER SYMPTOMS REFERABLE TO JOINT ANKLE AND FOOT
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1
          · ICD-10: R29.898 - OTHER SYMPTOMS AND SIGNS INVOLVING THE MUSCULOSKELETAL SYSTEM
Claims: 1
                                       191.8 MALIGNANT NEOPLASM OF BRAIN OTHER PARTS
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          · ICD-10: C71.8 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BRAIN
                                      238.8 NEOPLASM OF UNCERTAIN BEHAVIOR OF OTHER SPECIFIED SITES
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
Claims: 1
          • ICD-10: D48.7 - NEOPLASM OF UNCERTAIN BEHAVIOR OF OTHER SPECIFIED SITES
Claims: 1
                                      789.07 ABDOMINAL PAIN GENERALIZED
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          · ICD-10: R10.84 - GENERALIZED ABDOMINAL PAIN
Claims: 1
                                      223.0 BENIGN NEOPLASM OF KIDNEY, EXCEPT PELVIS
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:3
               ICD-10: D30.00 - BENIGN NEOPLASM OF UNSPECIFIED KIDNEY
          • ICD-10: D30.01 - BENIGN NEOPLASM OF RIGHT KIDNEY
• ICD-10: D30.02 - BENIGN NEOPLASM OF LEFT KIDNEY
Claims: 1
                                      V12.61 PERSONAL HISTORY OF PNEUMONIA
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          • ICD-10: Z87.01 - PERSONAL HISTORY OF PNEUMONIA (RECURRENT)
                                       233.30 CARCINOMA IN SITU, UNSPECIFIED FEMALE GENITAL ORGAN
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          · ICD-10: D07.30 - CARCINOMA IN SITU OF UNSPECIFIED FEMALE GENITAL ORGANS
Claims: 1
                                      368.40 VISUAL FIELD DEFECT, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          · ICD-10: H53.40 - UNSPECIFIED VISUAL FIELD DEFECTS
                                      825.22 FRACTURE OF OTHER TARSAL AND METATARSAL BONES, NAVICULAR [SCAPHOID], FOOT CLOSED
Claims: 1
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:6

    ICD-10: S92.251A - DISPLACED FRACTURE OF NAVICULAR [SCAPHOID] OF RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S92.252A - DISPLACED FRACTURE OF NAVICULAR [SCAPHOID] OF LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S92.253A - DISPLACED FRACTURE OF NAVICULAR [SCAPHOID] OF UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S92.253A - NONDISPLACED FRACTURE OF NAVICULAR [SCAPHOID] OF RIGHT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S92.255A - NONDISPLACED FRACTURE OF NAVICULAR [SCAPHOID] OF LEFT FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S92.256A - NONDISPLACED FRACTURE OF NAVICULAR [SCAPHOID] OF UNSPECIFIED FOOT, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Claims: 1
                                      788.0 RENAL COLIC
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          · ICD-10: N23 - UNSPECIFIED RENAL COLIC
                                      440.20 ATHEROSCLEROSIS OF NATIVE ARTERIES OF THE EXTREMITIES, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:5
               ICD-10: 170.201 - UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, RIGHT LEG ICD-10: 170.202 - UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, LEFT LEG ICD-10: 170.203 - UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, BILATERAL LEGS ICD-10: 170.208 - UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, OTHER EXTREMITY
          • ICD-10: 170.209 - UNSPECIFIED ATHEROSCLEROSIS OF NATIVE ARTERIES OF EXTREMITIES, UNSPECIFIED EXTREMITY
                                      214.9 LIPOMA, UNSPECIFIED SITE
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1 Exact
          · ICD-10: D17.9 - BENIGN LIPOMATOUS NEOPLASM, UNSPECIFIED
Claims: 1
                                                        BUNION
                                                                                                                                                                                                                                                                                                                                      Ratio: 1:1
                                      727.1
          · ICD-10: M20.10 - HALLUX VALGUS (ACQUIRED), UNSPECIFIED FOOT
```

Claims: 1 459.0 HEMORRHAGE, UNSPECIFIED Ratio: 1:1 Exact • ICD-10: R58 - HEMORRHAGE, NOT ELSEWHERE CLASSIFIED Claims: 1 756.3 CONGENITAL ANOMALIES OF RIBS AND STERNUM Ratio: 1:5 ICD-10: Q76.6 - OTHER CONGENITAL MALFORMATIONS OF RIBS
 ICD-10: Q76.7 - CONGENITAL MALFORMATION OF STERNUM
 ICD-10: Q76.8 - OTHER CONGENITAL MALFORMATIONS OF BONY THORAX
 ICD-10: Q76.9 - CONGENITAL MALFORMATION OF BONY THORAX, UNSPECIFIED
 ICD-10: Q77.2 - SHORT RIB SYNDROME Claims: 1 959.8 INJURY, OTHER SPECIFIED SITES, INCLUDING MULTIPLE Ratio: 1:1 · ICD-10: T07 - UNSPECIFIED MULTIPLE INJURIES 197.6 SECONDARY MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM Ratio: 1:1 Exact · ICD-10: C78.6 - SECONDARY MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM Claims: 1 239.89 NEOPLASMS OF UNSPECIFIED NATURE, OTHER SPECIFIED SITES Ratio: 1:1 Exact • ICD-10: D49.89 - NEOPLASM OF UNSPECIFIED BEHAVIOR OF OTHER SPECIFIED SITES Claims: 1 172.5 MALIGNANT MELANOMA OF SKIN TRUNK, EXCEPT SCROTUM Ratio: 1:6 ICD-10: C43.51 - MALIGNANT MELANOMA OF ANAL SKIN
ICD-10: C43.52 - MALIGNANT MELANOMA OF SKIN OF BREAST
ICD-10: C43.59 - MALIGNANT MELANOMA OF OTHER PART OF TRUNK
ICD-10: D03.51 - MELANOMA IN SITU OF ANAL SKIN
ICD-10: D03.52 - MELANOMA IN SITU OF BREAST (SKIN) (SOFT TISSUE)
ICD-10: D03.59 - MELANOMA IN SITU OF OTHER PART OF TRUNK Claims: 1 566 ABSCESS OF ANAL AND RECTAL REGIONS Ratio: 1:5 ICD-10: K61.0 - ANAL ABSCESS
 ICD-10: K61.1 - RECTAL ABSCESS
 ICD-10: K61.2 - ANORECTAL ABSCESS
 ICD-10: K61.3 - ISCHIORECTAL ABSCESS
 ICD-10: K61.4 - INTRASPHINCTERIC ABSCESS 216.7 BENIGN NEOPLASM OF SKIN, LOWER LIMB, INCLUDING HIP Ratio: 1:6 ICD-10: D22.70 - MELANOCYTIC NEVI OF UNSPECIFIED LOWER LIMB, INCLUDING HIP
 ICD-10: D22.71 - MELANOCYTIC NEVI OF RIGHT LOWER LIMB, INCLUDING HIP
 ICD-10: D22.72 - MELANOCYTIC NEVI OF LEFT LOWER LIMB, INCLUDING HIP
 ICD-10: D23.70 - OTHER BENIGN NEOPLASM OF SKIN OF UNSPECIFIED LOWER LIMB, INCLUDING HIP
 ICD-10: D23.71 - OTHER BENIGN NEOPLASM OF SKIN OF RIGHT LOWER LIMB, INCLUDING HIP
 ICD-10: D23.72 - OTHER BENIGN NEOPLASM OF SKIN OF LEFT LOWER LIMB, INCLUDING HIP Claims: 1 924.10 CONTUSION OF LOWER LEG Ratio: 1:3 ICD-10: S80.10XA - CONTUSION OF UNSPECIFIED LOWER LEG, INITIAL ENCOUNTER
 ICD-10: S80.11XA - CONTUSION OF RIGHT LOWER LEG, INITIAL ENCOUNTER
 ICD-10: S80.12XA - CONTUSION OF LEFT LOWER LEG, INITIAL ENCOUNTER DERANGEMENT OF ANTERIOR HORN OF MEDIAL MENISCUS Ratio: 1:9 ICD-10: M23.011 - CYSTIC MENISCUS, ANTERIOR HORN OF MEDIAL MENISCUS, RIGHT KNEE
 ICD-10: M23.012 - CYSTIC MENISCUS, ANTERIOR HORN OF MEDIAL MENISCUS, LEFT KNEE
 ICD-10: M23.019 - CYSTIC MENISCUS, ANTERIOR HORN OF MEDIAL MENISCUS, UNSPECIFIED KNEE
 ICD-10: M23.211 - DERANGEMENT OF ANTERIOR HORN OF MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, RIGHT KNEE
 ICD-10: M23.212 - DERANGEMENT OF ANTERIOR HORN OF MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, LEFT KNEE
 ICD-10: M23.219 - DERANGEMENT OF ANTERIOR HORN OF MEDIAL MENISCUS DUE TO OLD TEAR OR INJURY, UNSPECIFIED KNEE
 ICD-10: M23.311 - OTHER MENISCUS DERANGEMENTS, ANTERIOR HORN OF MEDIAL MENISCUS, LEFT KNEE
 ICD-10: M23.312 - OTHER MENISCUS DERANGEMENTS, ANTERIOR HORN OF MEDIAL MENISCUS, LEFT KNEE
 ICD-10: M23.312 - OTHER MENISCUS DERANGEMENTS, ANTERIOR HORN OF MEDIAL MENISCUS, LEFT KNEE
 ICD-10: M23.312 - OTHER MENISCUS DERANGEMENTS, ANTERIOR HORN OF MEDIAL MENISCUS, LEFT KNEE
 ICD-10: M23.313 - OTHER MENISCUS DERANGEMENTS, ANTERIOR HORN OF MEDIAL MENISCUS, UNSPECIFIED KNEE 477.0 ALLERGIC RHINITIS DUE TO POLLEN Claims: 1 Ratio: 1:1 Exact . ICD-10: J30.1 - ALLERGIC RHINITIS DUE TO POLLEN 703.8 DISEASES OF NAIL OTHER SPECIFIED Ratio: 1:7 ICD-10: L60 1 - ONYCHOLYSIS ICD-10: L60.1 - ONYCHOLYSIS
ICD-10: L60.2 - ONYCHOGRYPHOSIS
ICD-10: L60.3 - NAIL DYSTROPHY
ICD-10: L60.4 - EAUS LINES
ICD-10: L60.5 - YELLOW NAIL SYNDROME
ICD-10: L60.8 - OTHER NAIL DISORDERS
ICD-10: L60.2 - NAIL DISORDERS IN DISEASES CLASSIFIED ELSEWHERE GASTROPARESIS • ICD-10: F08 43 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY ICD-10: E08.43 - DRIGETES MELLITUS DUE TO UNDERLYING CONDITION WITH DIABETIC AUTONOMIC (POLT)NEUROPATHY
ICD-10: E09.43 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
ICD-10: E10.43 - TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
ICD-10: E11.43 - TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
ICD-10: E13.43 - OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY · ICD-10: K31.84 - GASTROPARESIS Claims: 1 239.0 NEOPI ASMS OF UNSPECIFIED NATURE DIGESTIVE SYSTEM Ratio: 1:1 Exact • ICD-10: D49.0 - NEOPLASM OF UNSPECIFIED BEHAVIOR OF DIGESTIVE SYSTEM Claims: 1 171.6 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE PELVIS Ratio: 1:2 ICD-10: C47.5 - MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF PELVIS
 ICD-10: C49.5 - MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF PELVIS 718.31 RECURRENT DISLOCATION OF JOINT SHOULDER REGION Ratio: 1:3 · ICD-10: M24.411 - RECURRENT DISLOCATION, RIGHT SHOULDER ICD-10: M24 412 - RECURRENT DISLOCATION, LEFT SHOULDER ICD-10: M24.419 - RECURRENT DISLOCATION, UNSPECIFIED SHOULDER 280.0 IRON DEFICIENCY ANEMIAS SECONDARY TO BLOOD LOSS (CHRONIC) Ratio: 1:1 Exact

· ICD-10: D50.0 - IRON DEFICIENCY ANEMIA SECONDARY TO BLOOD LOSS (CHRONIC)

aims: 1 529.9 CONDITIONS OF THE TONGUE UNSPECIFIED • ICD-10: K14.9 - DISEASE OF TONGUE, UNSPECIFIED	Ratio: 1:1 Exact
aims: 1 934.8 FOREIGN BODY IN TRACHEA, BRONCHUS, AND LUNG OTHER SPECIFIED PARTS	Ratio: 1:8
ICD-10: T17.800A - UNSPECIFIED FOREIGN BODY IN OTHER PARTS OF RESPIRATORY TRACT CAUSING ASPHYXIATION, INITIAL ENCOUNTER ICD-10: T17.808A - UNSPECIFIED FOREIGN BODY IN OTHER PARTS OF RESPIRATORY TRACT CAUSING OTHER INJURY, INITIAL ENCOUNTER ICD-10: T17.810A - GASTRIC CONTENTS IN OTHER PARTS OF RESPIRATORY TRACT CAUSING ASPHYXIATION, INITIAL ENCOUNTER ICD-10: T17.818A - GASTRIC CONTENTS IN OTHER PARTS OF RESPIRATORY TRACT CAUSING OTHER INJURY, INITIAL ENCOUNTER ICD-10: T17.820A - FOOD IN OTHER PARTS OF RESPIRATORY TRACT CAUSING ASPHYXIATION, INITIAL ENCOUNTER ICD-10: T17.828A - FOOD IN OTHER PARTS OF RESPIRATORY TRACT CAUSING OTHER INJURY, INITIAL ENCOUNTER ICD-10: T17.898A - OTHER FOREIGN OBJECT IN OTHER PARTS OF RESPIRATORY TRACT CAUSING OTHER INJURY, INITIAL ENCOUNTER ICD-10: T17.898A - OTHER FOREIGN OBJECT IN OTHER PARTS OF RESPIRATORY TRACT CAUSING OTHER INJURY, INITIAL ENCOUNTER	reas. no
aims: 1 478.6 EDEMA OF LARYNX • ICD-10: J38.4 - EDEMA OF LARYNX	Ratio: 1:1 Exact
aims: 1 201.40 HODGKINS DISEASE LYMPHOCYTIC-HISTIOCYTIC PREDOMINANCE UNSPECIFIED SITE	Ratio: 1:4
ICD-10: C81.00 - NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, UNSPECIFIED SITE ICD-10: C81.09 - NODULAR LYMPHOCYTE PREDOMINANT HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES ICD-10: C81.40 - LYMPHOCYTE-RICH CLASSICAL HODGKIN LYMPHOMA, UNSPECIFIED SITE ICD-10: C81.49 - LYMPHOCYTE-RICH CLASSICAL HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	Nauc. 1.4
aims: 1 611.9 DISORDERS OF BREAST UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: N64.9 - DISORDER OF BREAST, UNSPECIFIED	
aims: 1 171.5 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE ABDOMEN	Ratio: 1:2
• ICD-10: C47.4 - MALIGNANT NEOPLASM OF PERIPHERAL NERVES OF ABDOMEN • ICD-10: C49.4 - MALIGNANT NEOPLASM OF CONNECTIVE AND SOFT TISSUE OF ABDOMEN	
aims: 1 726.5 ENTHESOPATHY OF HIP REGION	Ratio: 1:21
• ICD-10: M25.751 - OSTEOPHYTE, RIGHT HIP • ICD-10: M25.752 - OSTEOPHYTE, LEFT HIP • ICD-10: M25.759 - OSTEOPHYTE, LEFT HIP • ICD-10: M70.60 - TROCHANTERIC BURSTIIS, UNSPECIFIED HIP • ICD-10: M70.60 - TROCHANTERIC BURSTIIS, INSPECIFIED HIP • ICD-10: M70.62 - TROCHANTERIC BURSTIIS, RIGHT HIP • ICD-10: M70.70 - OTHER BURSTIIS OF HIP, UNSPECIFIED HIP • ICD-10: M70.71 - OTHER BURSTIIS OF HIP, RIGHT HIP • ICD-10: M70.71 - OTHER BURSTIIS OF HIP, RIGHT HIP • ICD-10: M70.72 - OTHER BURSTIIS OF HIP, LEFT HIP • ICD-10: M76.01 - GLUTEAL TENDINITIS, UNSPECIFIED HIP • ICD-10: M76.02 - GLUTEAL TENDINITIS, RIGHT HIP • ICD-10: M76.02 - GLUTEAL TENDINITIS, RIGHT HIP • ICD-10: M76.10 - PSOAS TENDINITIS, UNSPECIFIED HIP • ICD-10: M76.11 - PSOAS TENDINITIS, RIGHT HIP • ICD-10: M76.12 - PSOAS TENDINITIS, RIGHT HIP • ICD-10: M76.12 - SOAS TENDINITIS, RIGHT HIP • ICD-10: M76.12 - ILIAC CREST SPUR, UNSPECIFIED HIP • ICD-10: M76.22 - ILIAC CREST SPUR, RIGHT HIP • ICD-10: M76.22 - ILIAC CREST SPUR, LEFT HIP • ICD-10: M76.22 - ILIAC CREST SPUR, LEFT HIP • ICD-10: M76.23 - ILIOTIBIAL BAND SYNDROME, RIGHT LEG • ICD-10: M76.32 - ILIOTIBIAL BAND SYNDROME, LEFT LEG	
aims: 1 385.32 CHOLESTEATOMA OF MIDDLE EAR	Ratio: 1:8
ICD-10: H71.10 - CHOLESTEATOMA OF TYMPANUM, UNSPECIFIED EAR ICD-10: H71.11 - CHOLESTEATOMA OF TYMPANUM, RIGHT EAR ICD-10: H71.12 - CHOLESTEATOMA OF TYMPANUM, LEFT EAR ICD-10: H71.13 - CHOLESTEATOMA OF TYMPANUM, BILATERAL ICD-10: H74.40 - POLYP OF MIDDLE EAR, UNSPECIFIED EAR ICD-10: H74.41 - POLYP OF RIGHT MIDDLE EAR ICD-10: H74.42 - POLYP OF RIGHT MIDDLE EAR ICD-10: H74.42 - POLYP OF LEFT MIDDLE EAR ICD-10: H74.43 - POLYP OF MIDDLE EAR, BILATERAL	
aims: 1 730.34 PERIOSTITIS WITHOUT MENTION OF OSTEMYELITIS HAND	Ratio: 1:1
ICD-10: M86.9 - OSTEOMYELITIS, UNSPECIFIED	
aims: 1 682.4 CELLULITIS AND ABSCESS HAND, EXCEPT FINGERS AND THUMB	Ratio: 1:9
ICD-10: L02.511 - CUTANEOUS ABSCESS OF RIGHT HAND ICD-10: L02.512 - CUTANEOUS ABSCESS OF LEFT HAND ICD-10: L02.519 - CUTANEOUS ABSCESS OF UNSPECIFIED HAND ICD-10: L02.519 - CUTANEOUS ABSCESS OF UNSPECIFIED HAND ICD-10: L03.113 - CELLULITIS OF RIGHT UPPER LIMB ICD-10: L03.114 - CELLULITIS OF LEFT UPPER LIMB ICD-10: L03.119 - CELLULITIS OF UNSPECIFIED PART OF LIMB ICD-10: L03.123 - ACUTE LYMPHANGITIS OF RIGHT UPPER LIMB ICD-10: L03.124 - ACUTE LYMPHANGITIS OF LEFT UPPER LIMB ICD-10: L03.129 - ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	
aims: 1 727.40 SYNOVIAL CYST, UNSPECIFIED	Ratio: 1:1
• ICD-10: M71.30 - OTHER BURSAL CYST, UNSPECIFIED SITE	
aims: 1 473.1 CHRONIC SINUSITIS FRONTAL	Ratio: 1:1 Exact
ICD-10: J32.1 - CHRONIC FRONTAL SINUSITIS aims: 1 592.1 CALCULUS OF URETER	Potic: 4:2
aims: 1 592.1 CALCULUS OF URETER • ICD-10: N20.1 - CALCULUS OF URETER • ICD-10: N20.2 - CALCULUS OF KIDNEY WITH CALCULUS OF URETER	Ratio: 1:2
15 IT TEST STEEDED OF MENET WITH ONE OF COLORES	Ratio: 1:1 Exact
aims: 1 603.9 HYDROCFI E LINSPECIFIED	Nauv. I.I EXAUL
aims: 1 603.9 HYDROCELE, UNSPECIFIED	
• ICD-10: N43.3 - HYDROCELE, UNSPECIFIED	Ratio: 1:1 Evant
	Ratio: 1:1 Exact

```
Claims: 1
                                           816.02 FRACTURE OF DISTAL PHALANX OR PHALANGES CLOSED
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:26
              • ICD-10: $62.521A - DISPLACED FRACTURE OF DISTAL PHALANX OF RIGHT THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.522A - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.523A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF UNSPECIFIED THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.524A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF RIGHT THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.525A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LEFT THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.525A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF UNSPECIFIED THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.525A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF UNSPECIFIED THUMB, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.630A - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT INDEX FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.630A - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT INDEX FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.633A - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT MIDDLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.633A - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT MIDDLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.635A - DISPLACED FRACTURE OF DISTAL PHALANX OF LEFT MIDDLE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.635A - DISPLACED FRACTURE OF DISTAL PHALANX OF LIFE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.636A - DISPLACED FRACTURE OF DISTAL PHALANX OF LIFE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.636A - DISPLACED FRACTURE OF DISTAL PHALANX OF LIFE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.636A - DISPLACED FRACTURE OF DISTAL PHALANX OF LIFE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.636A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LIFE FINGER, INITIAL ENCOUNTER FOR CLOSED FRACTURE
• ICD-10: $62.636A - NONDISPLACED FRACTURE OF DISTAL PHALANX OF LIFE FINGER
                 ICD-10: S62.521A - DISPLACED FRACTURE OF DISTAL PHALANX OF RIGHT THUMB. INITIAL ENCOUNTER FOR CLOSED FRACTURE
                                           786.00 RESPIRATORY ARNORMALITY UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1
            · ICD-10: R06.9 - UNSPECIFIED ABNORMALITIES OF BREATHING
                                            729.2 NEURALGIA, NEURITIS, AND RADICULITIS, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:3

    ICD-10: M54.10 - RADICULOPATHY, SITE UNSPECIFIED
    ICD-10: M54.18 - RADICULOPATHY, SACRAL AND SACROCOCCYGEAL REGION
    ICD-10: M79.2 - NEURALGIA AND NEURITIS, UNSPECIFIED

                                           623.7 POLYP OF VAGINA
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
            . ICD-10: N84.2 - POLYP OF VAGINA
Claims: 1
                                          237.4 NEOPLASM OF UNCERTAIN BEHAVIOR OF ENDOCRINE GLANDS OTHER AND UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:3

    ICD-10: D44.0 - NEOPLASM OF UNCERTAIN BEHAVIOR OF THYROID GLAND
    ICD-10: D44.2 - NEOPLASM OF UNCERTAIN BEHAVIOR OF PARATHYROID GLAND
    ICD-10: D44.9 - NEOPLASM OF UNCERTAIN BEHAVIOR OF UNSPECIFIED ENDOCRINE GLAND

Claims: 1
                                           213.9 BENIGN NEOPLASM OF BONE AND ARTICULAR CARTILAGE, SITE UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1 Exact
            · ICD-10: D16.9 - BENIGN NEOPLASM OF BONE AND ARTICULAR CARTILAGE. UNSPECIFIED
                                                              UNSPECIFIED HEMORRHOIDS WITHOUT MENTION OF COMPLICATION
Claims: 1
                ICD-10: K64.0 - FIRST DEGREE HEMORRHOIDS
                 ICD-10: K64.1 - SECOND DEGREE HEMORRHOIDS
ICD-10: K64.2 - THIRD DEGREE HEMORRHOIDS
ICD-10: K64.3 - FOURTH DEGREE HEMORRHOIDS
            · ICD-10: K64.9 - UNSPECIFIED HEMORRHOIDS
                                                                 NONSPECIFIC ABNORMAL RESULTS OF FUNCTION STUDIES CARDIOVASCULAR ELECTROCARDIOGRAM [ECG] Ratio: 1:1 Exact
Claims: 1
                                            794.31
                                                                 [EKG]
            · ICD-10: R94.31 - ABNORMAL ELECTROCARDIOGRAM [ECG] [EKG]
                                           577.2 CYST AND PSEUDOCYST OF PANCREAS
Claims: 1
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:2
            • ICD-10: K86.2 - CYST OF PANCREAS
• ICD-10: K86.3 - PSEUDOCYST OF PANCREAS
                                            153.0 MALIGNANT NEOPLASM OF HEPATIC FLEXURE
Claims: 1
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1 Exact
            · ICD-10: C18.3 - MALIGNANT NEOPLASM OF HEPATIC FLEXURE
Claims: 1
                                          918.9 SUPERFICIAL INJURY OF EYE OTHER AND UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1
            • ICD-10: S05.90XA - UNSPECIFIED INJURY OF UNSPECIFIED EYE AND ORBIT, INITIAL ENCOUNTER
                                           681.9 CELLULITIS AND ABSCESS OF UNSPECIFIED DIGIT
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:4

    ICD-10: L03.019 - CELLULITIS OF UNSPECIFIED FINGER
    ICD-10: L03.029 - ACUTE LYMPHANGITIS OF UNSPECIFIED FINGER
    ICD-10: L03.039 - CELLULITIS OF UNSPECIFIED TOE
    ICD-10: L03.049 - ACUTE LYMPHANGITIS OF UNSPECIFIED TOE

                                                                 OTHER KNOWN OR SUSPECTED FETAL ABNORMALITY, NOT ELSEWHERE CLASSIFIED AFFECTING
Claims: 1
                                           655.83
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:7
                                                                 MANAGEMENT OF MOTHER ANTEPARTUM CONDITION OR COMPLICATION

    ICD-10: O35.8XX0 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, NOT APPLICABLE OR UNSPECIFIED ICD-10: O35.8XX1 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 1 ICD-10: O35.8XX2 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 2 ICD-10: O35.8XX3 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 3 ICD-10: O35.8XX3 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 4 ICD-10: O35.8XX5 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FETUS 5 ICD-10: O35.8XX5 - MATERNAL CARE FOR OTHER (SUSPECTED) FETAL ABNORMALITY AND DAMAGE, FOR DAMAGE, PARAMAGE, FOR DAMAGE, PARAMAGE, FOR DAMAGE, FOR DAMAGE, PARAMAGE, FOR DAMAGE, PARAMAGE, FOR DAMAGE, FOR DAMAGE, FOR DAMAGE, FOR DAMAGE, FOR DAMAGE, FOR DAMAGE, PARAMAGE, PA
                                                             POSTTRAUMATIC WOUND INFECTION, NOT ELSEWHERE CLASSIFIED
                                                                                                                                                                                                                                                                                                                                                                                Ratio: 1:1
            · ICD-10: T79.8XXA - OTHER EARLY COMPLICATIONS OF TRAUMA, INITIAL ENCOUNTER
Claims: 1
                                          424.1 AORTIC VALVE DISORDERS
                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:5

    ICD-10: 135.0 - NONRHEUMATIC AORTIC (VALVE) STENOSIS
    ICD-10: 135.1 - NONRHEUMATIC AORTIC (VALVE) INSUFFICIENCY
    ICD-10: 135.2 - NONRHEUMATIC AORTIC (VALVE) STENOSIS WITH INSUFFICIENCY
    ICD-10: 135.8 - OTHER NONRHEUMATIC AORTIC VALVE DISORDERS
    ICD-10: 135.9 - NONRHEUMATIC AORTIC VALVE DISORDER, UNSPECIFIED
```

Claims: 1 565.1 ANAL FISTULA Ratio: 1:3

ICD-10: K60.3 - ANAL FISTULA

 ICD-10: K60.4 - RECTAL FISTULA
 ICD-10: K60.5 - ANORECTAL FISTULA E819.9 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE, UNSPECIFIED PERSON No Match · No Corresponding Codes Found 715.17 OSTEOARTHROSIS, LOCALIZED, PRIMARY ANKLE AND FOOT Claims: 1 Ratio: 1:3 ICD-10: M19.071 - PRIMARY OSTEOARTHRITIS, RIGHT ANKLE AND FOOT
 ICD-10: M19.072 - PRIMARY OSTEOARTHRITIS, LEFT ANKLE AND FOOT
 ICD-10: M19.079 - PRIMARY OSTEOARTHRITIS, UNSPECIFIED ANKLE AND FOOT 959.9 Ratio: 1:3 INJURY, UNSPECIFIED SITE ICD-10: T14.8 - OTHER INJURY OF UNSPECIFIED BODY REGION
 ICD-10: T14.90 - INJURY, UNSPECIFIED
 ICD-10: T14.91 - SUICIDE ATTEMPT 350.2 ATYPICAL FACE PAIN Ratio: 1:1 Exact · ICD-10: G50.1 - ATYPICAL FACIAL PAIN Claims: 1 147.3 MALIGNANT NEOPLASM OF NASOPHARYNX, ANTERIOR WALL Ratio: 1:1 Exact · ICD-10: C11.3 - MALIGNANT NEOPLASM OF ANTERIOR WALL OF NASOPHARYNX 353.2 CERVICAL ROOT LESIONS, NOT ELSEWHERE CLASSIFIED Ratio: 1:1 Claims: 1 ICD-10: G54.2 - CERVICAL ROOT DISORDERS, NOT ELSEWHERE CLASSIFIED Claims: 1 686.1 PYOGENIC GRANULOMA Ratio: 1:2 • ICD-10: L92.8 - OTHER GRANULOMATOUS DISORDERS OF THE SKIN AND SUBCUTANEOUS TISSUE • ICD-10: L98.0 - PYOGENIC GRANULOMA 236.7 NEOPLASM OF UNCERTAIN BEHAVIOR OF BLADDER Claims: 1 Ratio: 1:1 Exact • ICD-10: D41.4 - NEOPLASM OF UNCERTAIN BEHAVIOR OF BLADDER Claims: 1 719.17 HEMARTHROSIS ANKLE AND FOOT Ratio: 1:6 · ICD-10: M25.071 - HEMARTHROSIS, RIGHT ANKLE IGD-10: M25.071 - HEMARTHROSIS, RIGHT ANKLE
 ICD-10: M25.072 - HEMARTHROSIS, LEFT ANKLE
 ICD-10: M25.073 - HEMARTHROSIS, UNSPECIFIED ANKLE
 ICD-10: M25.074 - HEMARTHROSIS, RIGHT FOOT
 ICD-10: M25.076 - HEMARTHROSIS, LEFT FOOT
 ICD-10: M25.076 - HEMARTHROSIS, UNSPECIFIED FOOT Claims: 1 198.5 SECONDARY MALIGNANT NEOPLASM OF BONE AND BONE MARROW Ratio: 1:2 ICD-10: C79.51 - SECONDARY MALIGNANT NEOPLASM OF BONE
 ICD-10: C79.52 - SECONDARY MALIGNANT NEOPLASM OF BONE MARROW SPRAINS AND STRAINS OF THORACIC Ratio: 1:2 847.1 • ICD-10: S23.3XXA - SPRAIN OF LIGAMENTS OF THORACIC SPINE, INITIAL ENCOUNTER
• ICD-10: S23.8XXA - SPRAIN OF OTHER SPECIFIED PARTS OF THORAX, INITIAL ENCOUNTER 453.52 CHRONIC VENOUS EMBOLISM AND THROMBOSIS OF DEEP VESSELS OF DISTAL LOWER EXTREMITY Ratio: 1:8 ICD-10: 182 541 - CHRONIC EMBOLISM AND THROMBOSIS OF RIGHT TIBIAL VEIN ICD-10: 182.541 - CHRONIC EMBOLISM AND THROMBOSIS OF RIGHT TIBIAL VEIN
 ICD-10: 182.542 - CHRONIC EMBOLISM AND THROMBOSIS OF LEFT TIBIAL VEIN
 ICD-10: 182.543 - CHRONIC EMBOLISM AND THROMBOSIS OF LIBIAL VEIN, BILATERAL
 ICD-10: 182.549 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED TIBIAL VEIN
 ICD-10: 182.521 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF RIGHT DISTAL LOWER EXTREMITY
 ICD-10: 182.522 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF LEFT DISTAL LOWER EXTREMITY
 ICD-10: 182.523 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF LISTAL LOWER EXTREMITY
 ICD-10: 182.523 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF UNSPECIFIED DEEP VEINS OF DISTAL LOWER EXTREMITY
 ICD-10: 182.529 - CHRONIC EMBOLISM AND THROMBOSIS OF UNSPECIFIED DEEP VEINS OF UNSPECIFIED DEEP VE SPECIAL SCREENING FOR CARDIOVASCULAR CONDITIONS OTHER AND UNSPECIFIED Ratio: 1:1 • ICD-10: Z13.6 - ENCOUNTER FOR SCREENING FOR CARDIOVASCULAR DISORDERS Claims: 1 150.9 MALIGNANT NEOPLASM OF ESOPHAGUS, UNSPECIFIED Ratio: 1:1 Exact · ICD-10: C15.9 - MALIGNANT NEOPLASM OF ESOPHAGUS, UNSPECIFIED Claims: 1 CERVICAL SPONDYLOSIS WITH MYELOPATHY Ratio: 1:13 721.1 ICD-10: M47.011 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M47.012 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, CERVICAL REGION ICD-10: M47.013 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, CERVICOTHORACIC REGION ICD-10: M47.014 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, THORACIC REGION ICD-10: M47.015 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, THORACOLUMBAR REGION ICD-10: M47.016 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, LUMBAR REGION ICD-10: M47.019 - ANTERIOR SPINAL ARTERY COMPRESSION SYNDROMES, SITE UNSPECIFIED ICD-10: M47.021 - VERTEBRAL ARTERY COMPRESSION SYNDROMES, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M47.022 - VERTEBRAL ARTERY COMPRESSION SYNDROMES, CERVICAL REGION ICD-10: M47.022 - VERTEBRAL ARTERY COMPRESSION SYNDROMES, SITE UNSPECIFIED ICD-10: M47.11 - OTHER SPONDYLOSIS WITH MYELOPATHY, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M47.12 - OTHER SPONDYLOSIS WITH MYELOPATHY, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M47.13 - OTHER SPONDYLOSIS WITH MYELOPATHY, CERVICAL REGION ICD-10: M47.13 - OTHER SPONDYLOSIS WITH MYELOPATHY, CERVICAL REGION 155.1 MALIGNANT NEOPLASM OF INTRAHEPATIC BILE DUCTS Claims: 1 Ratio: 1:1 Exact • ICD-10: C22.1 - INTRAHEPATIC BILE DUCT CARCINOMA NEOPLASM OF UNCERTAIN BEHAVIOR OF MALE GENITAL ORGANS OTHER AND UNSPECIFIED Ratio: 1:2 • ICD-10: D40.8 - NEOPLASM OF UNCERTAIN BEHAVIOR OF OTHER SPECIFIED MALE GENITAL ORGANS • ICD-10: D40.9 - NEOPLASM OF UNCERTAIN BEHAVIOR OF MALE GENITAL ORGAN, UNSPECIFIED OSTEOARTHROSIS INVOLVING, OR WITH MENTION OF MORE THAN ONE SITE, BUT NOT SPECIFIED AS Claims: 1 715.80 Ratio: 1:2 GENERALIZED SITE UNSPECIFIED • ICD-10: M15.4 - EROSIVE (OSTEO)ARTHRITIS
• ICD-10: M15.8 - OTHER POLYOSTEOARTHRITIS

```
Claims: 1
                                                             727.69 RUPTURE NONTRAUMATIC OTHER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:13
                       ICD-10: M66.28 - SPONTANEOUS RUPTURE OF EXTENSOR TENDONS, OTHER SITE ICD-10: M66.29 - SPONTANEOUS RUPTURE OF EXTENSOR TENDONS, MULTIPLE SITES ICD-10: M66.351 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, RIGHT THIGH ICD-10: M66.352 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, LEFT THIGH ICD-10: M66.359 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, UNSPECIFIED THIGH
                        ICD-10: M66.38 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, OTHER SITE ICD-10: M66.39 - SPONTANEOUS RUPTURE OF FLEXOR TENDONS, MULTIPLE SITES ICD-10: M66.80 - SPONTANEOUS RUPTURE OF OTHER TENDONS, UNSPECIFIED SITE

    ICD-10: M66.80 - SPONTANEOUS RUPTURE OF OTHER TENDONS, UNSPECIFIED SITE
    ICD-10: M66.851 - SPONTANEOUS RUPTURE OF OTHER TENDONS, IGHT THIGH
    ICD-10: M66.852 - SPONTANEOUS RUPTURE OF OTHER TENDONS, LEFT THIGH
    ICD-10: M66.859 - SPONTANEOUS RUPTURE OF OTHER TENDONS, UNSPECIFIED THIGH
    ICD-10: M66.88 - SPONTANEOUS RUPTURE OF OTHER TENDONS, OTHER
    ICD-10: M66.89 - SPONTANEOUS RUPTURE OF OTHER TENDONS, MULTIPLE SITES
                                                              V12.51 PERSONAL HISTORY OF VENOUS THROMBOSIS AND EMBOLISM
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1 Exact
                 · ICD-10: Z86.718 - PERSONAL HISTORY OF OTHER VENOUS THROMBOSIS AND EMBOLISM
Claims: 1
                                                             802.4 FRACTURE OF MALAR AND MAXILLARY BONES, CLOSED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:6
                       ICD-10: S02.400A - MALAR FRACTURE UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE

    ICD-10: S02.4010 - MAXILARY FRACTURE, UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S02.4014 - MAXILLARY FRACTURE, UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S02.4024 - ZYGOMATIC FRACTURE, UNSPECIFIED, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S02.411A - LEFORT I FRACTURE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S02.412A - LEFORT II FRACTURE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
    ICD-10: S02.413A - LEFORT III FRACTURE, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Claims: 1
                                                             627.1 POSTMENOPAUSAL BLEEDING
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Ratio: 1:1 Exact
                 · ICD-10: N95.0 - POSTMENOPAUSAL BLEEDING
                                                              197.7 SECONDARY MALIGNANT NEOPLASM OF LIVER, SPECIFIED AS SECONDARY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:1
                 • ICD-10: C78.7 - SECONDARY MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCT
                                                                                        DISORDERS OF SKIN AND SUBCUTANEOUS TISSUE UNSPECIFIED
Claims: 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Ratio: 1:1
                 • ICD-10: L98.9 - DISORDER OF THE SKIN AND SUBCUTANEOUS TISSUE, UNSPECIFIED
Claims: 1
                                                            230.2 CARCINOMA IN SITU OF STOMACH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Ratio: 1:1 Exact
                 · ICD-10: D00.2 - CARCINOMA IN SITU OF STOMACH
               INS. 1 841.9 SPRAINS AND STRAINS OF ELBOW AND FOREARM UNSPECIFIED SITE Ratio: 1:3

I (CD-10: S53.401A - UNSPECIFIED SPRAIN OF RIGHT ELBOW, INITIAL ENCOUNTER

I (CD-10: S53.401A - UNSPECIFIED SPRAIN OF LETF ELBOW, INITIAL ENCOUNTER

I (CD-10: S55.400A - UNSPECIFIED SPRAIN OF LETF ELBOW, INITIAL ENCOUNTER

I (CD-10: S56.011A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.011A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF LEFT THUMB AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.011A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.011A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.111A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.111A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.114A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF LEFT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.115A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF LEFT INDEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT RING FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF LEFT INTEX FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT LITTLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT LITTLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAIN OF FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT LITTLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAIN OF OFTHER FLEXOR MUSCLE, FASCIA AND TENDON OF RIGHT LITTLE FINGER AT FOREARM LEVEL, INITIAL ENCOUNTER

I (CD-10: S56.116A - STRAI
Claims: 1
                                                                                      SPRAINS AND STRAINS OF ELBOW AND FOREARM UNSPECIFIED SITE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:39
                                                             841.9
                INS. 1 911.8 SUPERFICIAL INJURY OF TRUNK WITHOUT MENTION OF INFECTION OTHER AND UNSF

ICD-10: $20.101A - UNSPECIFIED SUPERFICIAL INJURIES OF BREAST, RIGHT BREAST, INITIAL ENCOUNTER

ICD-10: $20.102A - UNSPECIFIED SUPERFICIAL INJURIES OF BREAST, LEFT BREAST, INITIAL ENCOUNTER

ICD-10: $20.109A - UNSPECIFIED SUPERFICIAL INJURIES OF BREAST, UNSPECIFIED BREAST, INITIAL ENCOUNTER

ICD-10: $20.109A - UNSPECIFIED SUPERFICIAL INJURIES OF BREAST, UNSPECIFIED BREAST, INITIAL ENCOUNTER

ICD-10: $20.142A - EXTERNAL CONSTRICTION OF PART OF BREAST, LEFT BREAST, INITIAL ENCOUNTER

ICD-10: $20.142A - EXTERNAL CONSTRICTION OF PART OF BREAST, LEFT BREAST, INITIAL ENCOUNTER

ICD-10: $20.172A - OTHER SUPERFICIAL BITE OF BREAST, INSPECIFIED BREAST, INITIAL ENCOUNTER

ICD-10: $20.172A - OTHER SUPERFICIAL BITE OF BREAST, LEFT BREAST, INITIAL ENCOUNTER

ICD-10: $20.172A - OTHER SUPERFICIAL BITE OF BREAST, LEFT BREAST, INITIAL ENCOUNTER

ICD-10: $20.172A - OTHER SUPERFICIAL BITE OF BREAST, LEFT BREAST, INITIAL ENCOUNTER

ICD-10: $20.303A - UNSPECIFIED SUPERFICIAL INJURIES OF RIGHT FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.303A - UNSPECIFIED SUPERFICIAL INJURIES OF RIGHT FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.303A - UNSPECIFIED SUPERFICIAL INJURIES OF LEFT FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.344A - EXTERNAL CONSTRICTION OF RIGHT FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.344A - EXTERNAL CONSTRICTION OF LEFT FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.344A - EXTERNAL CONSTRICTION OF UNSPECIFIED FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.349A - EXTERNAL CONSTRICTION OF UNSPECIFIED FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.349A - EXTERNAL CONSTRICTION OF UNSPECIFIED FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.349A - EXTERNAL CONSTRICTION OF UNSPECIFIED FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.349A - EXTERNAL CONSTRICTION OF UNSPECIFIED FRONT WALL OF THORAX, INITIAL ENCOUNTER

ICD-10: $20.441A - EXTERNAL CONSTRICTION OF RIGHT FRONT WALL OF
                                                             911.8 SUPERFICIAL INJURY OF TRUNK WITHOUT MENTION OF INFECTION OTHER AND UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Ratio: 1:54
```

```
| ICD-10: $20.471A - OTHER SUPERFICIAL BITE OF RIGHT BACK WALL OF THORAX, INITIAL ENCOUNTER
| ICD-10: $20.472A - OTHER SUPERFICIAL BITE OF LEFT BACK WALL OF THORAX, INITIAL ENCOUNTER
| ICD-10: $20.90XA - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED BACK WALL OF THORAX, INITIAL ENCOUNTER
| ICD-10: $20.90XA - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED PARTS OF THORAX, INITIAL ENCOUNTER
| ICD-10: $20.90XA - OTHER SUPERFICIAL BITE OF UNSPECIFIED PARTS OF THORAX, INITIAL ENCOUNTER
| ICD-10: $20.90XA - OTHER SUPERFICIAL BITE OF UNSPECIFIED PARTS OF THORAX, INITIAL ENCOUNTER
| ICD-10: $20.90XA - OTHER SUPERFICIAL BITE OF UNSPECIFIED PARTS OF THORAX, INITIAL ENCOUNTER
| ICD-10: $30.810A - ABRASION OF LOWER BACK AND PELVIS, INITIAL ENCOUNTER
| ICD-10: $30.8410A - EXTERNAL CONSTRICTION OF LOWER BACK AND PELVIS, INITIAL ENCOUNTER
| ICD-10: $30.843A - EXTERNAL CONSTRICTION OF ABDOMINAL WALL, INITIAL ENCOUNTER
| ICD-10: $30.843A - EXTERNAL CONSTRICTION OF PENIS, INITIAL ENCOUNTER
| ICD-10: $30.843A - EXTERNAL CONSTRICTION OF VAGINA AND VULVA, INITIAL ENCOUNTER
| ICD-10: $30.843A - EXTERNAL CONSTRICTION OF UNSPECIFIED EXTERNAL GENITAL ORGANS, MALE, INITIAL ENCOUNTER
| ICD-10: $30.843A - EXTERNAL CONSTRICTION OF UNSPECIFIED EXTERNAL GENITAL ORGANS, MALE, INITIAL ENCOUNTER
| ICD-10: $30.843A - EXTERNAL CONSTRICTION OF UNSPECIFIED EXTERNAL GENITAL ORGANS, MALE, INITIAL ENCOUNTER
| ICD-10: $30.871A - OTHER SUPERFICIAL BITE OF LOWER BACK AND PELVIS, INITIAL ENCOUNTER
| ICD-10: $30.873A - OTHER SUPERFICIAL BITE OF FORM BACK AND PELVIS, INITIAL ENCOUNTER
| ICD-10: $30.873A - OTHER SUPERFICIAL BITE OF SCROTUM AND TESTES, INITIAL ENCOUNTER
| ICD-10: $30.873A - OTHER SUPERFICIAL BITE OF SCROTUM AND TESTES, INITIAL ENCOUNTER
| ICD-10: $30.873A - OTHER SUPERFICIAL BITE OF DENIS, INITIAL ENCOUNTER
| ICD-10: $30.873A - OTHER SUPERFICIAL BITE OF DENIS, INITIAL ENCOUNTER
| ICD-10: $30.93XA - UNSPECIFIED SUPERFICIAL BITE OF PAGINA AND VULVA, INITIAL ENCOUNTER
| ICD-10: $30.93XA - UNSPECIFIED SUPERFICIAL BITE OF PAGINA AND VULVA, INITIAL
                                                                530.10 ESOPHAGITIS, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1
                  · ICD-10: K20.9 - ESOPHAGITIS, UNSPECIFIED
                                                                719.61 OTHER SYMPTOMS REFERABLE TO JOINT SHOULDER REGION
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1
                  · ICD-10: R29.898 - OTHER SYMPTOMS AND SIGNS INVOLVING THE MUSCULOSKELETAL SYSTEM
                                                                                                SUPERFICIAL INJURY OF SHOULDER AND UPPER ARM WITHOUT MENTION OF INFECTION OTHER AND
                                                                                                UNSPECIFIED
                         ICD-10: S40.241A - EXTERNAL CONSTRICTION OF RIGHT SHOULDER, INITIAL ENCOUNTER ICD-10: S40.242A - EXTERNAL CONSTRICTION OF LEFT SHOULDER, INITIAL ENCOUNTER ICD-10: S40.249A - EXTERNAL CONSTRICTION OF UNSPECIFIED SHOULDER, INITIAL ENCOUNTER
                      ICD-10: $40.249A - EXTERNAL CONSTRICTION OF UNSPECIFIED SHOULDER, INITIAL ENCOUNTER ICD-10: $40.271A - OTHER SUPERFICIAL BITE OF RIGHT SHOULDER, INITIAL ENCOUNTER ICD-10: $40.272A - OTHER SUPERFICIAL BITE OF LEFT SHOULDER, INITIAL ENCOUNTER ICD-10: $40.272A - OTHER SUPERFICIAL BITE OF UNSPECIFIED SHOULDER, INITIAL ENCOUNTER ICD-10: $40.872A - OTHER SUPERFICIAL BITE OF UNSPECIFIED SHOULDER, INITIAL ENCOUNTER ICD-10: $40.842A - EXTERNAL CONSTRICTION OF RIGHT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.842A - EXTERNAL CONSTRICTION OF UNSPECIFIED UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.871A - OTHER SUPERFICIAL BITE OF RIGHT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.872A - OTHER SUPERFICIAL BITE OF LEFT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.872A - OTHER SUPERFICIAL BITE OF LEFT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.879A - OTHER SUPERFICIAL BITE OF LEFT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.911A - UNSPECIFIED SUPERFICIAL INJURY OF RIGHT SHOULDER, INITIAL ENCOUNTER ICD-10: $40.912A - UNSPECIFIED SUPERFICIAL INJURY OF LEFT SHOULDER, INITIAL ENCOUNTER ICD-10: $40.912A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED SHOULDER, INITIAL ENCOUNTER ICD-10: $40.912A - UNSPECIFIED SUPERFICIAL INJURY OF RIGHT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.922A - UNSPECIFIED SUPERFICIAL INJURY OF LEFT SHOULDER, INITIAL ENCOUNTER ICD-10: $40.922A - UNSPECIFIED SUPERFICIAL INJURY OF LEFT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.922A - UNSPECIFIED SUPERFICIAL INJURY OF LEFT UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.929A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.929A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.929A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.929A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.929A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED UPPER ARM, INITIAL ENCOUNTER ICD-10: $40.929A - UNSPECIFIED SUPERFICIAL INJURY OF UNSPECIFIED UPPER
                                                                 159.0 MALIGNANT NEOPLASM OF INTESTINAL TRACT, PART UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1 Exact
                  · ICD-10: C26.0 - MALIGNANT NEOPLASM OF INTESTINAL TRACT, PART UNSPECIFIED
Claims: 1
                                                                435.9 TRANSIENT CEREBRAL ISCHEMIA UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:3
                           ICD-10: G45.9 - TRANSIENT CEREBRAL ISCHEMIC ATTACK, UNSPECIFIED
                         ICD-10: I67.841 - REVERSIBLE CEREBROVASCULAR VASOCONSTRICTION SYNDROME
                  · ICD-10: I67.848 - OTHER CEREBROVASCULAR VASOSPASM AND VASOCONSTRICTION
Claims: 1
                                                               553.20 VENTRAL HERNIA UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
                  • ICD-10: K43.9 - VENTRAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE
Claims: 1
                                                                 727.06 TENOSYNOVITIS OF FOOT AND ANKLE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:3
                         ICD-10: M65.871 - OTHER SYNOVITIS AND TENOSYNOVITIS, RIGHT ANKLE AND FOOT

    ICD-10: M65.872 - OTHER SYNOVITIS AND TENOSYNOVITIS, LEFT ANKLE AND FOOT
    ICD-10: M65.879 - OTHER SYNOVITIS AND TENOSYNOVITIS, UNSPECIFIED ANKLE AND FOOT

                                                                 451.19 PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES OTHER
Claims: 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:16

    ICD-10: I80.201 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED DEEP VESSELS OF RIGHT LOWER EXTREMITY ICD-10: I80.202 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED DEEP VESSELS OF LEFT LOWER EXTREMITY ICD-10: I80.203 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED DEEP VESSELS OF LOWER EXTREMITIES, BILATERAL ICD-10: I80.209 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED DEEP VESSELS OF UNSPECIFIED LOWER EXTREMITY ICD-10: I80.201 - PHLEBITIS AND THROMBOPHLEBITIS OF RIGHT POPLITEAL VEIN ICD-10: I80.2021 - PHLEBITIS AND THROMBOPHLEBITIS OF LEFT POPLITEAL VEIN ICD-10: I80.2022 - PHLEBITIS AND THROMBOPHLEBITIS OF POPLITEAL VEIN ICD-10: I80.2023 - PHLEBITIS AND THROMBOPHLEBITIS OF POPLITEAL VEIN ICD-10: I80.2023 - PHLEBITIS AND THROMBOPHLEBITIS OF RIGHT TISIAL VEIN ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF RIGHT TISIAL VEIN ICD-10: I80.2032 - PHLEBITIS AND THROMBOPHLEBITIS OF LEFT TIBIAL VEIN ICD-10: I80.2032 - PHLEBITIS AND THROMBOPHLEBITIS OF TIBIAL VEIN ICD-10: I80.2033 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED POPLITEAL VEIN ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED TIBIAL VEIN ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF UNSPECIFIED TIBIAL VEIN ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF RIGHT LOWER EXTREMITY ICD-10: I80.2032 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY ICD-10: I80.2031 - PHLEBITIS AND THROMBOPHLEBITIS OF OTHER DEEP VESSELS OF LOWER EXTREMITY INTO THE DEEP VESSELS OF LOWER EXTREMITY INTO THE DEEP VESSELS OF LOWER EXTREMITY INTO THE DEE
                                                                                           CARCINOMA IN SITU OF ANUS, UNSPECIFIED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1
                  · ICD-10: D01.3 - CARCINOMA IN SITU OF ANUS AND ANAL CANAL
Claims: 1
                                                               379.92 SWELLING OR MASS OF EYE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Ratio: 1:1
                  · ICD-10: H57.8 - OTHER SPECIFIED DISORDERS OF EYE AND ADNEXA
Claims: 1
                                                               276.7 HYPERPOTASSEMIA
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Ratio: 1:1 Exact
                  · ICD-10: E87.5 - HYPERKALEMIA
```

ims: 1 716.97 ARTHROPATHY, UNSPECIFIED ANKLE AND FOOT	Ratio: 1:1
• ICD-10: M12.9 - ARTHROPATHY, UNSPECIFIED	
ims: 1 922.31 CONTUSION OF BACK	Ratio: 1:1
ICD-10: S30.0XXA - CONTUSION OF LOWER BACK AND PELVIS, INITIAL ENCOUNTER	
ims: 1 352.6 MULTIPLE CRANIAL NERVE PALSIES	Ratio: 1:1
ICD-10: G52.7 - DISORDERS OF MULTIPLE CRANIAL NERVES	
ims: 1 201.10 HODGKINS GRANULOMA UNSPECIFIED SITE	Ratio: 1:2
 ICD-10: C81.70 - OTHER CLASSICAL HODGKIN LYMPHOMA, UNSPECIFIED SITE ICD-10: C81.79 - OTHER CLASSICAL HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES 	
ims: 1 518.0 PULMONARY COLLAPSE	Ratio: 1:2
• ICD-10: J98.11 - ATELECTASIS • ICD-10: J98.19 - OTHER PULMONARY COLLAPSE	
ims: 1 389.9 HEARING LOSS UNSPECIFIED	Ratio: 1:4
ICD-10: H91.90 - UNSPECIFIED HEARING LOSS, UNSPECIFIED EAR ICD-10: H91.91 - UNSPECIFIED HEARING LOSS, RIGHT EAR ICD-10: H91.92 - UNSPECIFIED HEARING LOSS, LEFT EAR ICD-10: H91.93 - UNSPECIFIED HEARING LOSS, BILATERAL	
ims: 1 386.00 MNIRES DISEASE, UNSPECIFIED	Ratio: 1:4
ICD-10: H81.01 - ENIERES DISEASE, RIGHT EAR ICD-10: H81.02 - ENIERES DISEASE, LEFT EAR ICD-10: H81.03 - ENIERES DISEASE, BILATERAL ICD-10: H81.09 - ENIERES DISEASE, BILATERAL	
ims: 1 234.8 CARCINOMA IN SITU OF OTHER SPECIFIED SITES	Ratio: 1:2
• ICD-10: D09.3 - CARCINOMA IN SITU OF THYROID AND OTHER ENDOCRINE GLANDS • ICD-10: D09.8 - CARCINOMA IN SITU OF OTHER SPECIFIED SITES	
ims: 1 202.01 NODULAR LYMPHOMA LYMPH NODES OF HEAD, FACE, AND NECK	Ratio: 1:8
ICD-10: C82.01 - FOLLICULAR LYMPHOMA GRADE I, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.11 - FOLLICULAR LYMPHOMA GRADE II, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.21 - FOLLICULAR LYMPHOMA GRADE III, UNSPECIFIED, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.31 - FOLLICULAR LYMPHOMA GRADE III, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.41 - FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.41 - FOLLICULAR LYMPHOMA GRADE IIIB, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.81 - OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.81 - OTHER TYPES OF FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK ICD-10: C82.91 - FOLLICULAR LYMPHOMA, LYMPH NODES OF HEAD, FACE, AND NECK	
ims: 1 403.10 HYPERTENSIVE CHRONIC KIDNEY DISEASE, BENIGN WITH CHRONIC KIDNEY DISEASE STAGE I TO OR UNSPECIFIED	STAGE IV, Ratio: 1:1
• ICD-10: 112.9 - HYPERTENSIVE CHRONIC KIDNEY DISEASE WITH STAGE 1 THROUGH STAGE 4 CHRONIC KIDNEY DISEASE, OR UNSPECIFIC	ED CHRONIC KIDNEY DISEASE
ims: 1 437.2 HYPERTENSIVE ENCEPHALOPATHY	Ratio: 1:1 Exact
• ICD-10: 167.4 - HYPERTENSIVE ENCEPHALOPATHY	
ims: 1 607.9 DISORDERS OF PENIS UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: N48.9 - DISORDER OF PENIS, UNSPECIFIED	
ims: 1 227.3 BENIGN NEOPLASM OF PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT (POUCH)	Ratio: 1:2
• ICD-10: D35.2 - BENIGN NEOPLASM OF PITUITARY GLAND • ICD-10: D35.3 - BENIGN NEOPLASM OF CRANIOPHARYNGEAL DUCT	
ims: 1 717.83 OLD DISRUPTION OF ANTERIOR CRUCIATE LIGAMENT	Ratio: 1:1
• ICD-10: M23.50 - CHRONIC INSTABILITY OF KNEE, UNSPECIFIED KNEE	
ims: 1 170.9 MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE, SITE UNSPECIFIED	Ratio: 1:7
ICD-10: C40.80 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB ICD-10: C40.81 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF RIGHT LIMB ICD-10: C40.82 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF BONE AND ARTICULAR CARTILAGE OF LEFT LIMB ICD-10: C40.90 - MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF UNSPECIFIED LIMB ICD-10: C40.91 - MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF RIGHT LIMB ICD-10: C40.92 - MALIGNANT NEOPLASM OF UNSPECIFIED BONES AND ARTICULAR CARTILAGE OF LEFT LIMB ICD-10: C41.92 - MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE OF LEFT LIMB ICD-10: C41.93 - MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE, UNSPECIFIED	
ims: 1 848.9 SPRAINS AND STRAINS UNSPECIFIED SITE	Ratio: 1:1
• ICD-10: T14.90 - INJURY, UNSPECIFIED	
ims: 1 353.9 NERVE ROOT AND PLEXUS DISORDERS UNSPECIFIED • ICD-10: G54.9 - NERVE ROOT AND PLEXUS DISORDER, UNSPECIFIED	Ratio: 1:1 Exact
ims: 1 427.9 CARDIAC DYSRHYTHMIA, UNSPECIFIED	Ratio: 1:1 Exact
• ICD-10: I49.9 - CARDIAC ARRHYTHMIA, UNSPECIFIED	
ims: 1 164.0 MALIGNANT NEOPLASM OF THYMUS	Ratio: 1:1 Exact
• ICD-10: C37 - MALIGNANT NEOPLASM OF THYMUS	
ims: 1 576.1 CHOLANGITIS	Ratio: 1:9
ICD-10: K80.30 - CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITHOUT OBSTRUCTION ICD-10: K80.31 - CALCULUS OF BILE DUCT WITH CHOLANGITIS, UNSPECIFIED, WITH OBSTRUCTION ICD-10: K80.32 - CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITHOUT OBSTRUCTION ICD-10: K80.33 - CALCULUS OF BILE DUCT WITH ACUTE CHOLANGITIS WITH OBSTRUCTION ICD-10: K80.34 - CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION ICD-10: K80.35 - CALCULUS OF BILE DUCT WITH CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION ICD-10: K80.36 - CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION ICD-10: K80.36 - CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITHOUT OBSTRUCTION ICD-10: K80.37 - CALCULUS OF BILE DUCT WITH ACUTE AND CHRONIC CHOLANGITIS WITH OBSTRUCTION	

 ICD-10: K83.0 - CHOLANGITIS Claims: 1 441.02 DISSECTION OF AORTA ABDOMINAL Ratio: 1:1 Exact · ICD-10: I71.02 - DISSECTION OF ABDOMINAL AORTA 575.9 DISORDERS OF GALLBLADDER UNSPECIFIED Ratio: 1:1 Exact · ICD-10: K82.9 - DISEASE OF GALLBLADDER, UNSPECIFIED IS: 1 923.3 CONTUSION OF FINGER

| ICD-10: \$60.00XA - CONTUSION OF UNSPECIFIED FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.011A - CONTUSION OF RIGHT THUMB WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.012A - CONTUSION OF LEFT THUMB WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.012A - CONTUSION OF LEFT THUMB WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.021A - CONTUSION OF RIGHT INDEX FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.022A - CONTUSION OF LEFT INDEX FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.022A - CONTUSION OF LEFT INDEX FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.022A - CONTUSION OF RIGHT MIDDLE FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.023A - CONTUSION OF RIGHT MIDDLE FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.032A - CONTUSION OF RIGHT MIDDLE FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.033A - CONTUSION OF RIGHT RING FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.034A - CONTUSION OF RIGHT RING FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.044A - CONTUSION OF LEFT RING FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.045A - CONTUSION OF UNSPECIFIED RING FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.045A - CONTUSION OF UNSPECIFIED RING FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.045A - CONTUSION OF UNSPECIFIED RING FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.055A - CONTUSION OF UNSPECIFIED RINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.055A - CONTUSION OF RIGHT LITTLE FINGER WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.115A - CONTUSION OF RIGHT WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.115A - CONTUSION OF RIGHT WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.115A - CONTUSION OF RIGHT WITHOUT DAMAGE TO NAIL, INITIAL ENCOUNTER
| ICD-10: \$60.115A - CONTUSION OF RIGHT WITHOUT DAMAGE TO NAIL, INI Claims: 1 923.3 CONTUSION OF FINGER Ratio: 1:32 · ICD-10: S60.159A - CONTUSION OF UNSPECIFIED LITTLE FINGER WITH DAMAGE TO NAIL, INITIAL ENCOUNTER 727.05 TENOSYNOVITIS OR HAND AND WRIST OTHER Ratio: 1:6 ICD-10: M65.831 - OTHER SYNOVITIS AND TENOSYNOVITIS, RIGHT FOREARM ICD-10: M65.832 - OTHER SYNOVITIS AND TENOSYNOVITIS, LEFT FOREARM ICD-10: M65.839 - OTHER SYNOVITIS AND TENOSYNOVITIS, UNSPECIFIED FOREARM ICD-10: M65.841 - OTHER SYNOVITIS AND TENOSYNOVITIS, RIGHT HAND ICD-10: M65.842 - OTHER SYNOVITIS AND TENOSYNOVITIS, LIEFT HAND ICD-10: M65.849 - OTHER SYNOVITIS AND TENOSYNOVITIS. UNSPECIFIED HAND Claims: 1 716.96 ARTHROPATHY, UNSPECIFIED LOWER LEG Ratio: 1:1 ICD-10: M12.9 - ARTHROPATHY, UNSPECIFIED 388.8 DISORDERS OF EAR OTHER Claims: 1 Ratio: 1:8 ICD-10: H93.8X1 - OTHER SPECIFIED DISORDERS OF RIGHT EAR ICD-10: H93.8X1 - OTHER SPECIFIED DISORDERS OF RIGHT EAR
ICD-10: H93.8X2 - OTHER SPECIFIED DISORDERS OF LEFT EAR
ICD-10: H93.8X3 - OTHER SPECIFIED DISORDERS OF EAR, BILATERAL
ICD-10: H93.8X9 - OTHER SPECIFIED DISORDERS OF EAR, UNSPECIFIED EAR
ICD-10: H94.80 - OTHER SPECIFIED DISORDERS OF EAR IN DISEASES CLASSIFIED ELSEWHERE, UNSPECIFIED EAR
ICD-10: H94.81 - OTHER SPECIFIED DISORDERS OF RIGHT EAR IN DISEASES CLASSIFIED ELSEWHERE
ICD-10: H94.82 - OTHER SPECIFIED DISORDERS OF LEFT EAR IN DISEASES CLASSIFIED ELSEWHERE
ICD-10: H94.83 - OTHER SPECIFIED DISORDERS OF EAR IN DISEASES CLASSIFIED ELSEWHERE 790.99 NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD OTHER Ratio: 1:15 ICD-10: R70.1 - ABNORMAL PLASMA VISCOSITY

ICD-10: R77.0 - ABNORMALITY OF ALBUMIN

ICD-10: R77.1 - ABNORMALITY OF ALBUMIN

ICD-10: R77.2 - ABNORMALITY OF ALBUMIN

ICD-10: R77.2 - ABNORMALITY OF ALPHAFETOPROTEIN

ICD-10: R77.8 - OTHER SPECIFIED ABNORMALITIES OF PLASMA PROTEINS

ICD-10: R77.9 - ABNORMALITY OF PLASMA PROTEIN, UNSPECIFIED

ICD-10: R78.1 - FINDING OF OPIATE DRUG IN BLOOD

ICD-10: R78.2 - FINDING OF OPIATE DRUG IN BLOOD

ICD-10: R78.3 - FINDING OF FORE OF ADDICTIVE POTENTIAL IN BLOOD

ICD-10: R78.4 - FINDING OF OTHER DRUGS OF ADDICTIVE POTENTIAL IN BLOOD

ICD-10: R78.5 - FINDING OF OTHER PSYCHOTROPIC DRUG IN BLOOD

ICD-10: R78.8 - FINDING OF OTHER SPECIFIED SUBSTANCES, NOT NORMALLY FOUND IN BLOOD

ICD-10: R78.89 - FINDING OF UNSPECIFIED SUBSTANCE, NOT NORMALLY FOUND IN BLOOD

ICD-10: R78.99 - OTHER SPECIFIED BUBSTANCE, NOT NORMALLY FOUND IN BLOOD 259.0 DELAY IN SEXUAL DEVELOPMENT AND PUBERTY, NOT ELSEWHERE CLASSIFIED Ratio: 1:1 Exact · ICD-10: E30.0 - DELAYED PUBERTY Claims: 1 599.60 URINARY OBSTRUCTION, UNSPECIFIED Ratio: 1:1 • ICD-10: N13.9 - OBSTRUCTIVE AND REFLUX UROPATHY, UNSPECIFIED 380.21 CHOLESTEATOMA OF EXTERNAL EAR Claims: 1 Ratio: 1:4 · ICD-10: H60.40 - CHOLESTEATOMA OF EXTERNAL EAR, UNSPECIFIED EAR ICD-10: H60.41 - CHOLESTEATOMA OF RIGHT EXTERNAL EAR
 ICD-10: H60.42 - CHOLESTEATOMA OF RIGHT EXTERNAL EAR
 ICD-10: H60.43 - CHOLESTEATOMA OF EXTERNAL EAR, BILATERAL Ratio: 1:3 923.20 CONTUSION OF HAND(S) ICD-10: S60.221A - CONTUSION OF RIGHT HAND, INITIAL ENCOUNTER
 ICD-10: S60.222A - CONTUSION OF LEFT HAND, INITIAL ENCOUNTER
 ICD-10: S60.229A - CONTUSION OF UNSPECIFIED HAND, INITIAL ENCOUNTER Claims: 1 730.26 UNSPECIFIED OSTEOMYELITIS LOWER LEG Ratio: 1:1 · ICD-10: M86.9 - OSTEOMYELITIS, UNSPECIFIED

Claims: 1 078.3 CAT-SCRATCH DISEASE	Ratio: 1:1 Exact
• ICD-10: A28.1 - CAT-SCRATCH DISEASE	
Claims: 1 512.89 OTHER PNEUMOTHORAX	Ratio: 1:2
• ICD-10: J93.83 - OTHER PNEUMOTHORAX • ICD-10: J93.9 - PNEUMOTHORAX, UNSPECIFIED	
Claims: 1 715.91 OSTEOARTHROSIS, UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED SHOULDER REGION	Ratio: 1:1
• ICD-10: M19.90 - UNSPECIFIED OSTEOARTHRITIS, UNSPECIFIED SITE	
Claims: 1 032.1 NASOPHARYNGEAL DIPHTHERIA	Ratio: 1:1 Exact
• ICD-10: A36.1 - NASOPHARYNGEAL DIPHTHERIA	
Claims: 1 E819.1 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE, PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	No Match
No Corresponding Codes Found	
Claims: 1 802.33 FRACTURE OF MANDIBLE, OPEN CORONOID PROCESS	Ratio: 1:1
ICD-10: S02.63XB - FRACTURE OF CORONOID PROCESS OF MANDIBLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	
Claims: 1 781.2 ABNORMALITY OF GAIT	Ratio: 1:5
• ICD-10: R26.0 - ATAXIC GAIT • ICD-10: R26.1 - PARALYTIC GAIT • ICD-10: R26.81 - UNSTEADINESS ON FEET • ICD-10: R26.89 - OTHER ABNORMALITIES OF GAIT AND MOBILITY • ICD-10: R26.9 - UNSPECIFIED ABNORMALITIES OF GAIT AND MOBILITY	
Claims: 1 366.41 DIABETIC CATARACT	Ratio: 1:5
• ICD-10: E08.36 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH DIABETIC CATARACT • ICD-10: E09.36 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH DIABETIC CATARACT • ICD-10: E10.36 - TYPE 1 DIABETES MELLITUS WITH DIABETIC CATARACT • ICD-10: E11.36 - TYPE 2 DIABETES MELLITUS WITH DIABETIC CATARACT • ICD-10: E13.36 - OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC CATARACT	
Claims: 1 715.30 OSTEOARTHROSIS, LOCALIZED, NOT SPECIFIED WHETHER PRIMARY OR SECONDARY SITE UNSPECIFIED	Ratio: 1:1
• ICD-10: M19.90 - UNSPECIFIED OSTEOARTHRITIS, UNSPECIFIED SITE	
Claims: 1 600.00 HYPERTROPHY (BENIGN) OF PROSTATE WITHOUT URINARY OBSTRUCTION AND OTHER LOWER URINARY TRACT SYMPTOMS (LUTS)	Ratio: 1:1
ICD-10: N40.0 - ENLARGED PROSTATE WITHOUT LOWER URINARY TRACT SYMPTOMS	
Claims: 1 453.82 ACUTE VENOUS EMBOLISM AND THROMBOSIS OF DEEP VEINS OF UPPER EXTREMITY	Ratio: 1:4
ICD-10: 182.621 - ACUTE EMBOLISM AND THROMBOSIS OF DEEP VEINS OF RIGHT UPPER EXTREMITY ICD-10: 182.622 - ACUTE EMBOLISM AND THROMBOSIS OF DEEP VEINS OF LEFT UPPER EXTREMITY ICD-10: 182.632 - ACUTE EMBOLISM AND THROMBOSIS OF DEEP VEINS OF UPPER EXTREMITY, BILATERAL ICD-10: 182.629 - ACUTE EMBOLISM AND THROMBOSIS OF DEEP VEINS OF UNSPECIFIED UPPER EXTREMITY	
Claims: 1 783.40 LACK OF NORMAL PHYSIOLOGICAL DEVELOPMENT CHILD, UNSPECIFIED	Ratio: 1:2
• ICD-10: R62.50 - UNSPECIFIED LACK OF EXPECTED NORMAL PHYSIOLOGICAL DEVELOPMENT IN CHILDHOOD • ICD-10: R62.59 - OTHER LACK OF EXPECTED NORMAL PHYSIOLOGICAL DEVELOPMENT IN CHILDHOOD	
Claims: 1 145.4 MALIGNANT NEOPLASM OF UVULA	Ratio: 1:1 Exact
• ICD-10: C05.2 - MALIGNANT NEOPLASM OF UVULA	
Claims: 1 710.2 SICCA SYNDROME	Ratio: 1:6
ICD-10: M35.00 - SICCA SYNDROME, UNSPECIFIED ICD-10: M35.01 - SICCA SYNDROME WITH KERATOCONJUNCTIVITIS ICD-10: M35.02 - SICCA SYNDROME WITH LUNG INVOLVEMENT ICD-10: M35.03 - SICCA SYNDROME WITH MYOPATHY ICD-10: M35.03 - SICCA SYNDROME WITH MYOPATHY ICD-10: M35.09 - SICCA SYNDROME WITH TUBULO-INTERSTITIAL NEPHROPATHY ICD-10: M35.09 - SICCA SYNDROME WITH OTHER ORGAN INVOLVEMENT	
Claims: 1 115.00 HISTOPLASMOSIS CAPSULATUM WITHOUT MENTION OF MANIFESTATION	Ratio: 1:1
ICD-10: B39.4 - HISTOPLASMOSIS CAPSULATI, UNSPECIFIED	
Claims: 1 238.72 MYELODYSPLASTIC SYNDROME, LOW GRADE LESIONS	Ratio: 1:7
ICD-10: D46.0 - REFRACTORY ANEMIA WITHOUT RING SIDEROBLASTS, SO STATED ICD-10: D46.1 - REFRACTORY ANEMIA WITH RING SIDEROBLASTS ICD-10: D46.20 - REFRACTORY ANEMIA WITH EXCESS OF BLASTS, UNSPECIFIED ICD-10: D46.21 - REFRACTORY ANEMIA WITH EXCESS OF BLASTS 1 ICD-10: D46.4 - REFRACTORY ANEMIA WISPECIFIED ICD-10: D46.4 - REFRACTORY ANEMIA, UNSPECIFIED ICD-10: D46.6 - REFRACTORY CYTOPENIA WITH MULTILINEAGE DYSPLASIA ICD-10: D46.8 - REFRACTORY CYTOPENIA WITH MULTILINEAGE DYSPLASIA AND RING SIDEROBLASTS	
Claims: 1 719.55 STIFFNESS OF JOINT, NOT ELSEWHERE CLASSIFIED PELVIC REGION AND THIGH	Ratio: 1:3
ICD-10: M25.651 - STIFFNESS OF RIGHT HIP, NOT ELSEWHERE CLASSIFIED ICD-10: M25.652 - STIFFNESS OF LEFT HIP, NOT ELSEWHERE CLASSIFIED ICD-10: M25.659 - STIFFNESS OF UNSPECIFIED HIP, NOT ELSEWHERE CLASSIFIED	
Claims: 1 275.2 DISORDERS OF MAGNESIUM METABOLISM	Ratio: 1:4
ICD-10: E83.40 - DISORDERS OF MAGNESIUM METABOLISM, UNSPECIFIED ICD-10: E83.41 - HYPERMAGNESEMIA ICD-10: E83.42 - HYPOMAGNESEMIA ICD-10: E83.49 - OTHER DISORDERS OF MAGNESIUM METABOLISM	
Claims: 1 716.95 ARTHROPATHY, UNSPECIFIED PELVIC REGION AND THIGH	Ratio: 1:1
• ICD-10: M12.9 - ARTHROPATHY, UNSPECIFIED	
Claims: 1 802.32 FRACTURE OF MANDIBLE, OPEN SUBCONDYLAR	Ratio: 1:1
• ICD-10: S02.62XB - FRACTURE OF SUBCONDYLAR PROCESS OF MANDIBLE, INITIAL ENCOUNTER FOR OPEN FRACTURE	

Claims: 1 780.61 FEVER PRESENTING WITH CONDITIONS CLASSIFIED ELSEWHERE	Ratio: 1:1 Exact
ICD-10: R50.81 - FEVER PRESENTING WITH CONDITIONS CLASSIFIED ELSEWHERE	
Claims: 1 682.3 CELLULITIS AND ABSCESS UPPER ARM AND FOREARM	Ratio: 1:15
ICD-10: L02.411 - CUTANEOUS ABSCESS OF RIGHT AXILLA ICD-10: L02.412 - CUTANEOUS ABSCESS OF LEFT AXILLA ICD-10: L02.413 - CUTANEOUS ABSCESS OF LEFT AXILLA ICD-10: L02.414 - CUTANEOUS ABSCESS OF LIMB ICD-10: L02.419 - CUTANEOUS ABSCESS OF LIMB, UNSPECIFIED ICD-10: L03.111 - CELLULITIS OF RIGHT AXILLA ICD-10: L03.112 - CELLULITIS OF FIGHT AXILLA ICD-10: L03.113 - CELLULITIS OF RIGHT UPPER LIMB ICD-10: L03.114 - CELLULITIS OF RIGHT UPPER LIMB ICD-10: L03.119 - CELLULITIS OF RIGHT UPPER LIMB ICD-10: L03.119 - CELLULITIS OF RIGHT AXILLA ICD-10: L03.121 - ACUTE LYMPHANGITIS OF RIGHT AXILLA ICD-10: L03.122 - ACUTE LYMPHANGITIS OF RIGHT AXILLA ICD-10: L03.123 - ACUTE LYMPHANGITIS OF RIGHT LYBER LIMB ICD-10: L03.124 - ACUTE LYMPHANGITIS OF RIGHT LYBER LIMB ICD-10: L03.124 - ACUTE LYMPHANGITIS OF RIGHT LYBER LIMB ICD-10: L03.124 - ACUTE LYMPHANGITIS OF LEFT UPPER LIMB ICD-10: L03.124 - ACUTE LYMPHANGITIS OF LEFT UPPER LIMB ICD-10: L03.124 - ACUTE LYMPHANGITIS OF LEFT UPPER LIMB ICD-10: L03.125 - ACUTE LYMPHANGITIS OF LEFT UPPER LIMB	
Claims: 1 530.81 ESOPHAGEAL REFLUX	Ratio: 1:1 Exact
ICD-10: K21.9 - GASTRO-ESOPHAGEAL REFLUX DISEASE WITHOUT ESOPHAGITIS	
Claims: 1 535.30 ALCOHOLIC GASTRITIS WITHOUT MENTION OF HEMORRHAGE	Ratio: 1:1 Exact
• ICD-10: K29.20 - ALCOHOLIC GASTRITIS WITHOUT BLEEDING	
Claims: 1 515 POSTINFLAMMATORY PULMONARY FIBROSIS	Ratio: 1:3
 ICD-10: J84.10 - PULMONARY FIBROSIS, UNSPECIFIED ICD-10: J84.17 - OTHER INTERSTITIAL PULMONARY DISEASES WITH FIBROSIS IN DISEASES CLASSIFIED ELSEWHERE ICD-10: J84.89 - OTHER SPECIFIED INTERSTITIAL PULMONARY DISEASES 	
Claims: 1 823.81 FRACTURE OF FIBULA ALONE UNSPECIFIED PART, CLOSED	Ratio: 1:3
 ICD-10: S82.401A - UNSPECIFIED FRACTURE OF SHAFT OF RIGHT FIBULA, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S82.402A - UNSPECIFIED FRACTURE OF SHAFT OF LEFT FIBULA, INITIAL ENCOUNTER FOR CLOSED FRACTURE ICD-10: S82.409A - UNSPECIFIED FRACTURE OF SHAFT OF UNSPECIFIED FIBULA, INITIAL ENCOUNTER FOR CLOSED FRACTURE 	
Claims: 1 716.98 ARTHROPATHY, UNSPECIFIED OTHER SPECIFIED SITES	Ratio: 1:1
• ICD-10: M12.9 - ARTHROPATHY, UNSPECIFIED	
Claims: 1 298.9 PSYCHOSIS UNSPECIFIED	Ratio: 1:2
 ICD-10: F28 - OTHER PSYCHOTIC DISORDER NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION ICD-10: F29 - UNSPECIFIED PSYCHOSIS NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION 	
Claims: 1 721.0 CERVICAL SPONDYLOSIS WITHOUT MYELOPATHY	Ratio: 1:9
ICD-10: M47.21 - OTHER SPONDYLOSIS WITH RADICULOPATHY, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M47.22 - OTHER SPONDYLOSIS WITH RADICULOPATHY, CERVICAL REGION ICD-10: M47.23 - OTHER SPONDYLOSIS WITH RADICULOPATHY, CERVICATHORACIC REGION ICD-10: M47.811 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, CERVICAL REGION ICD-10: M47.812 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, CERVICAL REGION ICD-10: M47.813 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, CERVICAL REGION ICD-10: M47.891 - OTHER SPONDYLOSIS, CIPITO-ATLANTO-AXIAL REGION ICD-10: M47.892 - OTHER SPONDYLOSIS, CERVICAL REGION ICD-10: M47.893 - OTHER SPONDYLOSIS, CERVICAL REGION ICD-10: M47.893 - OTHER SPONDYLOSIS, CERVICOTHORACIC REGION	
Claims: 1 V15.84 PERSONAL HISTORY EXPOSURE TO ASBESTOS	Ratio: 1:1 Exact
ICD-10: Z77.090 - CONTACT WITH AND (SUSPECTED) EXPOSURE TO ASBESTOS	
Claims: 1 720.2 SACROILIITIS, NOT ELSEWHERE CLASSIFIED • ICD-10: M46.1 - SACROILIITIS, NOT ELSEWHERE CLASSIFIED	Ratio: 1:1 Exact
Claims: 1 157.8 MALIGNANT NEOPLASM OF PANCREAS OTHER SPECIFIED SITES	Ratio: 1:2
• ICD-10: C25.7 - MALIGNANT NEOPLASM OF OTHER PARTS OF PANCREAS • ICD-10: C25.8 - MALIGNANT NEOPLASM OF OVERLAPPING SITES OF PANCREAS	
Claims: 1 793.19 OTHER NONSPECIFIC ABNORMAL FINDING OF LUNG FIELD	Ratio: 1:1 Exact
ICD-10: R91.8 - OTHER NONSPECIFIC ABNORMAL FINDING OF LUNG FIELD	
Claims: 1 355.5 TARSAL TUNNEL SYNDROME	Ratio: 1:3
 ICD-10: G57.50 - TARSAL TUNNEL SYNDROME, UNSPECIFIED LOWER LIMB ICD-10: G57.51 - TARSAL TUNNEL SYNDROME, RIGHT LOWER LIMB ICD-10: G57.52 - TARSAL TUNNEL SYNDROME, LEFT LOWER LIMB 	
Claims: 1 553.8 HERNIA OF OTHER SPECIFIED SITES	Ratio: 1:1 Exact
ICD-10: K45.8 - OTHER SPECIFIED ABDOMINAL HERNIA WITHOUT OBSTRUCTION OR GANGRENE	
Claims: 1 152.9 MALIGNANT NEOPLASM OF SMALL INTESTINE, UNSPECIFIED	Ratio: 1:1 Exact
ICD-10: C17.9 - MALIGNANT NEOPLASM OF SMALL INTESTINE, UNSPECIFIED	
Claims: 1 724.9 BACK DISORDERS OTHER UNSPECIFIED ICD-10: M43.20 - FUSION OF SPINE, SITE UNSPECIFIED ICD-10: M43.21 - FUSION OF SPINE, OCCIPITO-ATLANTO-AXIAL REGION ICD-10: M43.22 - FUSION OF SPINE, CERVICAL REGION ICD-10: M43.23 - FUSION OF SPINE, CERVICAL REGION ICD-10: M43.24 - FUSION OF SPINE, CHARLOR REGION ICD-10: M43.25 - FUSION OF SPINE, THORACCI REGION ICD-10: M43.26 - FUSION OF SPINE, THORACOLUMBAR REGION ICD-10: M43.27 - FUSION OF SPINE, LUMBAR REGION ICD-10: M43.27 - FUSION OF SPINE, LUMBAR REGION ICD-10: M43.28 - FUSION OF SPINE, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M43.28 - FUSION OF SPINE, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M43.89 - OTHER SPECIFIED DORSOPATHIES, SITE UNSPECIFIED ICD-10: M53.84 - OTHER SPECIFIED DORSOPATHIES, SITE UNSPECIFIED ICD-10: M53.85 - OTHER SPECIFIED DORSOPATHIES, THORACIC REGION ICD-10: M53.85 - OTHER SPECIFIED DORSOPATHIES, THORACIC REGION ICD-10: M53.85 - OTHER SPECIFIED DORSOPATHIES, THORACIC REGION ICD-10: M53.9 - DORSOPATHY, UNSPECIFIED	Ratio: 1:14

Claims: 1 753.6 ATRESIA AND STENOSIS OF URETHRA AND BLADDER NECK	Ratio: 1:5
ICD-10: Q64.2 - CONGENITAL POSTERIOR URETHRAL VALVES ICD-10: Q64.31 - CONGENITAL BLADDER NECK OBSTRUCTION	
• ICD-10: Q64.32 - CONGENITAL STRICTURE OF URETHRA • ICD-10: Q64.33 - CONGENITAL STRICTURE OF URETHRA • ICD-10: Q64.33 - CONGENITAL STRICTURE OF URINARY MEATUS	
• ICD-10: Q64.39 - OTHER ATRESIA AND STENOSIS OF URETHRA AND BLADDER NECK	
Claims: 1 736.09 ACQUIRED DEFORMITIES OF FOREARM, EXCLUDING FINGERS OTHER	Ratio: 1:3
ICD-10: M21.831 - OTHER SPECIFIED ACQUIRED DEFORMITIES OF RIGHT FOREARM ICD-10: M21.832 - OTHER SPECIFIED ACQUIRED DEFORMITIES OF LEFT FOREARM	
• ICD-10: M21.839 - OTHER SPECIFIED ACQUIRED DEFORMITIES OF UNSPECIFIED FOREARM	
Claims: 1 201.70 HODGKINS DISEASE LYMPHOCYTIC DEPLETION UNSPECIFIED SITE	Ratio: 1:2
• ICD-10: C81.30 - LYMPHOCYTE DEPLETED CLASSICAL HODGKIN LYMPHOMA, UNSPECIFIED SITE • ICD-10: C81.39 - LYMPHOCYTE DEPLETED CLASSICAL HODGKIN LYMPHOMA, EXTRANODAL AND SOLID ORGAN SITES	
Claims: 1 235.0 NEOPLASM OF UNCERTAIN BEHAVIOR OF MAJOR SALIVARY GLANDS	Ratio: 1:4
ICD-10: D37.030 - NEOPLASM OF UNCERTAIN BEHAVIOR OF THE PAROTID SALIVARY GLANDS ICD-10: D37.031 - NEOPLASM OF UNCERTAIN BEHAVIOR OF THE SUBLINGUAL SALIVARY GLANDS ICD-10: D37.032 - NEOPLASM OF UNCERTAIN BEHAVIOR OF THE SUBMANDIBULAR SALIVARY GLANDS ICD-10: D37.039 - NEOPLASM OF UNCERTAIN BEHAVIOR OF THE MAJOR SALIVARY GLANDS, UNSPECIFIED	
Claims: 1 386.12 VESTIBULAR NEURONITIS	Ratio: 1:4
ICD-10: H81.20 - VESTIBULAR NEURONITIS, UNSPECIFIED EAR ICD-10: H81.21 - VESTIBULAR NEURONITIS, RIGHT EAR	
• ICD-10: H81.22 - VESTIBULAR NEURONITIS, LEFT EAR • ICD-10: H81.23 - VESTIBULAR NEURONITIS, BLATERAL	
Claims: 1 996.89 COMPLICATIONS OF TRANSPLANTED ORGAN OTHER SPECIFIED	Ratio: 1:10
• ICD-10: T86.830 - BONE GRAFT REJECTION	Nauo. 1.10
• ICD-10: 186.831 - BONE GRAFT REJECTION • ICD-10: T86.831 - BONE GRAFT FAILURE • ICD-10: T86.832 - BONE GRAFT INFECTION	
• ICD-10: T86.838 - OTHER COMPLICATIONS OF BONE GRAFT • ICD-10: T86.839 - UNSPECIFIED COMPLICATION OF BONE GRAFT	
ICD-10: T86.890 - OTHER TRANSPLANTED TISSUE REJECTION ICD-10: T86.891 - OTHER TRANSPLANTED TISSUE FAILURE	
ICD-10: T86.892 - OTHER TRANSPLANTED TISSUE INFECTION ICD-10: T86.898 - OTHER COMPLICATIONS OF OTHER TRANSPLANTED TISSUE	
ICD-10: T86.899 - UNSPECIFIED COMPLICATION OF OTHER TRANSPLANTED TISSUE	
Claims: 1 721.90 SPONDYLOSIS OF UNSPECIFIED SITE WITHOUT MENTION OF MYELOPATHY	Ratio: 1:4
 ICD-10: M47.20 - OTHER SPONDYLOSIS WITH RADICULOPATHY, SITE UNSPECIFIED ICD-10: M47.819 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, SITE UNSPECIFIED 	
ICD-10: M47.899 - OTHER SPONDYLOSIS, SITE UNSPECIFIED ICD-10: M47.9 - SPONDYLOSIS, UNSPECIFIED	
Claims: 1 845.10 SPRAINS AND STRAINS OF FOOT UNSPECIFIED SITE	Ratio: 1:4
• ICD-10: S93.601A - UNSPECIFIED SPRAIN OF RIGHT FOOT, INITIAL ENCOUNTER	Nauo. 1.4
• ICD-10: \$93.602A - UNSPECIFIED SPRAIN OF LEFT FOOT, INITIAL ENCOUNTER • ICD-10: \$93.602A - UNSPECIFIED SPRAIN OF LEFT FOOT, INITIAL ENCOUNTER • ICD-10: \$93.609A - UNSPECIFIED SPRAIN OF UNSPECIFIED FOOT, INITIAL ENCOUNTER	
• ICD-10: S96.919A - STRAIN OF UNSPECIFIED MUSCLE AND TENDON AT ANKLE AND FOOT LEVEL, UNSPECIFIED FOOT, INITIAL ENCOUNTER	
Claims: 1 250.90 DIABETES WITH UNSPECIFIED COMPLICATION TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	Ratio: 1:2
 ICD-10: E11.8 - TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS ICD-10: E13.8 - OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED COMPLICATIONS 	
Claims: 1 599.84 DISORDERS OF URETHRA OTHER SPECIFIED	Ratio: 1:1
ICD-10: N36.8 - OTHER SPECIFIED DISORDERS OF URETHRA	
Claims: 1 682.7 CELLULITIS AND ABSCESS FOOT, EXCEPT TOES	Ratio: 1:9
• ICD-10: L02.611 - CUTANEOUS ABSCESS OF RIGHT FOOT	
• ICD-10: L02.612 - CUTANEOUS ABSCESS OF LEFT FOOT • ICD-10: L02.619 - CUTANEOUS ABSCESS OF UNSPECIFIED FOOT	
• ICD-10: L03.115 - CELLULITIS OF RIGHT LOWER LIMB • ICD-10: L03.116 - CELLULITIS OF LEFT LOWER LIMB	
ICD-10: L03.119 - CELLULITIS OF UNSPECIFIED PART OF LIMB ICD-10: L03.125 - ACUTE LYMPHANGITIS OF RIGHT LOWER LIMB	
• ICD-10: L03.126 - ACUTE LYMPHANGITIS OF LEFT LOWER LIMB • ICD-10: L03.129 - ACUTE LYMPHANGITIS OF UNSPECIFIED PART OF LIMB	
Claims: 1 729.89 MUSCULOSKELETAL SYMPTOMS REFERABLE TO LIMBS OTHER	Ratio: 1:1
ICD-10: R29.898 - OTHER SYMPTOMS AND SIGNS INVOLVING THE MUSCULOSKELETAL SYSTEM	
Claims: 1 750.0 TONGUE TIE	Ratio: 1:1 Exact
· ICD-10: Q38.1 - ANKYLOGLOSSIA	
Claims: 1 518.84 ACUTE AND CHRONIC RESPIRATORY FAILURE	Ratio: 1:3
• ICD-10: J96.20 - ACUTE AND CHRONIC RESPIRATORY FAILURE, UNSPECIFIED WHETHER WITH HYPOXIA OR HYPERCAPNIA	
• ICD-10: J96.21 - ACUTE AND CHRONIC RESPIRATORY FAILURE WITH HYPOXIA • ICD-10: J96.22 - ACUTE AND CHRONIC RESPIRATORY FAILURE WITH HYPERCAPNIA	
Claims: 1 478.5 DISEASES OF VOCAL CORDS OTHER	Ratio: 1:2
• ICD-10: J38.2 - NODULES OF VOCAL CORDS	
• ICD-10: J38.3 - OTHER DISEASES OF VOCAL CORDS	
Claims: 1 844.2 SPRAINS AND STRAINS OF CRUCIATE LIGAMENT OF KNEE	Ratio: 1:9
 ICD-10: S83.501A - SPRAIN OF UNSPECIFIED CRUCIATE LIGAMENT OF RIGHT KNEE, INITIAL ENCOUNTER ICD-10: S83.502A - SPRAIN OF UNSPECIFIED CRUCIATE LIGAMENT OF LEFT KNEE, INITIAL ENCOUNTER 	
 ICD-10: S83.509A - SPRAIN OF UNSPECIFIED CRUCIATE LIGAMENT OF UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: S83.511A - SPRAIN OF ANTERIOR CRUCIATE LIGAMENT OF RIGHT KNEE, INITIAL ENCOUNTER 	
 ICD-10: S83.512A - SPRAIN OF ANTERIOR CRUCIATE LIGAMENT OF LEFT KNEE, INITIAL ENCOUNTER ICD-10: S83.519A - SPRAIN OF ANTERIOR CRUCIATE LIGAMENT OF UNSPECIFIED KNEE, INITIAL ENCOUNTER 	
 ICD-10: S83.521A - SPRAIN OF POSTERIOR CRUCIATE LIGAMENT OF RIGHT KNEE, INITIAL ENCOUNTER ICD-10: S83.522A - SPRAIN OF POSTERIOR CRUCIATE LIGAMENT OF LEFT KNEE, INITIAL ENCOUNTER 	
* ICD-10. 303.322A - SERAIN OF POSTERIOR CROCIATE EIGAMENT OF LEFT RIVEE, INITIAL ENCOUNTER	

• ICD-10: S83.529A - SPRAIN OF POSTERIOR CRUCIATE LIGAMENT OF UNSPECIFIED KNEE. INITIAL ENCOUNTER Claims: 1 491.0 CHRONIC BRONCHITIS SIMPLE Ratio: 1:1 Exact · ICD-10: J41.0 - SIMPLE CHRONIC BRONCHITIS Claims: 1 V70.3 OTHER MEDICAL EXAMINATION FOR ADMINISTRATIVE PURPOSES Ratio: 1:7 ICD-10: Z02.0 - ENCOUNTER FOR EXAMINATION FOR ADMISSION TO EDUCATIONAL INSTITUTION
 ICD-10: Z02.2 - ENCOUNTER FOR EXAMINATION FOR ADMISSION TO RESIDENTIAL INSTITUTION
 ICD-10: Z02.4 - ENCOUNTER FOR EXAMINATION FOR DRIVING LICENSE
 ICD-10: Z02.5 - ENCOUNTER FOR EXAMINATION FOR PARTICIPATION IN SPORT
 ICD-10: Z02.6 - ENCOUNTER FOR EXAMINATION FOR INSURANCE PURPOSES
 ICD-10: Z02.82 - ENCOUNTER FOR ADOPTION SERVICES
 ICD-10: Z02.89 - ENCOUNTER FOR OTHER ADMINISTRATIVE EXAMINATIONS Claims: 1 747.81 CONGENITAL ANOMALIES OF CEREBROVASCULAR SYSTEM Ratio: 1:2 ICD-10: Q28.2 - ARTERIOVENOUS MALFORMATION OF CEREBRAL VESSELS
 ICD-10: Q28.3 - OTHER MALFORMATIONS OF CEREBRAL VESSELS MCHENAICAL COMPLICATION OF INTERNAL ORTHOPEDIC DEVICE, MECHANICAL LOOSENING OF Ratio: 1:6 PROSTHETIC JOINT ICD-10: T84.030A - MECHANICAL LOOSENING OF INTERNAL RIGHT HIP PROSTHETIC JOINT, INITIAL ENCOUNTER
 ICD-10: T84.031A - MECHANICAL LOOSENING OF INTERNAL LEFT HIP PROSTHETIC JOINT, INITIAL ENCOUNTER
 ICD-10: T84.032A - MECHANICAL LOOSENING OF INTERNAL RIGHT KNEE PROSTHETIC JOINT, INITIAL ENCOUNTER
 ICD-10: T84.033A - MECHANICAL LOOSENING OF INTERNAL LEFT KNEE PROSTHETIC JOINT, INITIAL ENCOUNTER
 ICD-10: T84.038A - MECHANICAL LOOSENING OF OTHER INTERNAL PROSTHETIC JOINT, INITIAL ENCOUNTER
 ICD-10: T84.039A - MECHANICAL LOOSENING OF UNSPECIFIED INTERNAL PROSTHETIC JOINT, INITIAL ENCOUNTER SUPERFICIAL FOREIGN BODY (SPLINTER) WITHOUT MAJOR OPEN WOUND, INFECTED Ratio: 1:2 Combo ICD-10: S60.359A - SUPERFICIAL FOREIGN BODY OF UNSPECIFIED THUMB, INITIAL ENCOUNTER ICD-10: L08.89 - OTHER SPECIFIED LOCAL INFECTIONS OF THE SKIN AND SUBCUTANEOUS TISSUE ICD-10: S60.459A - SUPERFICIAL FOREIGN BODY OF UNSPECIFIED FINGER, INITIAL ENCOUNTER L08.89 - OTHER SPECIFIED LOCAL INFECTIONS OF THE SKIN AND SUBCUTANEOUS TISSUE V10.90 PERSONAL HISTORY OF UNSPECIFIED MALIGNANT NEOPLASM Ratio: 1:1 Exact Claims: 1 · ICD-10: Z85.9 - PERSONAL HISTORY OF MALIGNANT NEOPLASM, UNSPECIFIED Claims: 1 203.10 PLASMA CELL LEUKEMIA WITHOUT MENTION OF REMISSION Ratio: 1:1 Exact · ICD-10: C90.10 - PLASMA CELL LEUKEMIA NOT HAVING ACHIEVED REMISSION 789.40 ABDOMINAL RIGIDITY UNSPECIFIED SITE Ratio: 1:1 · ICD-10: R19.30 - ABDOMINAL RIGIDITY, UNSPECIFIED SITE 562.10 DIVERTICULOSIS OF COLON (WITHOUT MENTION OF HEMORRHAGE) Ratio: 1:3 ICD-10: K57.30 - DIVERTICULOSIS OF LARGE INTESTINE WITHOUT PERFORATION OR ABSCESS WITHOUT BLEEDING
 ICD-10: K57.50 - DIVERTICULOSIS OF BOTH SMALL AND LARGE INTESTINE WITHOUT PERFORATION OR ABSCESS WITHOUT BLEEDING
 ICD-10: K57.90 - DIVERTICULOSIS OF INTESTINE, PART UNSPECIFIED, WITHOUT PERFORATION OR ABSCESS WITHOUT BLEEDING 701.9 HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN UNSPECIFIED Ratio: 1:5 ICD-10: L85.9 - EPIDERMAL THICKENING, UNSPECIFIED ICD-10: L83-9 - EPIDERMAL I HICKENING, UNSPECIFIED
 ICD-10: L87-9 - TRANSEPIDERMAL ELIMINATION DISORDER, UNSPECIFIED
 ICD-10: L90.9 - ATROPHIC DISORDER OF SKIN, UNSPECIFIED
 ICD-10: L91.9 - HYPETROPHIC DISORDER OF THE SKIN, UNSPECIFIED
 ICD-10: L94.9 - LOCALIZED CONNECTIVE TISSUE DISORDER, UNSPECIFIED 389.00 CONDUCTIVE HEARING LOSS, UNSPECIFIED Ratio: 1:1 · ICD-10: H90.2 - CONDUCTIVE HEARING LOSS, UNSPECIFIED Claims: 1 846.0 SPRAINS AND STRAINS OF LUMBOSACRAL (JOINT) (LIGAMENT) Ratio: 1:1 • ICD-10: S33.8XXA - SPRAIN OF OTHER PARTS OF LUMBAR SPINE AND PELVIS, INITIAL ENCOUNTER 836.0 TEAR OF MEDIAL CARTILAGE OR MENISCUS OF KNEE, CURRENT Claims: 1 Ratio: 1:12 ICD-10: \$83.211A - BUCKET-HANDLE TEAR OF MEDIAL MENISCUS, CURRENT INJURY, RIGHT KNEE, INITIAL ENCOUNTER ICD-10: \$83.219A - BUCKET-HANDLE TEAR OF MEDIAL MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: \$83.219A - BUCKET-HANDLE TEAR OF MEDIAL MENISCUS, CURRENT INJURY, LINSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.221A - PERIPHERAL TEAR OF MEDIAL MENISCUS, CURRENT INJURY, RIGHT KNEE, INITIAL ENCOUNTER ICD-10: \$83.229A - PERIPHERAL TEAR OF MEDIAL MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: \$83.229A - PERIPHERAL TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.231A - COMPLEX TEAR OF MEDIAL MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: \$83.239A - COMPLEX TEAR OF MEDIAL MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: \$83.239A - COMPLEX TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.241A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.242A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, LEFT KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER ICD-10: \$83.249A - OTHER TEAR OF MEDIAL MENISCUS, CURRENT INJURY, UNSPECIFIED KNEE, INITIAL ENCOUNTER Claims: 1 595.2 OTHER CHRONIC CYSTITIS Ratio: 1:2 • ICD-10: N30.20 - OTHER CHRONIC CYSTITIS WITHOUT HEMATURIA
• ICD-10: N30.21 - OTHER CHRONIC CYSTITIS WITH HEMATURIA 807.01 FRACTURE OF RIB(S), CLOSED, ONE RIB Ratio: 1:3 ICD-10: S22.31XA - FRACTURE OF ONE RIB, RIGHT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
 ICD-10: S22.32XA - FRACTURE OF ONE RIB, LEFT SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE
 ICD-10: S22.39XA - FRACTURE OF ONE RIB, UNSPECIFIED SIDE, INITIAL ENCOUNTER FOR CLOSED FRACTURE 892.1 OPEN WOUND OF FOOT EXCEPT TOE(S) ALONE COMPLICATED Ratio: 1:6 ICD-10: S91.321A - LACERATION WITH FOREIGN BODY, RIGHT FOOT, INITIAL ENCOUNTER ICD-10: S91.322A - LACERATION WITH FOREIGN BODY, LEFT FOOT, INITIAL ENCOUNTER ICD-10: S91.329A - LACERATION WITH FOREIGN BODY, UNSPECIFIED FOOT, INITIAL ENCOUNTER ICD-10: S91.341A - PUNCTURE WOUND WITH FOREIGN BODY, RIGHT FOOT, INITIAL ENCOUNTER ICD-10: S91.342A - PUNCTURE WOUND WITH FOREIGN BODY, LEFT FOOT, INITIAL ENCOUNTER ICD-10: S91.349A - PUNCTURE WOUND WITH FOREIGN BODY, UNSPECIFIED FOOT, INITIAL ENCOUNTER

Ratio: 1:1 Exact

Claims: 1	550.92 INGUINAL HERNIA, WITHOUT MENTION OF OBSTRUCTION OR GANGRENE BILATERAL (NOT SPECIFIED AS RECURRENT)	Ratio: 1:1 Exact
• ICD-10:	K40.20 - BILATERAL INGUINAL HERNIA, WITHOUT OBSTRUCTION OR GANGRENE, NOT SPECIFIED AS RECURRENT	
Claims: 1	738.3 ACQUIRED DEFORMITY OF CHEST AND RIB	Ratio: 1:3
• ICD-10:	M95.4 - ACQUIRED DEFORMITY OF CHEST AND RIB M99.82 - OTHER BIOMECHANICAL LESIONS OF THORACIC REGION M99.88 - OTHER BIOMECHANICAL LESIONS OF RIB CAGE	
Claims: 1	161.1 MALIGNANT NEOPLASM OF SUPRAGLOTTIS	Ratio: 1:1 Exact
• ICD-10:	C32.1 - MALIGNANT NEOPLASM OF SUPRAGLOTTIS	

ICD-10: J93.11 - PRIMARY SPONTANEOUS PNEUMOTHORAX

512.81 PRIMARY SPONTANEOUS PNEUMOTHORAX

Claims: 1