


### ICD-10 Code Analysis Report Ophthalmology Consultant

Filing Date Range: 5/1/14 to 5/1/15



Ratio	ICD-9 Codes	Percentage
1:4	84	45.4%
1:1 Exact	33	17.8%
1:3	14	7.6%
1:7	13	7%
1:1	12	6.5%
1:2	9	4.9%
1:20	7	3.8%
1:5	6	3.2%
1:25	1	0.5%
1:24	1	0.5%
1:18	1	0.5%
1:15	1	0.5%
1:12	1	0.5%
1:10	1	0.5%
1:8	1	0.5%
<b>Total:</b>	<b>185</b>	<b>100%</b>

#### ICD-9 List Ordered By Claim Volume

Claims: 1679	362.60	PERIPHERAL RETINAL DEGENERATION, UNSPECIFIED	Ratio: 1:1 Exact
<ul style="list-style-type: none"> <li>• ICD-10: H35.40 - UNSPECIFIED PERIPHERAL RETINAL DEGENERATION</li> </ul>			
Claims: 488	377.14	GLAUCOMATOUS ATROPHY [CUPPING] OF OPTIC DISC	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H47.231 - GLAUCOMATOUS OPTIC ATROPHY, RIGHT EYE</li> <li>• ICD-10: H47.232 - GLAUCOMATOUS OPTIC ATROPHY, LEFT EYE</li> <li>• ICD-10: H47.233 - GLAUCOMATOUS OPTIC ATROPHY, BILATERAL</li> <li>• ICD-10: H47.239 - GLAUCOMATOUS OPTIC ATROPHY, UNSPECIFIED EYE</li> </ul>			
Claims: 389	377.10	OPTIC ATROPHY, UNSPECIFIED	Ratio: 1:1 Exact
<ul style="list-style-type: none"> <li>• ICD-10: H47.20 - UNSPECIFIED OPTIC ATROPHY</li> </ul>			
Claims: 315	375.15	TEAR FILM INSUFFICIENCY, UNSPECIFIED	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H04.121 - DRY EYE SYNDROME OF RIGHT LACRIMAL GLAND</li> <li>• ICD-10: H04.122 - DRY EYE SYNDROME OF LEFT LACRIMAL GLAND</li> <li>• ICD-10: H04.123 - DRY EYE SYNDROME OF BILATERAL LACRIMAL GLANDS</li> <li>• ICD-10: H04.129 - DRY EYE SYNDROME OF UNSPECIFIED LACRIMAL GLAND</li> </ul>			
Claims: 276	362.51	NONEXUDATIVE SENILE MACULAR DEGENERATION	Ratio: 1:1 Exact
<ul style="list-style-type: none"> <li>• ICD-10: H35.31 - NONEXUDATIVE AGE-RELATED MACULAR DEGENERATION</li> </ul>			
Claims: 241	362.57	DRUSEN (DEGENERATIVE)	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H35.361 - DRUSEN (DEGENERATIVE) OF MACULA, RIGHT EYE</li> <li>• ICD-10: H35.362 - DRUSEN (DEGENERATIVE) OF MACULA, LEFT EYE</li> <li>• ICD-10: H35.363 - DRUSEN (DEGENERATIVE) OF MACULA, BILATERAL</li> <li>• ICD-10: H35.369 - DRUSEN (DEGENERATIVE) OF MACULA, UNSPECIFIED EYE</li> </ul>			
Claims: 199	373.12	HORDEOLUM INTERNUM	Ratio: 1:7
<ul style="list-style-type: none"> <li>• ICD-10: H00.021 - HORDEOLUM INTERNUM RIGHT UPPER EYELID</li> <li>• ICD-10: H00.022 - HORDEOLUM INTERNUM RIGHT LOWER EYELID</li> <li>• ICD-10: H00.023 - HORDEOLUM INTERNUM RIGHT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H00.024 - HORDEOLUM INTERNUM LEFT UPPER EYELID</li> <li>• ICD-10: H00.025 - HORDEOLUM INTERNUM LEFT LOWER EYELID</li> <li>• ICD-10: H00.026 - HORDEOLUM INTERNUM LEFT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H00.029 - HORDEOLUM INTERNUM UNSPECIFIED EYE, UNSPECIFIED EYELID</li> </ul>			
Claims: 186	371.48	PERIPHERAL DEGENERATIONS OF CORNEA	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H18.461 - PERIPHERAL CORNEAL DEGENERATION, RIGHT EYE</li> <li>• ICD-10: H18.462 - PERIPHERAL CORNEAL DEGENERATION, LEFT EYE</li> <li>• ICD-10: H18.463 - PERIPHERAL CORNEAL DEGENERATION, BILATERAL</li> <li>• ICD-10: H18.469 - PERIPHERAL CORNEAL DEGENERATION, UNSPECIFIED EYE</li> </ul>			
Claims: 171	379.29	DISORDERS OF VITREOUS BODY OTHER	Ratio: 1:2
<ul style="list-style-type: none"> <li>• ICD-10: H43.89 - OTHER DISORDERS OF VITREOUS BODY</li> <li>• ICD-10: H43.9 - UNSPECIFIED DISORDER OF VITREOUS BODY</li> </ul>			
Claims: 167	366.18	HYPERMATURE CATARACT	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H25.20 - AGE-RELATED CATARACT, MORGAGNIAN TYPE, UNSPECIFIED EYE</li> <li>• ICD-10: H25.21 - AGE-RELATED CATARACT, MORGAGNIAN TYPE, RIGHT EYE</li> <li>• ICD-10: H25.22 - AGE-RELATED CATARACT, MORGAGNIAN TYPE, LEFT EYE</li> <li>• ICD-10: H25.23 - AGE-RELATED CATARACT, MORGAGNIAN TYPE, BILATERAL</li> </ul>			
Claims: 167	364.75	PUPILLARY ABNORMALITIES	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H21.561 - PUPILLARY ABNORMALITY, RIGHT EYE</li> </ul>			

- ICD-10: H21.562 - PUPILLARY ABNORMALITY, LEFT EYE
- ICD-10: H21.563 - PUPILLARY ABNORMALITY, BILATERAL
- ICD-10: H21.569 - PUPILLARY ABNORMALITY, UNSPECIFIED EYE

Claims: 163      365.01 OPEN ANGLE WITH BORDERLINE FINDINGS      Ratio: 1:4

- ICD-10: H40.011 - OPEN ANGLE WITH BORDERLINE FINDINGS, LOW RISK, RIGHT EYE
- ICD-10: H40.012 - OPEN ANGLE WITH BORDERLINE FINDINGS, LOW RISK, LEFT EYE
- ICD-10: H40.013 - OPEN ANGLE WITH BORDERLINE FINDINGS, LOW RISK, BILATERAL
- ICD-10: H40.019 - OPEN ANGLE WITH BORDERLINE FINDINGS, LOW RISK, UNSPECIFIED EYE

Claims: 155      365.04 OCULAR HYPERTENSION      Ratio: 1:4

- ICD-10: H40.051 - OCULAR HYPERTENSION, RIGHT EYE
- ICD-10: H40.052 - OCULAR HYPERTENSION, LEFT EYE
- ICD-10: H40.053 - OCULAR HYPERTENSION, BILATERAL
- ICD-10: H40.059 - OCULAR HYPERTENSION, UNSPECIFIED EYE

Claims: 154      372.11 SIMPLE CHRONIC CONJUNCTIVITIS      Ratio: 1:4

- ICD-10: H10.421 - SIMPLE CHRONIC CONJUNCTIVITIS, RIGHT EYE
- ICD-10: H10.422 - SIMPLE CHRONIC CONJUNCTIVITIS, LEFT EYE
- ICD-10: H10.423 - SIMPLE CHRONIC CONJUNCTIVITIS, BILATERAL
- ICD-10: H10.429 - SIMPLE CHRONIC CONJUNCTIVITIS, UNSPECIFIED EYE

Claims: 132      362.56 MACULAR PUCKERING      Ratio: 1:4

- ICD-10: H35.371 - PUCKERING OF MACULA, RIGHT EYE
- ICD-10: H35.372 - PUCKERING OF MACULA, LEFT EYE
- ICD-10: H35.373 - PUCKERING OF MACULA, BILATERAL
- ICD-10: H35.379 - PUCKERING OF MACULA, UNSPECIFIED EYE

Claims: 127      362.70 HEREDITARY RETINAL DYSTROPHY, UNSPECIFIED      Ratio: 1:1 Exact

- ICD-10: H35.50 - UNSPECIFIED HEREDITARY RETINAL DYSTROPHY

Claims: 127      379.91 PAIN IN OR AROUND EYE      Ratio: 1:4

- ICD-10: H57.10 - OCULAR PAIN, UNSPECIFIED EYE
- ICD-10: H57.11 - OCULAR PAIN, RIGHT EYE
- ICD-10: H57.12 - OCULAR PAIN, LEFT EYE
- ICD-10: H57.13 - OCULAR PAIN, BILATERAL

Claims: 121      379.21 VITREOUS DEGENERATION      Ratio: 1:4

- ICD-10: H43.811 - VITREOUS DEGENERATION, RIGHT EYE
- ICD-10: H43.812 - VITREOUS DEGENERATION, LEFT EYE
- ICD-10: H43.813 - VITREOUS DEGENERATION, BILATERAL
- ICD-10: H43.819 - VITREOUS DEGENERATION, UNSPECIFIED EYE

Claims: 107      362.01 BACKGROUND DIABETIC RETINOPATHY      Ratio: 1:18

- ICD-10: E08.311 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E08.319 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E08.331 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E08.339 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E08.341 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E08.349 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E09.311 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E09.319 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E09.331 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E09.339 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E09.341 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E09.349 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E10.311 - TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E10.319 - TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E11.311 - TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E11.319 - TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E13.311 - OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E13.319 - OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA

Claims: 106      363.32 OTHER MACULAR SCARS OF RETINA      Ratio: 1:4

- ICD-10: H31.011 - MACULA SCARS OF POSTERIOR POLE (POSTINFLAMMATORY) (POST-TRAUMATIC), RIGHT EYE
- ICD-10: H31.012 - MACULA SCARS OF POSTERIOR POLE (POSTINFLAMMATORY) (POST-TRAUMATIC), LEFT EYE
- ICD-10: H31.013 - MACULA SCARS OF POSTERIOR POLE (POSTINFLAMMATORY) (POST-TRAUMATIC), BILATERAL
- ICD-10: H31.019 - MACULA SCARS OF POSTERIOR POLE (POSTINFLAMMATORY) (POST-TRAUMATIC), UNSPECIFIED EYE

Claims: 99      362.81 RETINAL HEMORRHAGE      Ratio: 1:4

- ICD-10: H35.60 - RETINAL HEMORRHAGE, UNSPECIFIED EYE
- ICD-10: H35.61 - RETINAL HEMORRHAGE, RIGHT EYE
- ICD-10: H35.62 - RETINAL HEMORRHAGE, LEFT EYE
- ICD-10: H35.63 - RETINAL HEMORRHAGE, BILATERAL

Claims: 88      224.6 BENIGN NEOPLASM OF CHOROID      Ratio: 1:3

- ICD-10: D31.30 - BENIGN NEOPLASM OF UNSPECIFIED CHOROID
- ICD-10: D31.31 - BENIGN NEOPLASM OF RIGHT CHOROID
- ICD-10: D31.32 - BENIGN NEOPLASM OF LEFT CHOROID

Claims: 84      373.02 SQUAMOUS BLEPHARITIS      Ratio: 1:7

- ICD-10: H01.021 - SQUAMOUS BLEPHARITIS RIGHT UPPER EYELID
- ICD-10: H01.022 - SQUAMOUS BLEPHARITIS RIGHT LOWER EYELID
- ICD-10: H01.023 - SQUAMOUS BLEPHARITIS RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H01.024 - SQUAMOUS BLEPHARITIS LEFT UPPER EYELID
- ICD-10: H01.025 - SQUAMOUS BLEPHARITIS LEFT LOWER EYELID
- ICD-10: H01.026 - SQUAMOUS BLEPHARITIS LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H01.029 - SQUAMOUS BLEPHARITIS UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 75      365.10 OPEN-ANGLE GLAUCOMA, UNSPECIFIED      Ratio: 1:5

- ICD-10: H40.10X0 - UNSPECIFIED OPEN-ANGLE GLAUCOMA, STAGE UNSPECIFIED
- ICD-10: H40.10X1 - UNSPECIFIED OPEN-ANGLE GLAUCOMA, MILD STAGE
- ICD-10: H40.10X2 - UNSPECIFIED OPEN-ANGLE GLAUCOMA, MODERATE STAGE
- ICD-10: H40.10X3 - UNSPECIFIED OPEN-ANGLE GLAUCOMA, SEVERE STAGE
- ICD-10: H40.10X4 - UNSPECIFIED OPEN-ANGLE GLAUCOMA, INDETERMINATE STAGE

Claims: 63      377.13 OPTIC ATROPHY ASSOCIATED WITH RETINAL DYSTROPHIES      Ratio: 1:4

- ICD-10: H47.291 - OTHER OPTIC ATROPHY, RIGHT EYE

- ICD-10: H47.292 - OTHER OPTIC ATROPHY, LEFT EYE
- ICD-10: H47.293 - OTHER OPTIC ATROPHY, BILATERAL
- ICD-10: H47.299 - OTHER OPTIC ATROPHY, UNSPECIFIED EYE

Claims: 59      379.03    ANTERIOR SCLERITIS      Ratio: 1:4

- ICD-10: H15.011 - ANTERIOR SCLERITIS, RIGHT EYE
- ICD-10: H15.012 - ANTERIOR SCLERITIS, LEFT EYE
- ICD-10: H15.013 - ANTERIOR SCLERITIS, BILATERAL
- ICD-10: H15.019 - ANTERIOR SCLERITIS, UNSPECIFIED EYE

Claims: 59      362.54    MACULAR CYST, HOLE, OR PSEUDOHOLE      Ratio: 1:4

- ICD-10: H35.341 - MACULAR CYST, HOLE, OR PSEUDOHOLE, RIGHT EYE
- ICD-10: H35.342 - MACULAR CYST, HOLE, OR PSEUDOHOLE, LEFT EYE
- ICD-10: H35.343 - MACULAR CYST, HOLE, OR PSEUDOHOLE, BILATERAL
- ICD-10: H35.349 - MACULAR CYST, HOLE, OR PSEUDOHOLE, UNSPECIFIED EYE

Claims: 55      365.11    PRIMARY OPEN ANGLE GLAUCOMA      Ratio: 1:5

- ICD-10: H40.11X0 - PRIMARY OPEN-ANGLE GLAUCOMA, STAGE UNSPECIFIED
- ICD-10: H40.11X1 - PRIMARY OPEN-ANGLE GLAUCOMA, MILD STAGE
- ICD-10: H40.11X2 - PRIMARY OPEN-ANGLE GLAUCOMA, MODERATE STAGE
- ICD-10: H40.11X3 - PRIMARY OPEN-ANGLE GLAUCOMA, SEVERE STAGE
- ICD-10: H40.11X4 - PRIMARY OPEN-ANGLE GLAUCOMA, INDETERMINATE STAGE

Claims: 54      365.12    LOW TENSION OPEN-ANGLE GLAUCOMA      Ratio: 1:20

- ICD-10: H40.1210 - LOW-TENSION GLAUCOMA, RIGHT EYE, STAGE UNSPECIFIED
- ICD-10: H40.1211 - LOW-TENSION GLAUCOMA, RIGHT EYE, MILD STAGE
- ICD-10: H40.1212 - LOW-TENSION GLAUCOMA, RIGHT EYE, MODERATE STAGE
- ICD-10: H40.1213 - LOW-TENSION GLAUCOMA, RIGHT EYE, SEVERE STAGE
- ICD-10: H40.1214 - LOW-TENSION GLAUCOMA, RIGHT EYE, INDETERMINATE STAGE
- ICD-10: H40.1220 - LOW-TENSION GLAUCOMA, LEFT EYE, STAGE UNSPECIFIED
- ICD-10: H40.1221 - LOW-TENSION GLAUCOMA, LEFT EYE, MILD STAGE
- ICD-10: H40.1222 - LOW-TENSION GLAUCOMA, LEFT EYE, MODERATE STAGE
- ICD-10: H40.1223 - LOW-TENSION GLAUCOMA, LEFT EYE, SEVERE STAGE
- ICD-10: H40.1224 - LOW-TENSION GLAUCOMA, LEFT EYE, INDETERMINATE STAGE
- ICD-10: H40.1230 - LOW-TENSION GLAUCOMA, BILATERAL, STAGE UNSPECIFIED
- ICD-10: H40.1231 - LOW-TENSION GLAUCOMA, BILATERAL, MILD STAGE
- ICD-10: H40.1232 - LOW-TENSION GLAUCOMA, BILATERAL, MODERATE STAGE
- ICD-10: H40.1233 - LOW-TENSION GLAUCOMA, BILATERAL, SEVERE STAGE
- ICD-10: H40.1234 - LOW-TENSION GLAUCOMA, BILATERAL, INDETERMINATE STAGE
- ICD-10: H40.1290 - LOW-TENSION GLAUCOMA, UNSPECIFIED EYE, STAGE UNSPECIFIED
- ICD-10: H40.1291 - LOW-TENSION GLAUCOMA, UNSPECIFIED EYE, MILD STAGE
- ICD-10: H40.1292 - LOW-TENSION GLAUCOMA, UNSPECIFIED EYE, MODERATE STAGE
- ICD-10: H40.1293 - LOW-TENSION GLAUCOMA, UNSPECIFIED EYE, SEVERE STAGE
- ICD-10: H40.1294 - LOW-TENSION GLAUCOMA, UNSPECIFIED EYE, INDETERMINATE STAGE

Claims: 53      374.82    EDEMA OF EYELID      Ratio: 1:7

- ICD-10: H02.841 - EDEMA OF RIGHT UPPER EYELID
- ICD-10: H02.842 - EDEMA OF RIGHT LOWER EYELID
- ICD-10: H02.843 - EDEMA OF RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H02.844 - EDEMA OF LEFT UPPER EYELID
- ICD-10: H02.845 - EDEMA OF LEFT LOWER EYELID
- ICD-10: H02.846 - EDEMA OF LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H02.849 - EDEMA OF UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 53      371.70    CORNEAL DEFORMITY, UNSPECIFIED      Ratio: 1:5

- ICD-10: H18.70 - UNSPECIFIED CORNEAL DEFORMITY
- ICD-10: H18.791 - OTHER CORNEAL DEFORMITIES, RIGHT EYE
- ICD-10: H18.792 - OTHER CORNEAL DEFORMITIES, LEFT EYE
- ICD-10: H18.793 - OTHER CORNEAL DEFORMITIES, BILATERAL
- ICD-10: H18.799 - OTHER CORNEAL DEFORMITIES, UNSPECIFIED EYE

Claims: 53      930.0      FOREIGN BODY CORNEAL      Ratio: 1:3

- ICD-10: T15.00XA - FOREIGN BODY IN CORNEA, UNSPECIFIED EYE, INITIAL ENCOUNTER
- ICD-10: T15.01XA - FOREIGN BODY IN CORNEA, RIGHT EYE, INITIAL ENCOUNTER
- ICD-10: T15.02XA - FOREIGN BODY IN CORNEA, LEFT EYE, INITIAL ENCOUNTER

Claims: 46      379.25    VITREOUS MEMBRANES AND STRANDS      Ratio: 1:4

- ICD-10: H43.311 - VITREOUS MEMBRANES AND STRANDS, RIGHT EYE
- ICD-10: H43.312 - VITREOUS MEMBRANES AND STRANDS, LEFT EYE
- ICD-10: H43.313 - VITREOUS MEMBRANES AND STRANDS, BILATERAL
- ICD-10: H43.319 - VITREOUS MEMBRANES AND STRANDS, UNSPECIFIED EYE

Claims: 36      379.24    VITREOUS OPACITIES OTHER      Ratio: 1:4

- ICD-10: H43.391 - OTHER VITREOUS OPACITIES, RIGHT EYE
- ICD-10: H43.392 - OTHER VITREOUS OPACITIES, LEFT EYE
- ICD-10: H43.393 - OTHER VITREOUS OPACITIES, BILATERAL
- ICD-10: H43.399 - OTHER VITREOUS OPACITIES, UNSPECIFIED EYE

Claims: 36      372.75    CONJUNCTIVAL CYSTS      Ratio: 1:4

- ICD-10: H11.441 - CONJUNCTIVAL CYSTS, RIGHT EYE
- ICD-10: H11.442 - CONJUNCTIVAL CYSTS, LEFT EYE
- ICD-10: H11.443 - CONJUNCTIVAL CYSTS, BILATERAL
- ICD-10: H11.449 - CONJUNCTIVAL CYSTS, UNSPECIFIED EYE

Claims: 34      362.83    RETINAL EDEMA      Ratio: 1:1 Exact

- ICD-10: H35.81 - RETINAL EDEMA

Claims: 30      362.73    VITREORETINAL DYSTROPHIES      Ratio: 1:1 Exact

- ICD-10: H35.51 - VITREORETINAL DYSTROPHY

Claims: 28      370.21    PUNCTATE KERATITIS      Ratio: 1:4

- ICD-10: H16.141 - PUNCTATE KERATITIS, RIGHT EYE
- ICD-10: H16.142 - PUNCTATE KERATITIS, LEFT EYE
- ICD-10: H16.143 - PUNCTATE KERATITIS, BILATERAL
- ICD-10: H16.149 - PUNCTATE KERATITIS, UNSPECIFIED EYE

Claims: 27      374.05    TRICHIASIS WITHOUT ENTROPION      Ratio: 1:7

- ICD-10: H02.051 - TRICHIASIS WITHOUT ENTROPION RIGHT UPPER EYELID

- ICD-10: H02.052 - TRICHIASIS WITHOUT ENTROPIAN RIGHT LOWER EYELID
- ICD-10: H02.053 - TRICHIASIS WITHOUT ENTROPIAN RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H02.054 - TRICHIASIS WITHOUT ENTROPIAN LEFT UPPER EYELID
- ICD-10: H02.055 - TRICHIASIS WITHOUT ENTROPIAN LEFT LOWER EYELID
- ICD-10: H02.056 - TRICHIASIS WITHOUT ENTROPIAN LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H02.059 - TRICHIASIS WITHOUT ENTROPIAN UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 27 366.17 TOTAL OR MATURE CATARACT Ratio: 1:1

- ICD-10: H25.89 - OTHER AGE-RELATED CATARACT

Claims: 26 361.31 ROUND HOLE OF RETINA WITHOUT DETACHMENT Ratio: 1:4

- ICD-10: H33.321 - ROUND HOLE, RIGHT EYE
- ICD-10: H33.322 - ROUND HOLE, LEFT EYE
- ICD-10: H33.323 - ROUND HOLE, BILATERAL
- ICD-10: H33.329 - ROUND HOLE, UNSPECIFIED EYE

Claims: 26 364.02 RECURRENT IRIDOCYCLITIS Ratio: 1:4

- ICD-10: H20.021 - RECURRENT ACUTE IRIDOCYCLITIS, RIGHT EYE
- ICD-10: H20.022 - RECURRENT ACUTE IRIDOCYCLITIS, LEFT EYE
- ICD-10: H20.023 - RECURRENT ACUTE IRIDOCYCLITIS, BILATERAL
- ICD-10: H20.029 - RECURRENT ACUTE IRIDOCYCLITIS, UNSPECIFIED EYE

Claims: 25 373.13 ABSCESS OF EYELID Ratio: 1:7

- ICD-10: H00.031 - ABSCESS OF RIGHT UPPER EYELID
- ICD-10: H00.032 - ABSCESS OF RIGHT LOWER EYELID
- ICD-10: H00.033 - ABSCESS OF EYELID RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H00.034 - ABSCESS OF LEFT UPPER EYELID
- ICD-10: H00.035 - ABSCESS OF LEFT LOWER EYELID
- ICD-10: H00.036 - ABSCESS OF EYELID LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H00.039 - ABSCESS OF EYELID UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 25 372.61 GRANULOMA OF CONJUNCTIVA Ratio: 1:4

- ICD-10: H11.221 - CONJUNCTIVAL GRANULOMA, RIGHT EYE
- ICD-10: H11.222 - CONJUNCTIVAL GRANULOMA, LEFT EYE
- ICD-10: H11.223 - CONJUNCTIVAL GRANULOMA, BILATERAL
- ICD-10: H11.229 - CONJUNCTIVAL GRANULOMA, UNSPECIFIED

Claims: 24 375.22 EPIPHORA DUE TO INSUFFICIENT DRAINAGE Ratio: 1:4

- ICD-10: H04.221 - EPIPHORA DUE TO INSUFFICIENT DRAINAGE, RIGHT LACRIMAL GLAND
- ICD-10: H04.222 - EPIPHORA DUE TO INSUFFICIENT DRAINAGE, LEFT LACRIMAL GLAND
- ICD-10: H04.223 - EPIPHORA DUE TO INSUFFICIENT DRAINAGE, BILATERAL LACRIMAL GLANDS
- ICD-10: H04.229 - EPIPHORA DUE TO INSUFFICIENT DRAINAGE, UNSPECIFIED LACRIMAL GLAND

Claims: 24 368.10 SUBJECTIVE VISUAL DISTURBANCE, UNSPECIFIED Ratio: 1:2

- ICD-10: H53.10 - UNSPECIFIED SUBJECTIVE VISUAL DISTURBANCES
- ICD-10: H53.11 - DAY BLINDNESS

Claims: 22 372.54 CONJUNCTIVAL CONCRETIONS Ratio: 1:4

- ICD-10: H11.121 - CONJUNCTIVAL CONCRETIONS, RIGHT EYE
- ICD-10: H11.122 - CONJUNCTIVAL CONCRETIONS, LEFT EYE
- ICD-10: H11.123 - CONJUNCTIVAL CONCRETIONS, BILATERAL
- ICD-10: H11.129 - CONJUNCTIVAL CONCRETIONS, UNSPECIFIED EYE

Claims: 22 362.52 EXUDATIVE SENILE MACULAR DEGENERATION Ratio: 1:1 Exact

- ICD-10: H35.32 - EXUDATIVE AGE-RELATED MACULAR DEGENERATION

Claims: 20 363.34 PERIPHERAL SCARS OF RETINA Ratio: 1:4

- ICD-10: H31.091 - OTHER CHORIORETINAL SCARS, RIGHT EYE
- ICD-10: H31.092 - OTHER CHORIORETINAL SCARS, LEFT EYE
- ICD-10: H31.093 - OTHER CHORIORETINAL SCARS, BILATERAL
- ICD-10: H31.099 - OTHER CHORIORETINAL SCARS, UNSPECIFIED EYE

Claims: 18 743.59 CONGENITAL ANOMALIES OF POSTERIOR SEGMENT OTHER Ratio: 1:2

- ICD-10: Q14.8 - OTHER CONGENITAL MALFORMATIONS OF POSTERIOR SEGMENT OF EYE
- ICD-10: Q14.9 - CONGENITAL MALFORMATION OF POSTERIOR SEGMENT OF EYE, UNSPECIFIED

Claims: 17 365.60 GLAUCOMA ASSOCIATED WITH UNSPECIFIED OCULAR DISORDER Ratio: 1:20

- ICD-10: H40.50X0 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, UNSPECIFIED EYE, STAGE UNSPECIFIED
- ICD-10: H40.50X1 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, UNSPECIFIED EYE, MILD STAGE
- ICD-10: H40.50X2 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, UNSPECIFIED EYE, MODERATE STAGE
- ICD-10: H40.50X3 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, UNSPECIFIED EYE, SEVERE STAGE
- ICD-10: H40.50X4 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, UNSPECIFIED EYE, INDETERMINATE STAGE
- ICD-10: H40.51X0 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, RIGHT EYE, STAGE UNSPECIFIED
- ICD-10: H40.51X1 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, RIGHT EYE, MILD STAGE
- ICD-10: H40.51X2 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, RIGHT EYE, MODERATE STAGE
- ICD-10: H40.51X3 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, RIGHT EYE, SEVERE STAGE
- ICD-10: H40.51X4 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, RIGHT EYE, INDETERMINATE STAGE
- ICD-10: H40.52X0 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, LEFT EYE, STAGE UNSPECIFIED
- ICD-10: H40.52X1 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, LEFT EYE, MILD STAGE
- ICD-10: H40.52X2 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, LEFT EYE, MODERATE STAGE
- ICD-10: H40.52X3 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, LEFT EYE, SEVERE STAGE
- ICD-10: H40.52X4 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, LEFT EYE, INDETERMINATE STAGE
- ICD-10: H40.53X0 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, BILATERAL, STAGE UNSPECIFIED
- ICD-10: H40.53X1 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, BILATERAL, MILD STAGE
- ICD-10: H40.53X2 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, BILATERAL, MODERATE STAGE
- ICD-10: H40.53X3 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, BILATERAL, SEVERE STAGE
- ICD-10: H40.53X4 - GLAUCOMA SECONDARY TO OTHER EYE DISORDERS, BILATERAL, INDETERMINATE STAGE

Claims: 17 239.2 NEOPLASMS OF UNSPECIFIED NATURE BONE, SOFT TISSUE, AND SKIN Ratio: 1:1 Exact

- ICD-10: D49.2 - NEOPLASM OF UNSPECIFIED BEHAVIOR OF BONE, SOFT TISSUE, AND SKIN

Claims: 16 368.2 DIPLOPIA Ratio: 1:1 Exact

- ICD-10: H53.2 - DIPLOPIA

Claims: 15 364.21 FUCHS HETEROCHROMIC CYCLITIS Ratio: 1:4

- ICD-10: H20.811 - UCHS HETEROCHROMIC CYCLITIS, RIGHT EYE

- ICD-10: H20.812 - UCHS HETEROCHROMIC CYCLITIS, LEFT EYE
- ICD-10: H20.813 - UCHS HETEROCHROMIC CYCLITIS, BILATERAL
- ICD-10: H20.819 - UCHS HETEROCHROMIC CYCLITIS, UNSPECIFIED EYE

Claims: 15      375.56    STENOSIS OF NASOLACRIMAL DUCT, ACQUIRED      Ratio: 1:4

- ICD-10: H04.551 - ACQUIRED STENOSIS OF RIGHT NASOLACRIMAL DUCT
- ICD-10: H04.552 - ACQUIRED STENOSIS OF LEFT NASOLACRIMAL DUCT
- ICD-10: H04.553 - ACQUIRED STENOSIS OF BILATERAL NASOLACRIMAL DUCT
- ICD-10: H04.559 - ACQUIRED STENOSIS OF UNSPECIFIED NASOLACRIMAL DUCT

Claims: 15      365.03    BORDERLINE GLAUCOMA STEROID RESPONDERS      Ratio: 1:4

- ICD-10: H40.041 - STEROID RESPONDER, RIGHT EYE
- ICD-10: H40.042 - STEROID RESPONDER, LEFT EYE
- ICD-10: H40.043 - STEROID RESPONDER, BILATERAL
- ICD-10: H40.049 - STEROID RESPONDER, UNSPECIFIED EYE

Claims: 15      368.11    SUDDEN VISUAL LOSS      Ratio: 1:4

- ICD-10: H53.131 - SUDDEN VISUAL LOSS, RIGHT EYE
- ICD-10: H53.132 - SUDDEN VISUAL LOSS, LEFT EYE
- ICD-10: H53.133 - SUDDEN VISUAL LOSS, BILATERAL
- ICD-10: H53.139 - SUDDEN VISUAL LOSS, UNSPECIFIED EYE

Claims: 14      362.63    LATTICE DEGENERATION      Ratio: 1:4

- ICD-10: H35.411 - LATTICE DEGENERATION OF RETINA, RIGHT EYE
- ICD-10: H35.412 - LATTICE DEGENERATION OF RETINA, LEFT EYE
- ICD-10: H35.413 - LATTICE DEGENERATION OF RETINA, BILATERAL
- ICD-10: H35.419 - LATTICE DEGENERATION OF RETINA, UNSPECIFIED EYE

Claims: 13      360.42    BLIND HYPERTENSIVE EYE      Ratio: 1:4

- ICD-10: H44.511 - ABSOLUTE GLAUCOMA, RIGHT EYE
- ICD-10: H44.512 - ABSOLUTE GLAUCOMA, LEFT EYE
- ICD-10: H44.513 - ABSOLUTE GLAUCOMA, BILATERAL
- ICD-10: H44.519 - ABSOLUTE GLAUCOMA, UNSPECIFIED EYE

Claims: 12      373.01    ULCERATIVE BLEPHARITIS      Ratio: 1:7

- ICD-10: H01.011 - ULCERATIVE BLEPHARITIS RIGHT UPPER EYELID
- ICD-10: H01.012 - ULCERATIVE BLEPHARITIS RIGHT LOWER EYELID
- ICD-10: H01.013 - ULCERATIVE BLEPHARITIS RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H01.014 - ULCERATIVE BLEPHARITIS LEFT UPPER EYELID
- ICD-10: H01.015 - ULCERATIVE BLEPHARITIS LEFT LOWER EYELID
- ICD-10: H01.016 - ULCERATIVE BLEPHARITIS LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H01.019 - ULCERATIVE BLEPHARITIS UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 12      374.30    PTOSIS OF EYELID, UNSPECIFIED      Ratio: 1:4

- ICD-10: H02.401 - UNSPECIFIED PTOSIS OF RIGHT EYELID
- ICD-10: H02.402 - UNSPECIFIED PTOSIS OF LEFT EYELID
- ICD-10: H02.403 - UNSPECIFIED PTOSIS OF BILATERAL EYELIDS
- ICD-10: H02.409 - UNSPECIFIED PTOSIS OF UNSPECIFIED EYELID

Claims: 11      365.62    GLAUCOMA ASSOCIATED WITH OCULAR INFLAMMATIONS      Ratio: 1:20

- ICD-10: H40.40X0 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, UNSPECIFIED EYE, STAGE UNSPECIFIED
- ICD-10: H40.40X1 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, UNSPECIFIED EYE, MILD STAGE
- ICD-10: H40.40X2 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, UNSPECIFIED EYE, MODERATE STAGE
- ICD-10: H40.40X3 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, UNSPECIFIED EYE, SEVERE STAGE
- ICD-10: H40.40X4 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, UNSPECIFIED EYE, INDETERMINATE STAGE
- ICD-10: H40.41X0 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, RIGHT EYE, STAGE UNSPECIFIED
- ICD-10: H40.41X1 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, RIGHT EYE, MILD STAGE
- ICD-10: H40.41X2 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, RIGHT EYE, MODERATE STAGE
- ICD-10: H40.41X3 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, RIGHT EYE, SEVERE STAGE
- ICD-10: H40.41X4 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, RIGHT EYE, INDETERMINATE STAGE
- ICD-10: H40.42X0 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, LEFT EYE, STAGE UNSPECIFIED
- ICD-10: H40.42X1 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, LEFT EYE, MILD STAGE
- ICD-10: H40.42X2 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, LEFT EYE, MODERATE STAGE
- ICD-10: H40.42X3 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, LEFT EYE, SEVERE STAGE
- ICD-10: H40.42X4 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, LEFT EYE, INDETERMINATE STAGE
- ICD-10: H40.43X0 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, BILATERAL, STAGE UNSPECIFIED
- ICD-10: H40.43X1 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, BILATERAL, MILD STAGE
- ICD-10: H40.43X2 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, BILATERAL, MODERATE STAGE
- ICD-10: H40.43X3 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, BILATERAL, SEVERE STAGE
- ICD-10: H40.43X4 - GLAUCOMA SECONDARY TO EYE INFLAMMATION, BILATERAL, INDETERMINATE STAGE

Claims: 11      371.40    CORNEAL DEGENERATION, UNSPECIFIED      Ratio: 1:1 Exact

- ICD-10: H18.40 - UNSPECIFIED CORNEAL DEGENERATION

Claims: 11      370.61    LOCALIZED VASCULARIZATION OF CORNEA      Ratio: 1:4

- ICD-10: H16.431 - LOCALIZED VASCULARIZATION OF CORNEA, RIGHT EYE
- ICD-10: H16.432 - LOCALIZED VASCULARIZATION OF CORNEA, LEFT EYE
- ICD-10: H16.433 - LOCALIZED VASCULARIZATION OF CORNEA, BILATERAL
- ICD-10: H16.439 - LOCALIZED VASCULARIZATION OF CORNEA, UNSPECIFIED EYE

Claims: 11      379.02    NODULAR EPISCLERITIS      Ratio: 1:4

- ICD-10: H15.121 - NODULAR EPISCLERITIS, RIGHT EYE
- ICD-10: H15.122 - NODULAR EPISCLERITIS, LEFT EYE
- ICD-10: H15.123 - NODULAR EPISCLERITIS, BILATERAL
- ICD-10: H15.129 - NODULAR EPISCLERITIS, UNSPECIFIED EYE

Claims: 11      743.57    CONGENITAL ANOMALIES SPECIFIED OF OPTIC DISC      Ratio: 1:1

- ICD-10: Q14.2 - CONGENITAL MALFORMATION OF OPTIC DISC

Claims: 10      373.2    CHALAZION      Ratio: 1:7

- ICD-10: H00.11 - CHALAZION RIGHT UPPER EYELID
- ICD-10: H00.12 - CHALAZION RIGHT LOWER EYELID
- ICD-10: H00.13 - CHALAZION RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H00.14 - CHALAZION LEFT UPPER EYELID
- ICD-10: H00.15 - CHALAZION LEFT LOWER EYELID
- ICD-10: H00.16 - CHALAZION LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H00.19 - CHALAZION UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 10	921.3	CONTUSION OF EYEBALL	Ratio: 1:3
		<ul style="list-style-type: none"> <li>• ICD-10: S05.10XA - CONTUSION OF EYEBALL AND ORBITAL TISSUES, UNSPECIFIED EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.11XA - CONTUSION OF EYEBALL AND ORBITAL TISSUES, RIGHT EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.12XA - CONTUSION OF EYEBALL AND ORBITAL TISSUES, LEFT EYE, INITIAL ENCOUNTER</li> </ul>	
Claims: 10	372.72	CONJUNCTIVAL HEMORRHAGE	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H11.30 - CONJUNCTIVAL HEMORRHAGE, UNSPECIFIED EYE</li> <li>• ICD-10: H11.31 - CONJUNCTIVAL HEMORRHAGE, RIGHT EYE</li> <li>• ICD-10: H11.32 - CONJUNCTIVAL HEMORRHAGE, LEFT EYE</li> <li>• ICD-10: H11.33 - CONJUNCTIVAL HEMORRHAGE, BILATERAL</li> </ul>	
Claims: 10	368.8	VISUAL DISTURBANCES OTHER SPECIFIED	Ratio: 1:3
		<ul style="list-style-type: none"> <li>• ICD-10: H53.71 - GLARE SENSITIVITY</li> <li>• ICD-10: H53.72 - IMPAIRED CONTRAST SENSITIVITY</li> <li>• ICD-10: H53.8 - OTHER VISUAL DISTURBANCES</li> </ul>	
Claims: 9	379.92	SWELLING OR MASS OF EYE	Ratio: 1:1
		<ul style="list-style-type: none"> <li>• ICD-10: H57.8 - OTHER SPECIFIED DISORDERS OF EYE AND ADNEXA</li> </ul>	
Claims: 9	054.42	DENDRITIC KERATITIS	Ratio: 1:1
		<ul style="list-style-type: none"> <li>• ICD-10: B00.52 - HERPESVIRAL KERATITIS</li> </ul>	
Claims: 9	368.9	VISUAL DISTURBANCES UNSPECIFIED	Ratio: 1:1 Exact
		<ul style="list-style-type: none"> <li>• ICD-10: H53.9 - UNSPECIFIED VISUAL DISTURBANCE</li> </ul>	
Claims: 8	371.50	HEREDITARY CORNEAL DYSTROPHIES UNSPECIFIED	Ratio: 1:1 Exact
		<ul style="list-style-type: none"> <li>• ICD-10: H18.50 - UNSPECIFIED HEREDITARY CORNEAL DYSTROPHIES</li> </ul>	
Claims: 7	370.01	MARGINAL CORNEAL ULCER	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H16.041 - MARGINAL CORNEAL ULCER, RIGHT EYE</li> <li>• ICD-10: H16.042 - MARGINAL CORNEAL ULCER, LEFT EYE</li> <li>• ICD-10: H16.043 - MARGINAL CORNEAL ULCER, BILATERAL</li> <li>• ICD-10: H16.049 - MARGINAL CORNEAL ULCER, UNSPECIFIED EYE</li> </ul>	
Claims: 7	366.53	AFTER-CATARACT, OBSCURING VISION	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H26.491 - OTHER SECONDARY CATARACT, RIGHT EYE</li> <li>• ICD-10: H26.492 - OTHER SECONDARY CATARACT, LEFT EYE</li> <li>• ICD-10: H26.493 - OTHER SECONDARY CATARACT, BILATERAL</li> <li>• ICD-10: H26.499 - OTHER SECONDARY CATARACT, UNSPECIFIED EYE</li> </ul>	
Claims: 7	461.0	ACUTE SINUSITIS MAXILLARY	Ratio: 1:2
		<ul style="list-style-type: none"> <li>• ICD-10: J01.00 - ACUTE MAXILLARY SINUSITIS, UNSPECIFIED</li> <li>• ICD-10: J01.01 - ACUTE RECURRENT MAXILLARY SINUSITIS</li> </ul>	
Claims: 7	365.20	PRIMARY ANGLE-CLOSURE GLAUCOMA, UNSPECIFIED	Ratio: 1:5
		<ul style="list-style-type: none"> <li>• ICD-10: H40.20X0 - UNSPECIFIED PRIMARY ANGLE-CLOSURE GLAUCOMA, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.20X1 - UNSPECIFIED PRIMARY ANGLE-CLOSURE GLAUCOMA, MILD STAGE</li> <li>• ICD-10: H40.20X2 - UNSPECIFIED PRIMARY ANGLE-CLOSURE GLAUCOMA, MODERATE STAGE</li> <li>• ICD-10: H40.20X3 - UNSPECIFIED PRIMARY ANGLE-CLOSURE GLAUCOMA, SEVERE STAGE</li> <li>• ICD-10: H40.20X4 - UNSPECIFIED PRIMARY ANGLE-CLOSURE GLAUCOMA, INDETERMINATE STAGE</li> </ul>	
Claims: 7	372.50	CONJUNCTIVAL DEGENERATION, UNSPECIFIED	Ratio: 1:1 Exact
		<ul style="list-style-type: none"> <li>• ICD-10: H11.10 - UNSPECIFIED CONJUNCTIVAL DEGENERATIONS</li> </ul>	
Claims: 7	371.20	CORNEAL EDEMA, UNSPECIFIED	Ratio: 1:1 Exact
		<ul style="list-style-type: none"> <li>• ICD-10: H18.20 - UNSPECIFIED CORNEAL EDEMA</li> </ul>	
Claims: 7	366.16	SENILE NUCLEAR SCLEROSIS	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H25.10 - AGE-RELATED NUCLEAR CATARACT, UNSPECIFIED EYE</li> <li>• ICD-10: H25.11 - AGE-RELATED NUCLEAR CATARACT, RIGHT EYE</li> <li>• ICD-10: H25.12 - AGE-RELATED NUCLEAR CATARACT, LEFT EYE</li> <li>• ICD-10: H25.13 - AGE-RELATED NUCLEAR CATARACT, BILATERAL</li> </ul>	
Claims: 7	871.0	OCULAR LACERATION WITHOUT PROLAPSE OF INTRAOCULAR TISSUE	Ratio: 1:3
		<ul style="list-style-type: none"> <li>• ICD-10: S05.30XA - OCULAR LACERATION WITHOUT PROLAPSE OR LOSS OF INTRAOCULAR TISSUE, UNSPECIFIED EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.31XA - OCULAR LACERATION WITHOUT PROLAPSE OR LOSS OF INTRAOCULAR TISSUE, RIGHT EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.32XA - OCULAR LACERATION WITHOUT PROLAPSE OR LOSS OF INTRAOCULAR TISSUE, LEFT EYE, INITIAL ENCOUNTER</li> </ul>	
Claims: 7	362.82	RETINAL EXUDATES AND DEPOSITS	Ratio: 1:1
		<ul style="list-style-type: none"> <li>• ICD-10: H35.89 - OTHER SPECIFIED RETINAL DISORDERS</li> </ul>	
Claims: 7	077.3	OTHER ADENOVIRAL CONJUNCTIVITIS	Ratio: 1:1
		<ul style="list-style-type: none"> <li>• ICD-10: B30.1 - CONJUNCTIVITIS DUE TO ADENOVIRUS</li> </ul>	
Claims: 6	368.44	LOCALIZED VISUAL FIELD DEFECT OTHER	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H53.451 - OTHER LOCALIZED VISUAL FIELD DEFECT, RIGHT EYE</li> <li>• ICD-10: H53.452 - OTHER LOCALIZED VISUAL FIELD DEFECT, LEFT EYE</li> <li>• ICD-10: H53.453 - OTHER LOCALIZED VISUAL FIELD DEFECT, BILATERAL</li> <li>• ICD-10: H53.459 - OTHER LOCALIZED VISUAL FIELD DEFECT, UNSPECIFIED EYE</li> </ul>	
Claims: 6	364.53	PIGMENTARY IRIS DEGENERATION	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H21.231 - DEGENERATION OF IRIS (PIGMENTARY), RIGHT EYE</li> <li>• ICD-10: H21.232 - DEGENERATION OF IRIS (PIGMENTARY), LEFT EYE</li> <li>• ICD-10: H21.233 - DEGENERATION OF IRIS (PIGMENTARY), BILATERAL</li> <li>• ICD-10: H21.239 - DEGENERATION OF IRIS (PIGMENTARY), UNSPECIFIED EYE</li> </ul>	
Claims: 6	376.31	CONSTANT EXOPHTHALMOS	Ratio: 1:4
		<ul style="list-style-type: none"> <li>• ICD-10: H05.241 - CONSTANT EXOPHTHALMOS, RIGHT EYE</li> <li>• ICD-10: H05.242 - CONSTANT EXOPHTHALMOS, LEFT EYE</li> <li>• ICD-10: H05.243 - CONSTANT EXOPHTHALMOS, BILATERAL</li> </ul>	

- ICD-10: H05.249 - CONSTANT EXOPHTHALMOS, UNSPECIFIED EYE

Claims: 6      363.30 CHORIORETINAL SCAR, UNSPECIFIED      Ratio: 1:4

- ICD-10: H31.001 - UNSPECIFIED CHORIORETINAL SCARS, RIGHT EYE
- ICD-10: H31.002 - UNSPECIFIED CHORIORETINAL SCARS, LEFT EYE
- ICD-10: H31.003 - UNSPECIFIED CHORIORETINAL SCARS, BILATERAL
- ICD-10: H31.009 - UNSPECIFIED CHORIORETINAL SCARS, UNSPECIFIED EYE

Claims: 5      368.14 VISUAL DISTORTIONS OF SHAPE AND SIZE      Ratio: 1:1 Exact

- ICD-10: H53.15 - VISUAL DISTORTIONS OF SHAPE AND SIZE

Claims: 5      365.63 GLAUCOMA ASSOCIATED WITH VASCULAR DISORDERS      Ratio: 1:1

- ICD-10: H40.89 - OTHER SPECIFIED GLAUCOMA

Claims: 5      365.23 CHRONIC ANGLE-CLOSURE GLAUCOMA      Ratio: 1:20

- ICD-10: H40.2210 - CHRONIC ANGLE-CLOSURE GLAUCOMA, RIGHT EYE, STAGE UNSPECIFIED
- ICD-10: H40.2211 - CHRONIC ANGLE-CLOSURE GLAUCOMA, RIGHT EYE, MILD STAGE
- ICD-10: H40.2212 - CHRONIC ANGLE-CLOSURE GLAUCOMA, RIGHT EYE, MODERATE STAGE
- ICD-10: H40.2213 - CHRONIC ANGLE-CLOSURE GLAUCOMA, RIGHT EYE, SEVERE STAGE
- ICD-10: H40.2214 - CHRONIC ANGLE-CLOSURE GLAUCOMA, RIGHT EYE, INDETERMINATE STAGE
- ICD-10: H40.2220 - CHRONIC ANGLE-CLOSURE GLAUCOMA, LEFT EYE, STAGE UNSPECIFIED
- ICD-10: H40.2221 - CHRONIC ANGLE-CLOSURE GLAUCOMA, LEFT EYE, MILD STAGE
- ICD-10: H40.2222 - CHRONIC ANGLE-CLOSURE GLAUCOMA, LEFT EYE, MODERATE STAGE
- ICD-10: H40.2223 - CHRONIC ANGLE-CLOSURE GLAUCOMA, LEFT EYE, SEVERE STAGE
- ICD-10: H40.2224 - CHRONIC ANGLE-CLOSURE GLAUCOMA, LEFT EYE, INDETERMINATE STAGE
- ICD-10: H40.2230 - CHRONIC ANGLE-CLOSURE GLAUCOMA, BILATERAL, STAGE UNSPECIFIED
- ICD-10: H40.2231 - CHRONIC ANGLE-CLOSURE GLAUCOMA, BILATERAL, MILD STAGE
- ICD-10: H40.2232 - CHRONIC ANGLE-CLOSURE GLAUCOMA, BILATERAL, MODERATE STAGE
- ICD-10: H40.2233 - CHRONIC ANGLE-CLOSURE GLAUCOMA, BILATERAL, SEVERE STAGE
- ICD-10: H40.2234 - CHRONIC ANGLE-CLOSURE GLAUCOMA, BILATERAL, INDETERMINATE STAGE
- ICD-10: H40.2290 - CHRONIC ANGLE-CLOSURE GLAUCOMA, UNSPECIFIED EYE, STAGE UNSPECIFIED
- ICD-10: H40.2291 - CHRONIC ANGLE-CLOSURE GLAUCOMA, UNSPECIFIED EYE, MILD STAGE
- ICD-10: H40.2292 - CHRONIC ANGLE-CLOSURE GLAUCOMA, UNSPECIFIED EYE, MODERATE STAGE
- ICD-10: H40.2293 - CHRONIC ANGLE-CLOSURE GLAUCOMA, UNSPECIFIED EYE, SEVERE STAGE
- ICD-10: H40.2294 - CHRONIC ANGLE-CLOSURE GLAUCOMA, UNSPECIFIED EYE, INDETERMINATE STAGE

Claims: 5      370.60 CORNEAL NEOVASCULARIZATION, UNSPECIFIED      Ratio: 1:4

- ICD-10: H16.401 - UNSPECIFIED CORNEAL NEOVASCULARIZATION, RIGHT EYE
- ICD-10: H16.402 - UNSPECIFIED CORNEAL NEOVASCULARIZATION, LEFT EYE
- ICD-10: H16.403 - UNSPECIFIED CORNEAL NEOVASCULARIZATION, BILATERAL
- ICD-10: H16.409 - UNSPECIFIED CORNEAL NEOVASCULARIZATION, UNSPECIFIED EYE

Claims: 5      784.0 HEADACHE      Ratio: 1:2

- ICD-10: G44.1 - VASCULAR HEADACHE, NOT ELSEWHERE CLASSIFIED
- ICD-10: R51 - HEADACHE

Claims: 5      365.13 PIGMENTARY OPEN-ANGLE GLAUCOMA      Ratio: 1:20

- ICD-10: H40.1310 - PIGMENTARY GLAUCOMA, RIGHT EYE, STAGE UNSPECIFIED
- ICD-10: H40.1311 - PIGMENTARY GLAUCOMA, RIGHT EYE, MILD STAGE
- ICD-10: H40.1312 - PIGMENTARY GLAUCOMA, RIGHT EYE, MODERATE STAGE
- ICD-10: H40.1313 - PIGMENTARY GLAUCOMA, RIGHT EYE, SEVERE STAGE
- ICD-10: H40.1314 - PIGMENTARY GLAUCOMA, RIGHT EYE, INDETERMINATE STAGE
- ICD-10: H40.1320 - PIGMENTARY GLAUCOMA, LEFT EYE, STAGE UNSPECIFIED
- ICD-10: H40.1321 - PIGMENTARY GLAUCOMA, LEFT EYE, MILD STAGE
- ICD-10: H40.1322 - PIGMENTARY GLAUCOMA, LEFT EYE, MODERATE STAGE
- ICD-10: H40.1323 - PIGMENTARY GLAUCOMA, LEFT EYE, SEVERE STAGE
- ICD-10: H40.1324 - PIGMENTARY GLAUCOMA, LEFT EYE, INDETERMINATE STAGE
- ICD-10: H40.1330 - PIGMENTARY GLAUCOMA, BILATERAL, STAGE UNSPECIFIED
- ICD-10: H40.1331 - PIGMENTARY GLAUCOMA, BILATERAL, MILD STAGE
- ICD-10: H40.1332 - PIGMENTARY GLAUCOMA, BILATERAL, MODERATE STAGE
- ICD-10: H40.1333 - PIGMENTARY GLAUCOMA, BILATERAL, SEVERE STAGE
- ICD-10: H40.1334 - PIGMENTARY GLAUCOMA, BILATERAL, INDETERMINATE STAGE
- ICD-10: H40.1390 - PIGMENTARY GLAUCOMA, UNSPECIFIED EYE, STAGE UNSPECIFIED
- ICD-10: H40.1391 - PIGMENTARY GLAUCOMA, UNSPECIFIED EYE, MILD STAGE
- ICD-10: H40.1392 - PIGMENTARY GLAUCOMA, UNSPECIFIED EYE, MODERATE STAGE
- ICD-10: H40.1393 - PIGMENTARY GLAUCOMA, UNSPECIFIED EYE, SEVERE STAGE
- ICD-10: H40.1394 - PIGMENTARY GLAUCOMA, UNSPECIFIED EYE, INDETERMINATE STAGE

Claims: 5      372.05 ACUTE ATOPIC CONJUNCTIVITIS      Ratio: 1:4

- ICD-10: H10.10 - ACUTE ATOPIC CONJUNCTIVITIS, UNSPECIFIED EYE
- ICD-10: H10.11 - ACUTE ATOPIC CONJUNCTIVITIS, RIGHT EYE
- ICD-10: H10.12 - ACUTE ATOPIC CONJUNCTIVITIS, LEFT EYE
- ICD-10: H10.13 - ACUTE ATOPIC CONJUNCTIVITIS, BILATERAL

Claims: 5      364.04 SECONDARY IRIDOCYCLITIS, NONINFECTIOUS      Ratio: 1:4

- ICD-10: H20.041 - SECONDARY NONINFECTIOUS IRIDOCYCLITIS, RIGHT EYE
- ICD-10: H20.042 - SECONDARY NONINFECTIOUS IRIDOCYCLITIS, LEFT EYE
- ICD-10: H20.043 - SECONDARY NONINFECTIOUS IRIDOCYCLITIS, BILATERAL
- ICD-10: H20.049 - SECONDARY NONINFECTIOUS IRIDOCYCLITIS, UNSPECIFIED EYE

Claims: 4      918.1 SUPERFICIAL INJURY OF CORNEA      Ratio: 1:3

- ICD-10: S05.00XA - INJURY OF CONJUNCTIVA AND CORNEAL ABRASION WITHOUT FOREIGN BODY, UNSPECIFIED EYE, INITIAL ENCOUNTER
- ICD-10: S05.01XA - INJURY OF CONJUNCTIVA AND CORNEAL ABRASION WITHOUT FOREIGN BODY, RIGHT EYE, INITIAL ENCOUNTER
- ICD-10: S05.02XA - INJURY OF CONJUNCTIVA AND CORNEAL ABRASION WITHOUT FOREIGN BODY, LEFT EYE, INITIAL ENCOUNTER

Claims: 4      374.00 ENTROPION, UNSPECIFIED      Ratio: 1:7

- ICD-10: H02.001 - UNSPECIFIED ENTROPION OF RIGHT UPPER EYELID
- ICD-10: H02.002 - UNSPECIFIED ENTROPION OF RIGHT LOWER EYELID
- ICD-10: H02.003 - UNSPECIFIED ENTROPION OF RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H02.004 - UNSPECIFIED ENTROPION OF LEFT UPPER EYELID
- ICD-10: H02.005 - UNSPECIFIED ENTROPION OF LEFT LOWER EYELID
- ICD-10: H02.006 - UNSPECIFIED ENTROPION OF LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H02.009 - UNSPECIFIED ENTROPION OF UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 4      374.87 DERMATOCHALASIS      Ratio: 1:7

- ICD-10: H02.831 - DERMATOCHALASIS OF RIGHT UPPER EYELID
- ICD-10: H02.832 - DERMATOCHALASIS OF RIGHT LOWER EYELID
- ICD-10: H02.833 - DERMATOCHALASIS OF RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H02.834 - DERMATOCHALASIS OF LEFT UPPER EYELID
- ICD-10: H02.835 - DERMATOCHALASIS OF LEFT LOWER EYELID

- ICD-10: H02.836 - DERMATOCHALASIS OF LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H02.839 - DERMATOCHALASIS OF UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 4      372.14 OTHER CHRONIC ALLERGIC CONJUNCTIVITIS      Ratio: 1:5

- ICD-10: H10.411 - CHRONIC GIANT PAPILLARY CONJUNCTIVITIS, RIGHT EYE
- ICD-10: H10.412 - CHRONIC GIANT PAPILLARY CONJUNCTIVITIS, LEFT EYE
- ICD-10: H10.413 - CHRONIC GIANT PAPILLARY CONJUNCTIVITIS, BILATERAL
- ICD-10: H10.419 - CHRONIC GIANT PAPILLARY CONJUNCTIVITIS, UNSPECIFIED EYE
- ICD-10: H10.45 - OTHER CHRONIC ALLERGIC CONJUNCTIVITIS

Claims: 3      370.23 FILAMENTARY KERATITIS      Ratio: 1:4

- ICD-10: H16.121 - FILAMENTARY KERATITIS, RIGHT EYE
- ICD-10: H16.122 - FILAMENTARY KERATITIS, LEFT EYE
- ICD-10: H16.123 - FILAMENTARY KERATITIS, BILATERAL
- ICD-10: H16.129 - FILAMENTARY KERATITIS, UNSPECIFIED EYE

Claims: 3      250.51 DIABETES WITH OPHTHALMIC MANIFESTATIONS TYPE I [JUVENILE TYPE], NOT STATED AS UNCONTROLLED      Ratio: 1:12

- ICD-10: E10.311 - TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E10.319 - TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E10.321 - TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E10.329 - TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E10.331 - TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E10.339 - TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E10.341 - TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E10.349 - TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E10.351 - TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA
- ICD-10: E10.359 - TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA
- ICD-10: E10.36 - TYPE 1 DIABETES MELLITUS WITH DIABETIC CATARACT
- ICD-10: E10.39 - TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION

Claims: 3      870.1 LACERATION OF EYELID, FULL-THICKNESS, NOT INVOLVING LACRIMAL PASSAGES      Ratio: 1:5

- ICD-10: S01.119A - LACERATION WITHOUT FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER
- ICD-10: S01.129A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER
- ICD-10: S01.139A - PUNCTURE WOUND WITHOUT FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER
- ICD-10: S01.149A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER
- ICD-10: S01.159A - OPEN BITE OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER

Claims: 3      373.32 CONTACT AND ALLERGIC DERMATITIS OF EYELID      Ratio: 1:7

- ICD-10: H01.111 - ALLERGIC DERMATITIS OF RIGHT UPPER EYELID
- ICD-10: H01.112 - ALLERGIC DERMATITIS OF RIGHT LOWER EYELID
- ICD-10: H01.113 - ALLERGIC DERMATITIS OF RIGHT EYE, UNSPECIFIED EYELID
- ICD-10: H01.114 - ALLERGIC DERMATITIS OF LEFT UPPER EYELID
- ICD-10: H01.115 - ALLERGIC DERMATITIS OF LEFT LOWER EYELID
- ICD-10: H01.116 - ALLERGIC DERMATITIS OF LEFT EYE, UNSPECIFIED EYELID
- ICD-10: H01.119 - ALLERGIC DERMATITIS OF UNSPECIFIED EYE, UNSPECIFIED EYELID

Claims: 3      362.50 MACULAR DEGENERATION (SENILE), UNSPECIFIED      Ratio: 1:1 Exact

- ICD-10: H35.30 - UNSPECIFIED MACULAR DEGENERATION

Claims: 3      362.15 RETINAL TELANGIECTASIA      Ratio: 1:4

- ICD-10: H35.071 - RETINAL TELANGIECTASIA, RIGHT EYE
- ICD-10: H35.072 - RETINAL TELANGIECTASIA, LEFT EYE
- ICD-10: H35.073 - RETINAL TELANGIECTASIA, BILATERAL
- ICD-10: H35.079 - RETINAL TELANGIECTASIA, UNSPECIFIED EYE

Claims: 3      053.20 HERPES ZOSTER DERMATITIS OF EYELID      Ratio: 1:1

- ICD-10: B02.39 - OTHER HERPES ZOSTER EYE DISEASE

Claims: 3      364.01 PRIMARY IRIDOCYCLITIS      Ratio: 1:4

- ICD-10: H20.011 - PRIMARY IRIDOCYCLITIS, RIGHT EYE
- ICD-10: H20.012 - PRIMARY IRIDOCYCLITIS, LEFT EYE
- ICD-10: H20.013 - PRIMARY IRIDOCYCLITIS, BILATERAL
- ICD-10: H20.019 - PRIMARY IRIDOCYCLITIS, UNSPECIFIED EYE

Claims: 3      371.10 CORNEAL DEPOSIT, UNSPECIFIED      Ratio: 1:4

- ICD-10: H18.001 - UNSPECIFIED CORNEAL DEPOSIT, RIGHT EYE
- ICD-10: H18.002 - UNSPECIFIED CORNEAL DEPOSIT, LEFT EYE
- ICD-10: H18.003 - UNSPECIFIED CORNEAL DEPOSIT, BILATERAL
- ICD-10: H18.009 - UNSPECIFIED CORNEAL DEPOSIT, UNSPECIFIED EYE

Claims: 3      238.2 NEOPLASM OF UNCERTAIN BEHAVIOR OF SKIN      Ratio: 1:1 Exact

- ICD-10: D48.5 - NEOPLASM OF UNCERTAIN BEHAVIOR OF SKIN

Claims: 3      371.42 RECURRENT EROSION OF CORNEA      Ratio: 1:4

- ICD-10: H18.831 - RECURRENT EROSION OF CORNEA, RIGHT EYE
- ICD-10: H18.832 - RECURRENT EROSION OF CORNEA, LEFT EYE
- ICD-10: H18.833 - RECURRENT EROSION OF CORNEA, BILATERAL
- ICD-10: H18.839 - RECURRENT EROSION OF CORNEA, UNSPECIFIED EYE

Claims: 3      361.05 RETINAL DETACHMENT RECENT, TOTAL OR SUBTOTAL      Ratio: 1:4

- ICD-10: H33.051 - TOTAL RETINAL DETACHMENT, RIGHT EYE
- ICD-10: H33.052 - TOTAL RETINAL DETACHMENT, LEFT EYE
- ICD-10: H33.053 - TOTAL RETINAL DETACHMENT, BILATERAL
- ICD-10: H33.059 - TOTAL RETINAL DETACHMENT, UNSPECIFIED EYE

Claims: 3      379.23 VITREOUS HEMORRHAGE      Ratio: 1:4

- ICD-10: H43.10 - VITREOUS HEMORRHAGE, UNSPECIFIED EYE
- ICD-10: H43.11 - VITREOUS HEMORRHAGE, RIGHT EYE
- ICD-10: H43.12 - VITREOUS HEMORRHAGE, LEFT EYE
- ICD-10: H43.13 - VITREOUS HEMORRHAGE, BILATERAL

Claims: 3      370.62 PANNUS (CORNEAL)      Ratio: 1:4

- ICD-10: H16.421 - PANNUS (CORNEAL), RIGHT EYE
- ICD-10: H16.422 - PANNUS (CORNEAL), LEFT EYE
- ICD-10: H16.423 - PANNUS (CORNEAL), BILATERAL
- ICD-10: H16.429 - PANNUS (CORNEAL), UNSPECIFIED EYE



Claims: 3	361.13 PRIMARY RETINAL CYSTS	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H33.191 - OTHER RETINOSCHISIS AND RETINAL CYSTS, RIGHT EYE</li> <li>• ICD-10: H33.192 - OTHER RETINOSCHISIS AND RETINAL CYSTS, LEFT EYE</li> <li>• ICD-10: H33.193 - OTHER RETINOSCHISIS AND RETINAL CYSTS, BILATERAL</li> <li>• ICD-10: H33.199 - OTHER RETINOSCHISIS AND RETINAL CYSTS, UNSPECIFIED EYE</li> </ul>	
Claims: 3	361.19 RETINOSCHISIS AND RETINAL CYSTS OTHER	Ratio: 1:8
	<ul style="list-style-type: none"> <li>• ICD-10: H33.111 - CYST OF ORA SERRATA, RIGHT EYE</li> <li>• ICD-10: H33.112 - CYST OF ORA SERRATA, LEFT EYE</li> <li>• ICD-10: H33.113 - CYST OF ORA SERRATA, BILATERAL</li> <li>• ICD-10: H33.119 - CYST OF ORA SERRATA, UNSPECIFIED EYE</li> <li>• ICD-10: H33.191 - OTHER RETINOSCHISIS AND RETINAL CYSTS, RIGHT EYE</li> <li>• ICD-10: H33.192 - OTHER RETINOSCHISIS AND RETINAL CYSTS, LEFT EYE</li> <li>• ICD-10: H33.193 - OTHER RETINOSCHISIS AND RETINAL CYSTS, BILATERAL</li> <li>• ICD-10: H33.199 - OTHER RETINOSCHISIS AND RETINAL CYSTS, UNSPECIFIED EYE</li> </ul>	
Claims: 3	930.1 FOREIGN BODY IN CONJUNCTIVAL SAC	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: T15.10XA - FOREIGN BODY IN CONJUNCTIVAL SAC, UNSPECIFIED EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: T15.11XA - FOREIGN BODY IN CONJUNCTIVAL SAC, RIGHT EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: T15.12XA - FOREIGN BODY IN CONJUNCTIVAL SAC, LEFT EYE, INITIAL ENCOUNTER</li> </ul>	
Claims: 2	378.40 HETEROPHORIA, UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H50.50 - UNSPECIFIED HETEROPHORIA</li> </ul>	
Claims: 2	361.06 RETINAL DETACHMENT OLD, PARTIAL	Ratio: 1:1
	<ul style="list-style-type: none"> <li>• ICD-10: H33.8 - OTHER RETINAL DETACHMENTS</li> </ul>	
Claims: 2	921.0 BLACK EYE, NOS	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: S00.10XA - CONTUSION OF UNSPECIFIED EYELID AND PERIOCLAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S00.11XA - CONTUSION OF RIGHT EYELID AND PERIOCLAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S00.12XA - CONTUSION OF LEFT EYELID AND PERIOCLAR AREA, INITIAL ENCOUNTER</li> </ul>	
Claims: 2	370.63 DEEP VASCULARIZATION OF CORNEA	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H16.441 - DEEP VASCULARIZATION OF CORNEA, RIGHT EYE</li> <li>• ICD-10: H16.442 - DEEP VASCULARIZATION OF CORNEA, LEFT EYE</li> <li>• ICD-10: H16.443 - DEEP VASCULARIZATION OF CORNEA, BILATERAL</li> <li>• ICD-10: H16.449 - DEEP VASCULARIZATION OF CORNEA, UNSPECIFIED EYE</li> </ul>	
Claims: 2	372.42 PERIPHERAL PTERYGIUM, PROGRESSIVE	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H11.051 - PERIPHERAL PTERYGIUM, PROGRESSIVE, RIGHT EYE</li> <li>• ICD-10: H11.052 - PERIPHERAL PTERYGIUM, PROGRESSIVE, LEFT EYE</li> <li>• ICD-10: H11.053 - PERIPHERAL PTERYGIUM, PROGRESSIVE, BILATERAL</li> <li>• ICD-10: H11.059 - PERIPHERAL PTERYGIUM, PROGRESSIVE, UNSPECIFIED EYE</li> </ul>	
Claims: 2	921.9 CONTUSION OF EYE UNSPECIFIED	Ratio: 1:1
	<ul style="list-style-type: none"> <li>• ICD-10: S05.90XA - UNSPECIFIED INJURY OF UNSPECIFIED EYE AND ORBIT, INITIAL ENCOUNTER</li> </ul>	
Claims: 2	365.02 BORDERLINE GLAUCOMA ANATOMICAL NARROW ANGLE	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H40.031 - ANATOMICAL NARROW ANGLE, RIGHT EYE</li> <li>• ICD-10: H40.032 - ANATOMICAL NARROW ANGLE, LEFT EYE</li> <li>• ICD-10: H40.033 - ANATOMICAL NARROW ANGLE, BILATERAL</li> <li>• ICD-10: H40.039 - ANATOMICAL NARROW ANGLE, UNSPECIFIED EYE</li> </ul>	
Claims: 2	365.15 RESIDUAL STAGE OF OPEN ANGLE GLAUCOMA	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H40.151 - RESIDUAL STAGE OF OPEN-ANGLE GLAUCOMA, RIGHT EYE</li> <li>• ICD-10: H40.152 - RESIDUAL STAGE OF OPEN-ANGLE GLAUCOMA, LEFT EYE</li> <li>• ICD-10: H40.153 - RESIDUAL STAGE OF OPEN-ANGLE GLAUCOMA, BILATERAL</li> <li>• ICD-10: H40.159 - RESIDUAL STAGE OF OPEN-ANGLE GLAUCOMA, UNSPECIFIED EYE</li> </ul>	
Claims: 2	379.50 NYSTAGMUS, UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H55.00 - UNSPECIFIED NYSTAGMUS</li> </ul>	
Claims: 2	361.07 RETINAL DETACHMENT OLD, TOTAL OR SUBTOTAL	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H33.051 - TOTAL RETINAL DETACHMENT, RIGHT EYE</li> <li>• ICD-10: H33.052 - TOTAL RETINAL DETACHMENT, LEFT EYE</li> <li>• ICD-10: H33.053 - TOTAL RETINAL DETACHMENT, BILATERAL</li> <li>• ICD-10: H33.059 - TOTAL RETINAL DETACHMENT, UNSPECIFIED EYE</li> </ul>	
Claims: 2	365.82 GLAUCOMA WITH INCREASED EPISCLERAL VENOUS PRESSURE	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H40.811 - GLAUCOMA WITH INCREASED EPISCLERAL VENOUS PRESSURE, RIGHT EYE</li> <li>• ICD-10: H40.812 - GLAUCOMA WITH INCREASED EPISCLERAL VENOUS PRESSURE, LEFT EYE</li> <li>• ICD-10: H40.813 - GLAUCOMA WITH INCREASED EPISCLERAL VENOUS PRESSURE, BILATERAL</li> <li>• ICD-10: H40.819 - GLAUCOMA WITH INCREASED EPISCLERAL VENOUS PRESSURE, UNSPECIFIED EYE</li> </ul>	
Claims: 2	374.85 VASCULAR ANOMALIES OF EYELID	Ratio: 1:7
	<ul style="list-style-type: none"> <li>• ICD-10: H02.871 - VASCULAR ANOMALIES OF RIGHT UPPER EYELID</li> <li>• ICD-10: H02.872 - VASCULAR ANOMALIES OF RIGHT LOWER EYELID</li> <li>• ICD-10: H02.873 - VASCULAR ANOMALIES OF RIGHT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H02.874 - VASCULAR ANOMALIES OF LEFT UPPER EYELID</li> <li>• ICD-10: H02.875 - VASCULAR ANOMALIES OF LEFT LOWER EYELID</li> <li>• ICD-10: H02.876 - VASCULAR ANOMALIES OF LEFT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H02.879 - VASCULAR ANOMALIES OF UNSPECIFIED EYE, UNSPECIFIED EYELID</li> </ul>	
Claims: 2	340 MULTIPLE SCLEROSIS	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: G35 - MULTIPLE SCLEROSIS</li> </ul>	
Claims: 2	379.22 CRYSTALLINE DEPOSITS IN VITREOUS	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H43.20 - CRYSTALLINE DEPOSITS IN VITREOUS BODY, UNSPECIFIED EYE</li> <li>• ICD-10: H43.21 - CRYSTALLINE DEPOSITS IN VITREOUS BODY, RIGHT EYE</li> <li>• ICD-10: H43.22 - CRYSTALLINE DEPOSITS IN VITREOUS BODY, LEFT EYE</li> <li>• ICD-10: H43.23 - CRYSTALLINE DEPOSITS IN VITREOUS BODY, BILATERAL</li> </ul>	
Claims: 2	362.84 RETINAL ISCHEMIA	Ratio: 1:1 Exact

<ul style="list-style-type: none"> <li>• ICD-10: H35.82 - RETINAL ISCHEMIA</li> </ul>			
Claims: 2	367.1	MYOPIA	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H52.10 - MYOPIA, UNSPECIFIED EYE</li> <li>• ICD-10: H52.11 - MYOPIA, RIGHT EYE</li> <li>• ICD-10: H52.12 - MYOPIA, LEFT EYE</li> <li>• ICD-10: H52.13 - MYOPIA, BILATERAL</li> </ul>			
Claims: 2	375.89	DISORDERS OF LACRIMAL SYSTEM OTHER	Ratio: 1:2
<ul style="list-style-type: none"> <li>• ICD-10: H04.19 - OTHER SPECIFIED DISORDERS OF LACRIMAL GLAND</li> <li>• ICD-10: H04.89 - OTHER DISORDERS OF LACRIMAL SYSTEM</li> </ul>			
Claims: 2	367.20	ASTIGMATISM, UNSPECIFIED	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H52.201 - UNSPECIFIED ASTIGMATISM, RIGHT EYE</li> <li>• ICD-10: H52.202 - UNSPECIFIED ASTIGMATISM, LEFT EYE</li> <li>• ICD-10: H52.203 - UNSPECIFIED ASTIGMATISM, BILATERAL</li> <li>• ICD-10: H52.209 - UNSPECIFIED ASTIGMATISM, UNSPECIFIED EYE</li> </ul>			
Claims: 2	351.8	FACIAL NERVE DISORDERS OTHER	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: G51.2 - ELKERSSENS SYNDROME</li> <li>• ICD-10: G51.3 - CLONIC HEMIFACIAL SPASM</li> <li>• ICD-10: G51.4 - FACIAL MYOKYMIA</li> <li>• ICD-10: G51.8 - OTHER DISORDERS OF FACIAL NERVE</li> </ul>			
Claims: 2	918.2	SUPERFICIAL INJURY OF CONJUNCTIVA	Ratio: 1:3
<ul style="list-style-type: none"> <li>• ICD-10: S05.00XA - INJURY OF CONJUNCTIVA AND CORNEAL ABRASION WITHOUT FOREIGN BODY, UNSPECIFIED EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.01XA - INJURY OF CONJUNCTIVA AND CORNEAL ABRASION WITHOUT FOREIGN BODY, RIGHT EYE, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.02XA - INJURY OF CONJUNCTIVA AND CORNEAL ABRASION WITHOUT FOREIGN BODY, LEFT EYE, INITIAL ENCOUNTER</li> </ul>			
Claims: 2	365.31	CORTICOSTEROID-INDUCED GLAUCOMA GLAUCOMATOUS STAGE	Ratio: 1:20
<ul style="list-style-type: none"> <li>• ICD-10: H40.60X0 - GLAUCOMA SECONDARY TO DRUGS, UNSPECIFIED EYE, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.60X1 - GLAUCOMA SECONDARY TO DRUGS, UNSPECIFIED EYE, MILD STAGE</li> <li>• ICD-10: H40.60X2 - GLAUCOMA SECONDARY TO DRUGS, UNSPECIFIED EYE, MODERATE STAGE</li> <li>• ICD-10: H40.60X3 - GLAUCOMA SECONDARY TO DRUGS, UNSPECIFIED EYE, SEVERE STAGE</li> <li>• ICD-10: H40.60X4 - GLAUCOMA SECONDARY TO DRUGS, UNSPECIFIED EYE, INDETERMINATE STAGE</li> <li>• ICD-10: H40.61X0 - GLAUCOMA SECONDARY TO DRUGS, RIGHT EYE, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.61X1 - GLAUCOMA SECONDARY TO DRUGS, RIGHT EYE, MILD STAGE</li> <li>• ICD-10: H40.61X2 - GLAUCOMA SECONDARY TO DRUGS, RIGHT EYE, MODERATE STAGE</li> <li>• ICD-10: H40.61X3 - GLAUCOMA SECONDARY TO DRUGS, RIGHT EYE, SEVERE STAGE</li> <li>• ICD-10: H40.61X4 - GLAUCOMA SECONDARY TO DRUGS, RIGHT EYE, INDETERMINATE STAGE</li> <li>• ICD-10: H40.62X0 - GLAUCOMA SECONDARY TO DRUGS, LEFT EYE, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.62X1 - GLAUCOMA SECONDARY TO DRUGS, LEFT EYE, MILD STAGE</li> <li>• ICD-10: H40.62X2 - GLAUCOMA SECONDARY TO DRUGS, LEFT EYE, MODERATE STAGE</li> <li>• ICD-10: H40.62X3 - GLAUCOMA SECONDARY TO DRUGS, LEFT EYE, SEVERE STAGE</li> <li>• ICD-10: H40.62X4 - GLAUCOMA SECONDARY TO DRUGS, LEFT EYE, INDETERMINATE STAGE</li> <li>• ICD-10: H40.63X0 - GLAUCOMA SECONDARY TO DRUGS, BILATERAL, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.63X1 - GLAUCOMA SECONDARY TO DRUGS, BILATERAL, MILD STAGE</li> <li>• ICD-10: H40.63X2 - GLAUCOMA SECONDARY TO DRUGS, BILATERAL, MODERATE STAGE</li> <li>• ICD-10: H40.63X3 - GLAUCOMA SECONDARY TO DRUGS, BILATERAL, SEVERE STAGE</li> <li>• ICD-10: H40.63X4 - GLAUCOMA SECONDARY TO DRUGS, BILATERAL, INDETERMINATE STAGE</li> </ul>			
Claims: 2	366.10	SENILE CATARACT, UNSPECIFIED	Ratio: 1:1 Exact
<ul style="list-style-type: none"> <li>• ICD-10: H25.9 - UNSPECIFIED AGE-RELATED CATARACT</li> </ul>			
Claims: 2	250.50	DIABETES WITH OPHTHALMIC MANIFESTATIONS TYPE II OR UNSPECIFIED TYPE, NOT STATED AS UNCONTROLLED	Ratio: 1:24
<ul style="list-style-type: none"> <li>• ICD-10: E11.311 - TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.319 - TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E11.321 - TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.329 - TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E11.331 - TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.339 - TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E11.341 - TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.349 - TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E11.351 - TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.359 - TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E11.36 - TYPE 2 DIABETES MELLITUS WITH DIABETIC CATARACT</li> <li>• ICD-10: E11.39 - TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION</li> <li>• ICD-10: E13.311 - OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.319 - OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E13.321 - OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.329 - OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E13.331 - OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.339 - OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E13.341 - OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.349 - OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E13.351 - OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.359 - OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E13.36 - OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC CATARACT</li> <li>• ICD-10: E13.39 - OTHER SPECIFIED DIABETES MELLITUS WITH OTHER DIABETIC OPHTHALMIC COMPLICATION</li> </ul>			
Claims: 2	372.10	CHRONIC CONJUNCTIVITIS, UNSPECIFIED	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H10.401 - UNSPECIFIED CHRONIC CONJUNCTIVITIS, RIGHT EYE</li> <li>• ICD-10: H10.402 - UNSPECIFIED CHRONIC CONJUNCTIVITIS, LEFT EYE</li> <li>• ICD-10: H10.403 - UNSPECIFIED CHRONIC CONJUNCTIVITIS, BILATERAL</li> <li>• ICD-10: H10.409 - UNSPECIFIED CHRONIC CONJUNCTIVITIS, UNSPECIFIED EYE</li> </ul>			
Claims: 2	377.01	PAPILLEDEMA ASSOCIATED WITH INCREASED INTRACRANIAL PRESSURE	Ratio: 1:1 Exact
<ul style="list-style-type: none"> <li>• ICD-10: H47.11 - PAPILLEDEMA ASSOCIATED WITH INCREASED INTRACRANIAL PRESSURE</li> </ul>			
Claims: 2	372.01	SEROUS CONJUNCTIVITIS, EXCEPT VIRAL	Ratio: 1:4
<ul style="list-style-type: none"> <li>• ICD-10: H10.231 - SEROUS CONJUNCTIVITIS, EXCEPT VIRAL, RIGHT EYE</li> <li>• ICD-10: H10.232 - SEROUS CONJUNCTIVITIS, EXCEPT VIRAL, LEFT EYE</li> <li>• ICD-10: H10.233 - SEROUS CONJUNCTIVITIS, EXCEPT VIRAL, BILATERAL</li> <li>• ICD-10: H10.239 - SEROUS CONJUNCTIVITIS, EXCEPT VIRAL, UNSPECIFIED EYE</li> </ul>			
Claims: 2	558.3	ALLERGIC GASTROENTERITIS AND COLITIS	Ratio: 1:1 Exact
<ul style="list-style-type: none"> <li>• ICD-10: K52.2 - ALLERGIC AND DIETETIC GASTROENTERITIS AND COLITIS</li> </ul>			

Claims: 1	368.03 REFRACTIVE AMBLYOPIA	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H53.021 - REFRACTIVE AMBLYOPIA, RIGHT EYE</li> <li>• ICD-10: H53.022 - REFRACTIVE AMBLYOPIA, LEFT EYE</li> <li>• ICD-10: H53.023 - REFRACTIVE AMBLYOPIA, BILATERAL</li> <li>• ICD-10: H53.029 - REFRACTIVE AMBLYOPIA, UNSPECIFIED EYE</li> </ul>	
Claims: 1	372.41 PERIPHERAL PTERYGIUM, STATIONARY	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H11.041 - PERIPHERAL PTERYGIUM, STATIONARY, RIGHT EYE</li> <li>• ICD-10: H11.042 - PERIPHERAL PTERYGIUM, STATIONARY, LEFT EYE</li> <li>• ICD-10: H11.043 - PERIPHERAL PTERYGIUM, STATIONARY, BILATERAL</li> <li>• ICD-10: H11.049 - PERIPHERAL PTERYGIUM, STATIONARY, UNSPECIFIED EYE</li> </ul>	
Claims: 1	368.13 VISUAL DISCOMFORT	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H53.141 - VISUAL DISCOMFORT, RIGHT EYE</li> <li>• ICD-10: H53.142 - VISUAL DISCOMFORT, LEFT EYE</li> <li>• ICD-10: H53.143 - VISUAL DISCOMFORT, BILATERAL</li> <li>• ICD-10: H53.149 - VISUAL DISCOMFORT, UNSPECIFIED</li> </ul>	
Claims: 1	370.22 MACULAR KERATITIS	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H16.111 - MACULAR KERATITIS, RIGHT EYE</li> <li>• ICD-10: H16.112 - MACULAR KERATITIS, LEFT EYE</li> <li>• ICD-10: H16.113 - MACULAR KERATITIS, BILATERAL</li> <li>• ICD-10: H16.119 - MACULAR KERATITIS, UNSPECIFIED EYE</li> </ul>	
Claims: 1	173.10 UNSPECIFIED MALIGNANT NEOPLASM OF EYELID, INCLUDING CANTHUS	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: C44.101 - UNSPECIFIED MALIGNANT NEOPLASM OF SKIN OF UNSPECIFIED EYELID, INCLUDING CANTHUS</li> <li>• ICD-10: C44.102 - UNSPECIFIED MALIGNANT NEOPLASM OF SKIN OF RIGHT EYELID, INCLUDING CANTHUS</li> <li>• ICD-10: C44.109 - UNSPECIFIED MALIGNANT NEOPLASM OF SKIN OF LEFT EYELID, INCLUDING CANTHUS</li> </ul>	
Claims: 1	351.0 BELLS PALSY	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: G51.0 - ELLS PALSY</li> </ul>	
Claims: 1	362.41 CENTRAL SEROUS RETINOPATHY	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H35.711 - CENTRAL SEROUS CHORIORETINOPATHY, RIGHT EYE</li> <li>• ICD-10: H35.712 - CENTRAL SEROUS CHORIORETINOPATHY, LEFT EYE</li> <li>• ICD-10: H35.713 - CENTRAL SEROUS CHORIORETINOPATHY, BILATERAL</li> <li>• ICD-10: H35.719 - CENTRAL SEROUS CHORIORETINOPATHY, UNSPECIFIED EYE</li> </ul>	
Claims: 1	372.00 ACUTE CONJUNCTIVITIS, UNSPECIFIED	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H10.30 - UNSPECIFIED ACUTE CONJUNCTIVITIS, UNSPECIFIED EYE</li> <li>• ICD-10: H10.31 - UNSPECIFIED ACUTE CONJUNCTIVITIS, RIGHT EYE</li> <li>• ICD-10: H10.32 - UNSPECIFIED ACUTE CONJUNCTIVITIS, LEFT EYE</li> <li>• ICD-10: H10.33 - UNSPECIFIED ACUTE CONJUNCTIVITIS, BILATERAL</li> </ul>	
Claims: 1	378.9 DISORDER OF EYE MOVEMENTS UNSPECIFIED	Ratio: 1:2
	<ul style="list-style-type: none"> <li>• ICD-10: H50.9 - UNSPECIFIED STRABISMUS</li> <li>• ICD-10: H51.9 - UNSPECIFIED DISORDER OF BINOCULAR MOVEMENT</li> </ul>	
Claims: 1	225.2 BENIGN NEOPLASM OF CEREBRAL MENINGES	Ratio: 1:2
	<ul style="list-style-type: none"> <li>• ICD-10: D32.0 - BENIGN NEOPLASM OF CEREBRAL MENINGES</li> <li>• ICD-10: D32.9 - BENIGN NEOPLASM OF MENINGES, UNSPECIFIED</li> </ul>	
Claims: 1	802.6 FRACTURE OF ORBITAL FLOOR (BLOW-OUT), CLOSED	Ratio: 1:1
	<ul style="list-style-type: none"> <li>• ICD-10: S02.3XXA - FRACTURE OF ORBITAL FLOOR, INITIAL ENCOUNTER FOR CLOSED FRACTURE</li> </ul>	
Claims: 1	370.03 CENTRAL CORNEAL ULCER	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H16.011 - CENTRAL CORNEAL ULCER, RIGHT EYE</li> <li>• ICD-10: H16.012 - CENTRAL CORNEAL ULCER, LEFT EYE</li> <li>• ICD-10: H16.013 - CENTRAL CORNEAL ULCER, BILATERAL</li> <li>• ICD-10: H16.019 - CENTRAL CORNEAL ULCER, UNSPECIFIED EYE</li> </ul>	
Claims: 1	996.53 MECHANICAL COMPLICATION DUE TO OCULAR LENS PROSTHESIS	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: T85.21XA - BREAKDOWN (MECHANICAL) OF INTRAOCULAR LENS, INITIAL ENCOUNTER</li> <li>• ICD-10: T85.22XA - DISPLACEMENT OF INTRAOCULAR LENS, INITIAL ENCOUNTER</li> <li>• ICD-10: T85.29XA - OTHER MECHANICAL COMPLICATION OF INTRAOCULAR LENS, INITIAL ENCOUNTER</li> </ul>	
Claims: 1	362.74 PIGMENTARY RETINAL DYSTROPHY	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H35.52 - PIGMENTARY RETINAL DYSTROPHY</li> </ul>	
Claims: 1	871.5 PENETRATION OF EYEBALL WITH MAGNETIC FOREIGN BODY	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: S05.50XA - PENETRATING WOUND WITH FOREIGN BODY OF UNSPECIFIED EYEBALL, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.51XA - PENETRATING WOUND WITH FOREIGN BODY OF RIGHT EYEBALL, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.52XA - PENETRATING WOUND WITH FOREIGN BODY OF LEFT EYEBALL, INITIAL ENCOUNTER</li> </ul>	
Claims: 1	365.65 GLAUCOMA ASSOCIATED WITH OCULAR TRAUMA	Ratio: 1:20
	<ul style="list-style-type: none"> <li>• ICD-10: H40.30X0 - GLAUCOMA SECONDARY TO EYE TRAUMA, UNSPECIFIED EYE, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.30X1 - GLAUCOMA SECONDARY TO EYE TRAUMA, UNSPECIFIED EYE, MILD STAGE</li> <li>• ICD-10: H40.30X2 - GLAUCOMA SECONDARY TO EYE TRAUMA, UNSPECIFIED EYE, MODERATE STAGE</li> <li>• ICD-10: H40.30X3 - GLAUCOMA SECONDARY TO EYE TRAUMA, UNSPECIFIED EYE, SEVERE STAGE</li> <li>• ICD-10: H40.30X4 - GLAUCOMA SECONDARY TO EYE TRAUMA, UNSPECIFIED EYE, INDETERMINATE STAGE</li> <li>• ICD-10: H40.31X0 - GLAUCOMA SECONDARY TO EYE TRAUMA, RIGHT EYE, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.31X1 - GLAUCOMA SECONDARY TO EYE TRAUMA, RIGHT EYE, MILD STAGE</li> <li>• ICD-10: H40.31X2 - GLAUCOMA SECONDARY TO EYE TRAUMA, RIGHT EYE, MODERATE STAGE</li> <li>• ICD-10: H40.31X3 - GLAUCOMA SECONDARY TO EYE TRAUMA, RIGHT EYE, SEVERE STAGE</li> <li>• ICD-10: H40.31X4 - GLAUCOMA SECONDARY TO EYE TRAUMA, RIGHT EYE, INDETERMINATE STAGE</li> <li>• ICD-10: H40.32X0 - GLAUCOMA SECONDARY TO EYE TRAUMA, LEFT EYE, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.32X1 - GLAUCOMA SECONDARY TO EYE TRAUMA, LEFT EYE, MILD STAGE</li> <li>• ICD-10: H40.32X2 - GLAUCOMA SECONDARY TO EYE TRAUMA, LEFT EYE, MODERATE STAGE</li> <li>• ICD-10: H40.32X3 - GLAUCOMA SECONDARY TO EYE TRAUMA, LEFT EYE, SEVERE STAGE</li> <li>• ICD-10: H40.32X4 - GLAUCOMA SECONDARY TO EYE TRAUMA, LEFT EYE, INDETERMINATE STAGE</li> <li>• ICD-10: H40.33X0 - GLAUCOMA SECONDARY TO EYE TRAUMA, BILATERAL, STAGE UNSPECIFIED</li> <li>• ICD-10: H40.33X1 - GLAUCOMA SECONDARY TO EYE TRAUMA, BILATERAL, MILD STAGE</li> <li>• ICD-10: H40.33X2 - GLAUCOMA SECONDARY TO EYE TRAUMA, BILATERAL, MODERATE STAGE</li> <li>• ICD-10: H40.33X3 - GLAUCOMA SECONDARY TO EYE TRAUMA, BILATERAL, SEVERE STAGE</li> <li>• ICD-10: H40.33X4 - GLAUCOMA SECONDARY TO EYE TRAUMA, BILATERAL, INDETERMINATE STAGE</li> </ul>	

Claims: 1	362.02 PROLIFERATIVE DIABETIC RETINOPATHY	Ratio: 1:10
	<ul style="list-style-type: none"> <li>• ICD-10: E08.351 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E08.359 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E09.351 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E09.359 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E10.351 - TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E10.359 - TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E11.351 - TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.359 - TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> <li>• ICD-10: E13.351 - OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.359 - OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITHOUT MACULAR EDEMA</li> </ul>	
Claims: 1	246.9 THYROID DISORDER UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: E07.9 - DISORDER OF THYROID, UNSPECIFIED</li> </ul>	
Claims: 1	363.41 SENILE ATROPHY OF CHOROID	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H31.111 - AGE-RELATED CHOROIDAL ATROPHY, RIGHT EYE</li> <li>• ICD-10: H31.112 - AGE-RELATED CHOROIDAL ATROPHY, LEFT EYE</li> <li>• ICD-10: H31.113 - AGE-RELATED CHOROIDAL ATROPHY, BILATERAL</li> <li>• ICD-10: H31.119 - AGE-RELATED CHOROIDAL ATROPHY, UNSPECIFIED EYE</li> </ul>	
Claims: 1	940.0 CHEMICAL BURN OF EYELIDS AND PERIOCCULAR AREA	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: T26.50XA - CORROSION OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: T26.51XA - CORROSION OF RIGHT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: T26.52XA - CORROSION OF LEFT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> </ul>	
Claims: 1	371.03 CENTRAL OPACITY OF CORNEA	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H17.10 - CENTRAL CORNEAL OPACITY, UNSPECIFIED EYE</li> <li>• ICD-10: H17.11 - CENTRAL CORNEAL OPACITY, RIGHT EYE</li> <li>• ICD-10: H17.12 - CENTRAL CORNEAL OPACITY, LEFT EYE</li> <li>• ICD-10: H17.13 - CENTRAL CORNEAL OPACITY, BILATERAL</li> </ul>	
Claims: 1	379.31 APHAKIA	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H27.00 - APHAKIA, UNSPECIFIED EYE</li> <li>• ICD-10: H27.01 - APHAKIA, RIGHT EYE</li> <li>• ICD-10: H27.02 - APHAKIA, LEFT EYE</li> <li>• ICD-10: H27.03 - APHAKIA, BILATERAL</li> </ul>	
Claims: 1	374.86 RETAINED FOREIGN BODY OF EYELID	Ratio: 1:7
	<ul style="list-style-type: none"> <li>• ICD-10: H02.811 - RETAINED FOREIGN BODY IN RIGHT UPPER EYELID</li> <li>• ICD-10: H02.812 - RETAINED FOREIGN BODY IN RIGHT LOWER EYELID</li> <li>• ICD-10: H02.813 - RETAINED FOREIGN BODY IN RIGHT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H02.814 - RETAINED FOREIGN BODY IN LEFT UPPER EYELID</li> <li>• ICD-10: H02.815 - RETAINED FOREIGN BODY IN LEFT LOWER EYELID</li> <li>• ICD-10: H02.816 - RETAINED FOREIGN BODY IN LEFT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H02.819 - RETAINED FOREIGN BODY IN UNSPECIFIED EYE, UNSPECIFIED EYELID</li> </ul>	
Claims: 1	307.81 TENSION HEADACHE	Ratio: 1:1
	<ul style="list-style-type: none"> <li>• ICD-10: G44.209 - TENSION-TYPE HEADACHE, UNSPECIFIED, NOT INTRACTABLE</li> </ul>	
Claims: 1	371.00 CORNEAL OPACITY, UNSPECIFIED	Ratio: 1:2
	<ul style="list-style-type: none"> <li>• ICD-10: H17.89 - OTHER CORNEAL SCARS AND OPACITIES</li> <li>• ICD-10: H17.9 - UNSPECIFIED CORNEAL SCAR AND OPACITY</li> </ul>	
Claims: 1	366.14 POSTERIOR SUBCAPSULAR POLAR SENILE CATARACT	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H25.041 - POSTERIOR SUBCAPSULAR POLAR AGE-RELATED CATARACT, RIGHT EYE</li> <li>• ICD-10: H25.042 - POSTERIOR SUBCAPSULAR POLAR AGE-RELATED CATARACT, LEFT EYE</li> <li>• ICD-10: H25.043 - POSTERIOR SUBCAPSULAR POLAR AGE-RELATED CATARACT, BILATERAL</li> <li>• ICD-10: H25.049 - POSTERIOR SUBCAPSULAR POLAR AGE-RELATED CATARACT, UNSPECIFIED EYE</li> </ul>	
Claims: 1	362.10 BACKGROUND RETINOPATHY, UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H35.00 - UNSPECIFIED BACKGROUND RETINOPATHY</li> </ul>	
Claims: 1	373.31 ECZEMATOUS DERMATITIS OF EYELID	Ratio: 1:7
	<ul style="list-style-type: none"> <li>• ICD-10: H01.131 - ECZEMATOUS DERMATITIS OF RIGHT UPPER EYELID</li> <li>• ICD-10: H01.132 - ECZEMATOUS DERMATITIS OF RIGHT LOWER EYELID</li> <li>• ICD-10: H01.133 - ECZEMATOUS DERMATITIS OF RIGHT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H01.134 - ECZEMATOUS DERMATITIS OF LEFT UPPER EYELID</li> <li>• ICD-10: H01.135 - ECZEMATOUS DERMATITIS OF LEFT LOWER EYELID</li> <li>• ICD-10: H01.136 - ECZEMATOUS DERMATITIS OF LEFT EYE, UNSPECIFIED EYELID</li> <li>• ICD-10: H01.139 - ECZEMATOUS DERMATITIS OF UNSPECIFIED EYE, UNSPECIFIED EYELID</li> </ul>	
Claims: 1	871.7 OPEN WOUND OF EYEBALL UNSPECIFIED OCULAR PENETRATION	Ratio: 1:3
	<ul style="list-style-type: none"> <li>• ICD-10: S05.60XA - PENETRATING WOUND WITHOUT FOREIGN BODY OF UNSPECIFIED EYEBALL, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.61XA - PENETRATING WOUND WITHOUT FOREIGN BODY OF RIGHT EYEBALL, INITIAL ENCOUNTER</li> <li>• ICD-10: S05.62XA - PENETRATING WOUND WITHOUT FOREIGN BODY OF LEFT EYEBALL, INITIAL ENCOUNTER</li> </ul>	
Claims: 1	870.0 LACERATION OF SKIN OF EYELID AND PERIOCCULAR AREA	Ratio: 1:15
	<ul style="list-style-type: none"> <li>• ICD-10: S01.111A - LACERATION WITHOUT FOREIGN BODY OF RIGHT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.112A - LACERATION WITHOUT FOREIGN BODY OF LEFT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.119A - LACERATION WITHOUT FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.121A - LACERATION WITH FOREIGN BODY OF RIGHT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.122A - LACERATION WITH FOREIGN BODY OF LEFT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.129A - LACERATION WITH FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.131A - PUNCTURE WOUND WITHOUT FOREIGN BODY OF RIGHT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.132A - PUNCTURE WOUND WITHOUT FOREIGN BODY OF LEFT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.139A - PUNCTURE WOUND WITHOUT FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.141A - PUNCTURE WOUND WITH FOREIGN BODY OF RIGHT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.142A - PUNCTURE WOUND WITH FOREIGN BODY OF LEFT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.149A - PUNCTURE WOUND WITH FOREIGN BODY OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.151A - OPEN BITE OF RIGHT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.152A - OPEN BITE OF LEFT EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> <li>• ICD-10: S01.159A - OPEN BITE OF UNSPECIFIED EYELID AND PERIOCCULAR AREA, INITIAL ENCOUNTER</li> </ul>	
Claims: 1	374.9 DISORDERS OF EYELID UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H02.9 - UNSPECIFIED DISORDER OF EYELID</li> </ul>	

Claims: 1	377.30 OPTIC NEURITIS, UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H46.9 - UNSPECIFIED OPTIC NEURITIS</li> </ul>	
Claims: 1	375.21 EPIPHORA DUE TO EXCESS LACRIMATION	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H04.211 - EPIPHORA DUE TO EXCESS LACRIMATION, RIGHT LACRIMAL GLAND</li> <li>• ICD-10: H04.212 - EPIPHORA DUE TO EXCESS LACRIMATION, LEFT LACRIMAL GLAND</li> <li>• ICD-10: H04.213 - EPIPHORA DUE TO EXCESS LACRIMATION, BILATERAL LACRIMAL GLANDS</li> <li>• ICD-10: H04.219 - EPIPHORA DUE TO EXCESS LACRIMATION, UNSPECIFIED LACRIMAL GLAND</li> </ul>	
Claims: 1	375.20 EPIPHORA, UNSPECIFIED AS TO CAUSE	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H04.201 - UNSPECIFIED EPIPHORA, RIGHT LACRIMAL GLAND</li> <li>• ICD-10: H04.202 - UNSPECIFIED EPIPHORA, LEFT LACRIMAL GLAND</li> <li>• ICD-10: H04.203 - UNSPECIFIED EPIPHORA, BILATERAL LACRIMAL GLANDS</li> <li>• ICD-10: H04.209 - UNSPECIFIED EPIPHORA, UNSPECIFIED LACRIMAL GLAND</li> </ul>	
Claims: 1	346.90 MIGRAINE, UNSPECIFIED WITHOUT MENTION OF INTRACTABLE MIGRAINE	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: G43.909 - MIGRAINE, UNSPECIFIED, NOT INTRACTABLE, WITHOUT STATUS MIGRAINOSUS</li> </ul>	
Claims: 1	372.9 CONJUNCTIVA DISORDER UNSPECIFIED	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: H11.9 - UNSPECIFIED DISORDER OF CONJUNCTIVA</li> </ul>	
Claims: 1	362.07 DIABETIC MACULAR EDEMA	Ratio: 1:25
	<ul style="list-style-type: none"> <li>• ICD-10: E08.311 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E08.321 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E08.331 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E08.341 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E08.351 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E09.311 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E09.321 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E09.331 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E09.341 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E09.351 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E10.311 - TYPE 1 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E10.321 - TYPE 1 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E10.331 - TYPE 1 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E10.341 - TYPE 1 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E10.351 - TYPE 1 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.311 - TYPE 2 DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.321 - TYPE 2 DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.331 - TYPE 2 DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.341 - TYPE 2 DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E11.351 - TYPE 2 DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.311 - OTHER SPECIFIED DIABETES MELLITUS WITH UNSPECIFIED DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.321 - OTHER SPECIFIED DIABETES MELLITUS WITH MILD NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.331 - OTHER SPECIFIED DIABETES MELLITUS WITH MODERATE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.341 - OTHER SPECIFIED DIABETES MELLITUS WITH SEVERE NONPROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> <li>• ICD-10: E13.351 - OTHER SPECIFIED DIABETES MELLITUS WITH PROLIFERATIVE DIABETIC RETINOPATHY WITH MACULAR EDEMA</li> </ul>	
Claims: 1	378.53 FOURTH OR TROCHLEAR NERVE PALSY	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H49.10 - FOURTH [TROCHLEAR] NERVE PALSY, UNSPECIFIED EYE</li> <li>• ICD-10: H49.11 - FOURTH [TROCHLEAR] NERVE PALSY, RIGHT EYE</li> <li>• ICD-10: H49.12 - FOURTH [TROCHLEAR] NERVE PALSY, LEFT EYE</li> <li>• ICD-10: H49.13 - FOURTH [TROCHLEAR] NERVE PALSY, BILATERAL</li> </ul>	
Claims: 1	368.01 STRABISMIC AMBLYOPIA	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H53.031 - STRABISMIC AMBLYOPIA, RIGHT EYE</li> <li>• ICD-10: H53.032 - STRABISMIC AMBLYOPIA, LEFT EYE</li> <li>• ICD-10: H53.033 - STRABISMIC AMBLYOPIA, BILATERAL</li> <li>• ICD-10: H53.039 - STRABISMIC AMBLYOPIA, UNSPECIFIED EYE</li> </ul>	
Claims: 1	371.43 BAND-SHAPED KERATOPATHY	Ratio: 1:4
	<ul style="list-style-type: none"> <li>• ICD-10: H18.421 - BAND KERATOPATHY, RIGHT EYE</li> <li>• ICD-10: H18.422 - BAND KERATOPATHY, LEFT EYE</li> <li>• ICD-10: H18.423 - BAND KERATOPATHY, BILATERAL</li> <li>• ICD-10: H18.429 - BAND KERATOPATHY, UNSPECIFIED EYE</li> </ul>	
Claims: 1	242.00 TOXIC DIFFUSE GOITER WITHOUT MENTION OF THYROTOXIC CRISIS OR STORM	Ratio: 1:1 Exact
	<ul style="list-style-type: none"> <li>• ICD-10: E05.00 - THYROTOXICOSIS WITH DIFFUSE GOITER WITHOUT THYROTOXIC CRISIS OR STORM</li> </ul>	