


ICD-10 Code Analysis Report

MEDI-DS05 Pain Management

Filing Date Range: 5/1/14 to 5/1/15



Ratio	ICD-9 Codes	Percentage
1:1	9	15.8%
1:3	9	15.8%
1:2	9	15.8%
1:1 Exact	8	14%
1:4	5	8.8%
1:8	4	7%
1:10	2	3.5%
1:9	2	3.5%
1:6	2	3.5%
1:45	1	1.8%
1:31	1	1.8%
1:30	1	1.8%
1:27	1	1.8%
1:15	1	1.8%
1:14	1	1.8%
1:7	1	1.8%
Total:	57	100%

ICD-9 List Ordered By Claim Volume

Claims: 1839	724.2	LUMBAGO	Ratio: 1:1 Exact
<ul style="list-style-type: none"> ICD-10: M54.5 - LOW BACK PAIN 			
Claims: 1052	720.2	SACROILIITIS, NOT ELSEWHERE CLASSIFIED	Ratio: 1:1 Exact
<ul style="list-style-type: none"> ICD-10: M46.1 - SACROILIITIS, NOT ELSEWHERE CLASSIFIED 			
Claims: 988	723.1	CERVICALGIA	Ratio: 1:1 Exact
<ul style="list-style-type: none"> ICD-10: M54.2 - CERVICALGIA 			
Claims: 626	729.2	NEURALGIA, NEURITIS, AND RADICULITIS, UNSPECIFIED	Ratio: 1:3
<ul style="list-style-type: none"> ICD-10: M54.10 - RADICULOPATHY, SITE UNSPECIFIED ICD-10: M54.18 - RADICULOPATHY, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M79.2 - NEURALGIA AND NEURITIS, UNSPECIFIED 			
Claims: 169	721.3	LUMBOSACRAL SPONDYLOSIS WITHOUT MYELOPATHY	Ratio: 1:9
<ul style="list-style-type: none"> ICD-10: M47.26 - OTHER SPONDYLOSIS WITH RADICULOPATHY, LUMBAR REGION ICD-10: M47.27 - OTHER SPONDYLOSIS WITH RADICULOPATHY, LUMBOSACRAL REGION ICD-10: M47.28 - OTHER SPONDYLOSIS WITH RADICULOPATHY, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M47.816 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, LUMBAR REGION ICD-10: M47.817 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, LUMBOSACRAL REGION ICD-10: M47.818 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M47.896 - OTHER SPONDYLOSIS, LUMBAR REGION ICD-10: M47.897 - OTHER SPONDYLOSIS, LUMBOSACRAL REGION ICD-10: M47.898 - OTHER SPONDYLOSIS, SACRAL AND SACROCOCCYGEAL REGION 			
Claims: 162	722.83	POSTLAMINECTOMY SYNDROME LUMBAR REGION	Ratio: 1:1
<ul style="list-style-type: none"> ICD-10: M96.1 - POSTLAMINECTOMY SYNDROME, NOT ELSEWHERE CLASSIFIED 			
Claims: 150	724.4	THORACIC OR LUMBOSACRAL NEURITIS OR RADICULITIS, UNSPECIFIED	Ratio: 1:8
<ul style="list-style-type: none"> ICD-10: M51.14 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, THORACIC REGION ICD-10: M51.15 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, THORACOLUMBAR REGION ICD-10: M51.16 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, LUMBAR REGION ICD-10: M51.17 - INTERVERTEBRAL DISC DISORDERS WITH RADICULOPATHY, LUMBOSACRAL REGION ICD-10: M54.14 - RADICULOPATHY, THORACIC REGION ICD-10: M54.15 - RADICULOPATHY, THORACOLUMBAR REGION ICD-10: M54.16 - RADICULOPATHY, LUMBAR REGION ICD-10: M54.17 - RADICULOPATHY, LUMBOSACRAL REGION 			
Claims: 97	722.52	DEGENERATION LUMBAR OR LUMBOSACRAL INTERVERTEBRAL DISC	Ratio: 1:2
<ul style="list-style-type: none"> ICD-10: M51.36 - OTHER INTERVERTEBRAL DISC DEGENERATION, LUMBAR REGION ICD-10: M51.37 - OTHER INTERVERTEBRAL DISC DEGENERATION, LUMBOSACRAL REGION 			
Claims: 90	733.01	SENILE OSTEOPOROSIS	Ratio: 1:1 Exact
<ul style="list-style-type: none"> ICD-10: M81.0 - AGE-RELATED OSTEOPOROSIS WITHOUT CURRENT PATHOLOGICAL FRACTURE 			
Claims: 86	724.6	DISORDERS OF SACRUM	Ratio: 1:8
<ul style="list-style-type: none"> ICD-10: M43.27 - FUSION OF SPINE, LUMBOSACRAL REGION ICD-10: M43.28 - FUSION OF SPINE, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M53.2X7 - SPINAL INSTABILITIES, LUMBOSACRAL REGION ICD-10: M53.2X8 - SPINAL INSTABILITIES, SACRAL AND SACROCOCCYGEAL REGION ICD-10: M53.3 - SACROCOCCYGEAL DISORDERS, NOT ELSEWHERE CLASSIFIED ICD-10: M53.86 - OTHER SPECIFIED DORSOPATHIES, LUMBAR REGION ICD-10: M53.87 - OTHER SPECIFIED DORSOPATHIES, LUMBOSACRAL REGION ICD-10: M53.88 - OTHER SPECIFIED DORSOPATHIES, SACRAL AND SACROCOCCYGEAL REGION 			

Claims: 78 719.46 PAIN IN JOINT LOWER LEG Ratio: 1:3

- ICD-10: M25.561 - PAIN IN RIGHT KNEE
- ICD-10: M25.562 - PAIN IN LEFT KNEE
- ICD-10: M25.569 - PAIN IN UNSPECIFIED KNEE

Claims: 59 721.0 CERVICAL SPONDYLOSIS WITHOUT MYELOPATHY Ratio: 1:9

- ICD-10: M47.21 - OTHER SPONDYLOSIS WITH RADICULOPATHY, OCCIPITO-ATLANTO-AXIAL REGION
- ICD-10: M47.22 - OTHER SPONDYLOSIS WITH RADICULOPATHY, CERVICAL REGION
- ICD-10: M47.23 - OTHER SPONDYLOSIS WITH RADICULOPATHY, CERVICOTHORACIC REGION
- ICD-10: M47.811 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, OCCIPITO-ATLANTO-AXIAL REGION
- ICD-10: M47.812 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, CERVICAL REGION
- ICD-10: M47.813 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, CERVICOTHORACIC REGION
- ICD-10: M47.891 - OTHER SPONDYLOSIS, OCCIPITO-ATLANTO-AXIAL REGION
- ICD-10: M47.892 - OTHER SPONDYLOSIS, CERVICAL REGION
- ICD-10: M47.893 - OTHER SPONDYLOSIS, CERVICOTHORACIC REGION

Claims: 59 805.4 FRACTURE OF VERTEBRAL COLUMN WITHOUT MENTION OF SPINAL CORD INJURY, LUMBAR, CLOSED Ratio: 1:30

- ICD-10: S32.000A - WEDGE COMPRESSION FRACTURE OF UNSPECIFIED LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.001A - STABLE BURST FRACTURE OF UNSPECIFIED LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.002A - UNSTABLE BURST FRACTURE OF UNSPECIFIED LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.008A - OTHER FRACTURE OF UNSPECIFIED LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.009A - UNSPECIFIED FRACTURE OF UNSPECIFIED LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.010A - WEDGE COMPRESSION FRACTURE OF FIRST LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.011A - STABLE BURST FRACTURE OF FIRST LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.012A - UNSTABLE BURST FRACTURE OF FIRST LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.018A - OTHER FRACTURE OF FIRST LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.019A - UNSPECIFIED FRACTURE OF FIRST LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.020A - WEDGE COMPRESSION FRACTURE OF SECOND LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.021A - STABLE BURST FRACTURE OF SECOND LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.022A - UNSTABLE BURST FRACTURE OF SECOND LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.028A - OTHER FRACTURE OF SECOND LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.029A - UNSPECIFIED FRACTURE OF SECOND LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.030A - WEDGE COMPRESSION FRACTURE OF THIRD LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.031A - STABLE BURST FRACTURE OF THIRD LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.032A - UNSTABLE BURST FRACTURE OF THIRD LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.038A - OTHER FRACTURE OF THIRD LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.039A - UNSPECIFIED FRACTURE OF THIRD LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.040A - WEDGE COMPRESSION FRACTURE OF FOURTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.041A - STABLE BURST FRACTURE OF FOURTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.042A - UNSTABLE BURST FRACTURE OF FOURTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.048A - OTHER FRACTURE OF FOURTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.049A - UNSPECIFIED FRACTURE OF FOURTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.050A - WEDGE COMPRESSION FRACTURE OF FIFTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.051A - STABLE BURST FRACTURE OF FIFTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.052A - UNSTABLE BURST FRACTURE OF FIFTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.058A - OTHER FRACTURE OF FIFTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S32.059A - UNSPECIFIED FRACTURE OF FIFTH LUMBAR VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Claims: 38 722.81 POSTLAMINECTOMY SYNDROME CERVICAL REGION Ratio: 1:1

- ICD-10: M96.1 - POSTLAMINECTOMY SYNDROME, NOT ELSEWHERE CLASSIFIED

Claims: 32 723.8 OTHER SYNDROMES AFFECTING CERVICAL REGION Ratio: 1:4

- ICD-10: M53.81 - OTHER SPECIFIED DORSOPATHIES, OCCIPITO-ATLANTO-AXIAL REGION
- ICD-10: M53.82 - OTHER SPECIFIED DORSOPATHIES, CERVICAL REGION
- ICD-10: M53.83 - OTHER SPECIFIED DORSOPATHIES, CERVICOTHORACIC REGION
- ICD-10: M54.81 - OCCIPITAL NEURALGIA

Claims: 27 724.3 SCIATIA Ratio: 1:6

- ICD-10: M54.30 - SCIATICA, UNSPECIFIED SIDE
- ICD-10: M54.31 - SCIATICA, RIGHT SIDE
- ICD-10: M54.32 - SCIATICA, LEFT SIDE
- ICD-10: M54.40 - LUMBAGO WITH SCIATICA, UNSPECIFIED SIDE
- ICD-10: M54.41 - LUMBAGO WITH SCIATICA, RIGHT SIDE
- ICD-10: M54.42 - LUMBAGO WITH SCIATICA, LEFT SIDE

Claims: 27 722.10 DISPLACEMENT OF LUMBAR INTERVERTEBRAL DISC WITHOUT MYELOPATHY Ratio: 1:2

- ICD-10: M51.26 - OTHER INTERVERTEBRAL DISC DISPLACEMENT, LUMBAR REGION
- ICD-10: M51.27 - OTHER INTERVERTEBRAL DISC DISPLACEMENT, LUMBOSACRAL REGION

Claims: 25 355.9 MONONEURITIS OF UNSPECIFIED SITE Ratio: 1:8

- ICD-10: E08.41 - DIABETES MELLITUS DUE TO UNDERLYING CONDITION WITH DIABETIC MONONEUROPATHY
- ICD-10: E09.41 - DRUG OR CHEMICAL INDUCED DIABETES MELLITUS WITH NEUROLOGICAL COMPLICATIONS WITH DIABETIC MONONEUROPATHY
- ICD-10: E10.41 - TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
- ICD-10: E11.41 - TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
- ICD-10: E13.41 - OTHER SPECIFIED DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
- ICD-10: G58.8 - OTHER SPECIFIED MONONEUROPATHIES
- ICD-10: G58.9 - MONONEUROPATHY, UNSPECIFIED
- ICD-10: G59 - MONONEUROPATHY IN DISEASES CLASSIFIED ELSEWHERE

Claims: 24 723.0 SPINAL STENOSIS OF CERVICAL REGION Ratio: 1:15

- ICD-10: M48.01 - SPINAL STENOSIS, OCCIPITO-ATLANTO-AXIAL REGION
- ICD-10: M48.02 - SPINAL STENOSIS, CERVICAL REGION
- ICD-10: M48.03 - SPINAL STENOSIS, CERVICOTHORACIC REGION
- ICD-10: M99.20 - SUBLUXATION STENOSIS OF NEURAL CANAL OF HEAD REGION
- ICD-10: M99.21 - SUBLUXATION STENOSIS OF NEURAL CANAL OF CERVICAL REGION
- ICD-10: M99.30 - OSSEOUS STENOSIS OF NEURAL CANAL OF HEAD REGION
- ICD-10: M99.31 - OSSEOUS STENOSIS OF NEURAL CANAL OF CERVICAL REGION
- ICD-10: M99.40 - CONNECTIVE TISSUE STENOSIS OF NEURAL CANAL OF HEAD REGION
- ICD-10: M99.41 - CONNECTIVE TISSUE STENOSIS OF NEURAL CANAL OF CERVICAL REGION
- ICD-10: M99.50 - INTERVERTEBRAL DISC STENOSIS OF NEURAL CANAL OF HEAD REGION
- ICD-10: M99.51 - INTERVERTEBRAL DISC STENOSIS OF NEURAL CANAL OF CERVICAL REGION
- ICD-10: M99.60 - OSSEOUS AND SUBLUXATION STENOSIS OF INTERVERTEBRAL FORAMINA OF HEAD REGION
- ICD-10: M99.61 - OSSEOUS AND SUBLUXATION STENOSIS OF INTERVERTEBRAL FORAMINA OF CERVICAL REGION
- ICD-10: M99.70 - CONNECTIVE TISSUE AND DISC STENOSIS OF INTERVERTEBRAL FORAMINA OF HEAD REGION
- ICD-10: M99.71 - CONNECTIVE TISSUE AND DISC STENOSIS OF INTERVERTEBRAL FORAMINA OF CERVICAL REGION

Claims: 21 724.79 DISORDERS OF COCCYX OTHER Ratio: 1:1

- ICD-10: M53.3 - SACROCOCCYGEAL DISORDERS, NOT ELSEWHERE CLASSIFIED

Claims: 18 354.0 CARPAL TUNNEL SYNDROME Ratio: 1:3

- ICD-10: G56.00 - CARPAL TUNNEL SYNDROME, UNSPECIFIED UPPER LIMB

- ICD-10: G56.01 - CARPAL TUNNEL SYNDROME, RIGHT UPPER LIMB
- ICD-10: G56.02 - CARPAL TUNNEL SYNDROME, LEFT UPPER LIMB

Claims: 18 719.41 PAIN IN JOINT SHOULDER REGION Ratio: 1:3

- ICD-10: M25.511 - PAIN IN RIGHT SHOULDER
- ICD-10: M25.512 - PAIN IN LEFT SHOULDER
- ICD-10: M25.519 - PAIN IN UNSPECIFIED SHOULDER

Claims: 15 353.8 NERVE ROOT AND PLEXUS DISORDERS OTHER Ratio: 1:2

- ICD-10: G54.8 - OTHER NERVE ROOT AND PLEXUS DISORDERS
- ICD-10: G55 - NERVE ROOT AND PLEXUS COMPRESSIONS IN DISEASES CLASSIFIED ELSEWHERE

Claims: 11 724.1 PAIN IN THORACIC SPINE Ratio: 1:1 Exact

- ICD-10: M54.6 - PAIN IN THORACIC SPINE

Claims: 8 719.43 PAIN IN JOINT FOREARM Ratio: 1:3

- ICD-10: M25.531 - PAIN IN RIGHT WRIST
- ICD-10: M25.532 - PAIN IN LEFT WRIST
- ICD-10: M25.539 - PAIN IN UNSPECIFIED WRIST

Claims: 7 350.1 TRIGEMINAL NEURALGIA Ratio: 1:1 Exact

- ICD-10: G50.0 - TRIGEMINAL NEURALGIA

Claims: 7 805.2 FRACTURE OF VERTEBRAL COLUMN WITHOUT MENTION OF SPINAL CORD INJURY, DORSAL [THORACIC], CLOSED Ratio: 1:45

- ICD-10: S22.000A - WEDGE COMPRESSION FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.001A - STABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.002A - UNSTABLE BURST FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.008A - OTHER FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.009A - UNSPECIFIED FRACTURE OF UNSPECIFIED THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.010A - WEDGE COMPRESSION FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.011A - STABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.012A - UNSTABLE BURST FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.018A - OTHER FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.019A - UNSPECIFIED FRACTURE OF FIRST THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.020A - WEDGE COMPRESSION FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.021A - STABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.022A - UNSTABLE BURST FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.028A - OTHER FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.029A - UNSPECIFIED FRACTURE OF SECOND THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.030A - WEDGE COMPRESSION FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.031A - STABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.032A - UNSTABLE BURST FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.038A - OTHER FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.039A - UNSPECIFIED FRACTURE OF THIRD THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.040A - WEDGE COMPRESSION FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.041A - STABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.042A - UNSTABLE BURST FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.048A - OTHER FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.049A - UNSPECIFIED FRACTURE OF FOURTH THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.050A - WEDGE COMPRESSION FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.051A - STABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.052A - UNSTABLE BURST FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.058A - OTHER FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.059A - UNSPECIFIED FRACTURE OF T5-T6 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.060A - WEDGE COMPRESSION FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.061A - STABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.062A - UNSTABLE BURST FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.068A - OTHER FRACTURE OF T7-T8 THORACIC VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.069A - UNSPECIFIED FRACTURE OF T7-T8 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.070A - WEDGE COMPRESSION FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.071A - STABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.072A - UNSTABLE BURST FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.078A - OTHER FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.079A - UNSPECIFIED FRACTURE OF T9-T10 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.080A - WEDGE COMPRESSION FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.081A - STABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.082A - UNSTABLE BURST FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.088A - OTHER FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE
- ICD-10: S22.089A - UNSPECIFIED FRACTURE OF T11-T12 VERTEBRA, INITIAL ENCOUNTER FOR CLOSED FRACTURE

Claims: 7 722.11 DISPLACEMENT OF THORACIC INTERVERTEBRAL DISC WITHOUT MYELOPATHY Ratio: 1:2

- ICD-10: M51.24 - OTHER INTERVERTEBRAL DISC DISPLACEMENT, THORACIC REGION
- ICD-10: M51.25 - OTHER INTERVERTEBRAL DISC DISPLACEMENT, THORACOLUMBAR REGION

Claims: 6 722.4 DEGENERATION OF CERVICAL INTERVERTEBRAL DISC Ratio: 1:4

- ICD-10: M50.30 - OTHER CERVICAL DISC DEGENERATION, UNSPECIFIED CERVICAL REGION
- ICD-10: M50.31 - OTHER CERVICAL DISC DEGENERATION, HIGH CERVICAL REGION
- ICD-10: M50.32 - OTHER CERVICAL DISC DEGENERATION, MID-CERVICAL REGION
- ICD-10: M50.33 - OTHER CERVICAL DISC DEGENERATION, CERVICOTHORACIC REGION

Claims: 6 337.22 REFLEX SYMPATHETIC DYSTROPHY OF THE LOWER LIMB Ratio: 1:4

- ICD-10: G90.521 - COMPLEX REGIONAL PAIN SYNDROME I OF RIGHT LOWER LIMB
- ICD-10: G90.522 - COMPLEX REGIONAL PAIN SYNDROME I OF LEFT LOWER LIMB
- ICD-10: G90.523 - COMPLEX REGIONAL PAIN SYNDROME I OF LOWER LIMB, BILATERAL
- ICD-10: G90.529 - COMPLEX REGIONAL PAIN SYNDROME I OF UNSPECIFIED LOWER LIMB

Claims: 5 719.47 PAIN IN JOINT ANKLE AND FOOT Ratio: 1:3

- ICD-10: M25.571 - PAIN IN RIGHT ANKLE AND JOINTS OF RIGHT FOOT
- ICD-10: M25.572 - PAIN IN LEFT ANKLE AND JOINTS OF LEFT FOOT
- ICD-10: M25.579 - PAIN IN UNSPECIFIED ANKLE AND JOINTS OF UNSPECIFIED FOOT

Claims: 5 715.96 OSTEOARTHRITIS, UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED LOWER LEG Ratio: 1:1

- ICD-10: M17.9 - OSTEOARTHRITIS OF KNEE, UNSPECIFIED

Claims: 5 724.02 SPINAL STENOSIS, LUMBAR REGION Ratio: 1:8

- ICD-10: M48.06 - SPINAL STENOSIS, LUMBAR REGION
- ICD-10: M48.07 - SPINAL STENOSIS, LUMBOSACRAL REGION
- ICD-10: M99.23 - SUBLUXATION STENOSIS OF NEURAL CANAL OF LUMBAR REGION
- ICD-10: M99.33 - OSSEOUS STENOSIS OF NEURAL CANAL OF LUMBAR REGION

- ICD-10: M99.43 - CONNECTIVE TISSUE STENOSIS OF NEURAL CANAL OF LUMBAR REGION
- ICD-10: M99.53 - INTERVERTEBRAL DISC STENOSIS OF NEURAL CANAL OF LUMBAR REGION
- ICD-10: M99.63 - OSSEOUS AND SUBLUXATION STENOSIS OF INTERVERTEBRAL FORAMINA OF LUMBAR REGION
- ICD-10: M99.73 - CONNECTIVE TISSUE AND DISC STENOSIS OF INTERVERTEBRAL FORAMINA OF LUMBAR REGION

Claims: 5	721.2	THORACIC SPONDYLOSIS WITHOUT MYELOPATHY	Ratio: 1:6
		<ul style="list-style-type: none"> • ICD-10: M47.24 - OTHER SPONDYLOSIS WITH RADICULOPATHY, THORACIC REGION • ICD-10: M47.25 - OTHER SPONDYLOSIS WITH RADICULOPATHY, THORACOLUMBAR REGION • ICD-10: M47.814 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, THORACIC REGION • ICD-10: M47.815 - SPONDYLOSIS WITHOUT MYELOPATHY OR RADICULOPATHY, THORACOLUMBAR REGION • ICD-10: M47.894 - OTHER SPONDYLOSIS, THORACIC REGION • ICD-10: M47.895 - OTHER SPONDYLOSIS, THORACOLUMBAR REGION 	
Claims: 3	719.44	PAIN IN JOINT HAND	Ratio: 1:2
		<ul style="list-style-type: none"> • ICD-10: M79.643 - PAIN IN UNSPECIFIED HAND • ICD-10: M79.646 - PAIN IN UNSPECIFIED FINGER(S) 	
Claims: 3	524.60	TEMPOROMANDIBULAR JOINT DISORDERS, UNSPECIFIED	Ratio: 1:2
		<ul style="list-style-type: none"> • ICD-10: M26.60 - TEMPOROMANDIBULAR JOINT DISORDER, UNSPECIFIED • ICD-10: M26.69 - OTHER SPECIFIED DISORDERS OF TEMPOROMANDIBULAR JOINT 	
Claims: 3	322.9	MENINGITIS, UNSPECIFIED	Ratio: 1:1 Exact
		<ul style="list-style-type: none"> • ICD-10: G03.9 - MENINGITIS, UNSPECIFIED 	
Claims: 3	722.82	POSTLAMINECTOMY SYNDROME THORACIC REGION	Ratio: 1:1
		<ul style="list-style-type: none"> • ICD-10: M96.1 - POSTLAMINECTOMY SYNDROME, NOT ELSEWHERE CLASSIFIED 	
Claims: 2	722.0	DISPLACEMENT OF CERVICAL INTERVERTEBRAL DISC WITHOUT MYELOPATHY	Ratio: 1:4
		<ul style="list-style-type: none"> • ICD-10: M50.20 - OTHER CERVICAL DISC DISPLACEMENT, UNSPECIFIED CERVICAL REGION • ICD-10: M50.21 - OTHER CERVICAL DISC DISPLACEMENT, HIGH CERVICAL REGION • ICD-10: M50.22 - OTHER CERVICAL DISC DISPLACEMENT, MID-CERVICAL REGION • ICD-10: M50.23 - OTHER CERVICAL DISC DISPLACEMENT, CERVICOTHORACIC REGION 	
Claims: 2	524.62	TEMPOROMANDIBULAR JOINT DISORDERS RRTHRALGIA OF TEMPOROMANDIBULAR JOINT	Ratio: 1:1 Exact
		<ul style="list-style-type: none"> • ICD-10: M26.62 - ARTHRALGIA OF TEMPOROMANDIBULAR JOINT 	
Claims: 2	721.42	LUMBAR SPONDYLOSIS WITH MYELOPATHY	Ratio: 1:1
		<ul style="list-style-type: none"> • ICD-10: M47.16 - OTHER SPONDYLOSIS WITH MYELOPATHY, LUMBAR REGION 	
Claims: 2	720.9	INFLAMMATORY SPONDYLOPATHIES UNSPECIFIED	Ratio: 1:10
		<ul style="list-style-type: none"> • ICD-10: M46.90 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, SITE UNSPECIFIED • ICD-10: M46.91 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, OCCIPITO-ATLANTO-AXIAL REGION • ICD-10: M46.92 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, CERVICAL REGION • ICD-10: M46.93 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, CERVICOTHORACIC REGION • ICD-10: M46.94 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, THORACIC REGION • ICD-10: M46.95 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, THORACOLUMBAR REGION • ICD-10: M46.96 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, LUMBAR REGION • ICD-10: M46.97 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, LUMBOSACRAL REGION • ICD-10: M46.98 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, SACRAL AND SACROCOCCYGEAL REGION • ICD-10: M46.99 - UNSPECIFIED INFLAMMATORY SPONDYLOPATHY, MULTIPLE SITES IN SPINE 	
Claims: 2	355.79	MONONEURITIS OF LOWER LIMB OTHER	Ratio: 1:3
		<ul style="list-style-type: none"> • ICD-10: G57.80 - OTHER SPECIFIED MONONEUROPATHIES OF UNSPECIFIED LOWER LIMB • ICD-10: G57.81 - OTHER SPECIFIED MONONEUROPATHIES OF RIGHT LOWER LIMB • ICD-10: G57.82 - OTHER SPECIFIED MONONEUROPATHIES OF LEFT LOWER LIMB 	
Claims: 1	353.4	LUMBOSACRAL ROOT LESIONS, NOT ELSEWHERE CLASSIFIED	Ratio: 1:1
		<ul style="list-style-type: none"> • ICD-10: G54.4 - LUMBOSACRAL ROOT DISORDERS, NOT ELSEWHERE CLASSIFIED 	
Claims: 1	733.13	PATHOLOGIC FRACTURE OF VERTEBRAE	Ratio: 1:14
		<ul style="list-style-type: none"> • ICD-10: M48.50XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, SITE UNSPECIFIED, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.51XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, OCCIPITO-ATLANTO-AXIAL REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.52XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, CERVICAL REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.53XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, CERVICOTHORACIC REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.54XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, THORACIC REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.55XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, THORACOLUMBAR REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.56XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, LUMBAR REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.57XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, LUMBOSACRAL REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M48.58XA - COLLAPSED VERTEBRA, NOT ELSEWHERE CLASSIFIED, SACRAL AND SACROCOCCYGEAL REGION, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M80.08XA - AGE-RELATED OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, VERTEBRA(E), INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M80.88XA - OTHER OSTEOPOROSIS WITH CURRENT PATHOLOGICAL FRACTURE, VERTEBRA(E), INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M84.48XA - PATHOLOGICAL FRACTURE, OTHER SITE, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M84.58XA - PATHOLOGICAL FRACTURE IN NEOPLASTIC DISEASE, OTHER SPECIFIED SITE, INITIAL ENCOUNTER FOR FRACTURE • ICD-10: M84.68XA - PATHOLOGICAL FRACTURE IN OTHER DISEASE, OTHER SITE, INITIAL ENCOUNTER FOR FRACTURE 	
Claims: 1	720.1	SPINAL ENTHESOPATHY	Ratio: 1:10
		<ul style="list-style-type: none"> • ICD-10: M46.00 - SPINAL ENTHESOPATHY, SITE UNSPECIFIED • ICD-10: M46.01 - SPINAL ENTHESOPATHY, OCCIPITO-ATLANTO-AXIAL REGION • ICD-10: M46.02 - SPINAL ENTHESOPATHY, CERVICAL REGION • ICD-10: M46.03 - SPINAL ENTHESOPATHY, CERVICOTHORACIC REGION • ICD-10: M46.04 - SPINAL ENTHESOPATHY, THORACIC REGION • ICD-10: M46.05 - SPINAL ENTHESOPATHY, THORACOLUMBAR REGION • ICD-10: M46.06 - SPINAL ENTHESOPATHY, LUMBAR REGION • ICD-10: M46.07 - SPINAL ENTHESOPATHY, LUMBOSACRAL REGION • ICD-10: M46.08 - SPINAL ENTHESOPATHY, SACRAL AND SACROCOCCYGEAL REGION • ICD-10: M46.09 - SPINAL ENTHESOPATHY, MULTIPLE SITES IN SPINE 	
Claims: 1	723.4	BRACHIA NEURITIS OR RADICULITIS NOS	Ratio: 1:7
		<ul style="list-style-type: none"> • ICD-10: M50.10 - CERVICAL DISC DISORDER WITH RADICULOPATHY, UNSPECIFIED CERVICAL REGION • ICD-10: M50.11 - CERVICAL DISC DISORDER WITH RADICULOPATHY, HIGH CERVICAL REGION • ICD-10: M50.12 - CERVICAL DISC DISORDER WITH RADICULOPATHY, MID-CERVICAL REGION • ICD-10: M50.13 - CERVICAL DISC DISORDER WITH RADICULOPATHY, CERVICOTHORACIC REGION • ICD-10: M54.11 - RADICULOPATHY, OCCIPITO-ATLANTO-AXIAL REGION • ICD-10: M54.12 - RADICULOPATHY, CERVICAL REGION • ICD-10: M54.13 - RADICULOPATHY, CERVICOTHORACIC REGION 	

Claims: 1	337.21 REFLEX SYMPATHETIC DYSTROPHY OF THE UPPER LIMB	Ratio: 1:4
	<ul style="list-style-type: none"> • ICD-10: G90.511 - COMPLEX REGIONAL PAIN SYNDROME I OF RIGHT UPPER LIMB • ICD-10: G90.512 - COMPLEX REGIONAL PAIN SYNDROME I OF LEFT UPPER LIMB • ICD-10: G90.513 - COMPLEX REGIONAL PAIN SYNDROME I OF UPPER LIMB, BILATERAL • ICD-10: G90.519 - COMPLEX REGIONAL PAIN SYNDROME I OF UNSPECIFIED UPPER LIMB 	
Claims: 1	717.7 CHONDROMALACIA OF PATELLA	Ratio: 1:3
	<ul style="list-style-type: none"> • ICD-10: M22.40 - CHONDROMALACIA PATELLAE, UNSPECIFIED KNEE • ICD-10: M22.41 - CHONDROMALACIA PATELLAE, RIGHT KNEE • ICD-10: M22.42 - CHONDROMALACIA PATELLAE, LEFT KNEE 	
Claims: 1	305.40 NONDEPENDENT SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE UNSPECIFIED	Ratio: 1:3
	<ul style="list-style-type: none"> • ICD-10: F13.10 - SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE, UNCOMPLICATED • ICD-10: F13.120 - SEDATIVE, HYPNOTIC OR ANXIOLYTIC ABUSE WITH INTOXICATION, UNCOMPLICATED • ICD-10: F13.90 - SEDATIVE, HYPNOTIC, OR ANXIOLYTIC USE, UNSPECIFIED, UNCOMPLICATED 	
Claims: 1	722.51 DEGENERATION THORACIC OR THORACOLUMBAR INTERVERTEBRAL DISC	Ratio: 1:2
	<ul style="list-style-type: none"> • ICD-10: M51.34 - OTHER INTERVERTEBRAL DISC DEGENERATION, THORACIC REGION • ICD-10: M51.35 - OTHER INTERVERTEBRAL DISC DEGENERATION, THORACOLUMBAR REGION 	
Claims: 1	719.97 DISORDERS OF JOINT UNSPECIFIED ANKLE AND FOOT	Ratio: 1:1
	<ul style="list-style-type: none"> • ICD-10: M25.9 - JOINT DISORDER, UNSPECIFIED 	
Claims: 1	847.2 SPRAINS AND STRAINS OF LUMBAR	Ratio: 1:1
	<ul style="list-style-type: none"> • ICD-10: S33.5XXA - SPRAIN OF LIGAMENTS OF LUMBAR SPINE, INITIAL ENCOUNTER 	
Claims: 1	789.00 ABDOMINAL PAIN UNSPECIFIED SITE	Ratio: 1:2
	<ul style="list-style-type: none"> • ICD-10: R10.0 - ACUTE ABDOMEN • ICD-10: R10.9 - UNSPECIFIED ABDOMINAL PAIN 	
Claims: 1	729.1 MYALGIA AND MYOSITIS, UNSPECIFIED	Ratio: 1:27
	<ul style="list-style-type: none"> • ICD-10: M60.80 - OTHER MYOSITIS, UNSPECIFIED SITE • ICD-10: M60.811 - OTHER MYOSITIS, RIGHT SHOULDER • ICD-10: M60.812 - OTHER MYOSITIS, LEFT SHOULDER • ICD-10: M60.819 - OTHER MYOSITIS, UNSPECIFIED SHOULDER • ICD-10: M60.821 - OTHER MYOSITIS, RIGHT UPPER ARM • ICD-10: M60.822 - OTHER MYOSITIS, LEFT UPPER ARM • ICD-10: M60.829 - OTHER MYOSITIS, UNSPECIFIED UPPER ARM • ICD-10: M60.831 - OTHER MYOSITIS, RIGHT FOREARM • ICD-10: M60.832 - OTHER MYOSITIS, LEFT FOREARM • ICD-10: M60.839 - OTHER MYOSITIS, UNSPECIFIED FOREARM • ICD-10: M60.841 - OTHER MYOSITIS, RIGHT HAND • ICD-10: M60.842 - OTHER MYOSITIS, LEFT HAND • ICD-10: M60.849 - OTHER MYOSITIS, UNSPECIFIED HAND • ICD-10: M60.851 - OTHER MYOSITIS, RIGHT THIGH • ICD-10: M60.852 - OTHER MYOSITIS, LEFT THIGH • ICD-10: M60.859 - OTHER MYOSITIS, UNSPECIFIED THIGH • ICD-10: M60.861 - OTHER MYOSITIS, RIGHT LOWER LEG • ICD-10: M60.862 - OTHER MYOSITIS, LEFT LOWER LEG • ICD-10: M60.869 - OTHER MYOSITIS, UNSPECIFIED LOWER LEG • ICD-10: M60.871 - OTHER MYOSITIS, RIGHT ANKLE AND FOOT • ICD-10: M60.872 - OTHER MYOSITIS, LEFT ANKLE AND FOOT • ICD-10: M60.879 - OTHER MYOSITIS, UNSPECIFIED ANKLE AND FOOT • ICD-10: M60.88 - OTHER MYOSITIS, OTHER SITE • ICD-10: M60.89 - OTHER MYOSITIS, MULTIPLE SITES • ICD-10: M60.9 - MYOSITIS, UNSPECIFIED • ICD-10: M79.1 - MYALGIA • ICD-10: M79.7 - FIBROMYALGIA 	
Claims: 1	199.1 MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE OTHER	Ratio: 1:2
	<ul style="list-style-type: none"> • ICD-10: C45.9 - MESOTHELIOMA, UNSPECIFIED • ICD-10: C80.1 - MALIGNANT (PRIMARY) NEOPLASM, UNSPECIFIED 	
Claims: 1	729.5 PAIN IN LIMB	Ratio: 1:31
	<ul style="list-style-type: none"> • ICD-10: M79.601 - PAIN IN RIGHT ARM • ICD-10: M79.602 - PAIN IN LEFT ARM • ICD-10: M79.603 - PAIN IN ARM, UNSPECIFIED • ICD-10: M79.604 - PAIN IN RIGHT LEG • ICD-10: M79.605 - PAIN IN LEFT LEG • ICD-10: M79.606 - PAIN IN LEG, UNSPECIFIED • ICD-10: M79.609 - PAIN IN UNSPECIFIED LIMB • ICD-10: M79.621 - PAIN IN RIGHT UPPER ARM • ICD-10: M79.622 - PAIN IN LEFT UPPER ARM • ICD-10: M79.629 - PAIN IN UNSPECIFIED UPPER ARM • ICD-10: M79.631 - PAIN IN RIGHT FOREARM • ICD-10: M79.632 - PAIN IN LEFT FOREARM • ICD-10: M79.639 - PAIN IN UNSPECIFIED FOREARM • ICD-10: M79.641 - PAIN IN RIGHT HAND • ICD-10: M79.642 - PAIN IN LEFT HAND • ICD-10: M79.643 - PAIN IN UNSPECIFIED HAND • ICD-10: M79.644 - PAIN IN RIGHT FINGER(S) • ICD-10: M79.645 - PAIN IN LEFT FINGER(S) • ICD-10: M79.646 - PAIN IN UNSPECIFIED FINGER(S) • ICD-10: M79.651 - PAIN IN RIGHT THIGH • ICD-10: M79.652 - PAIN IN LEFT THIGH • ICD-10: M79.659 - PAIN IN UNSPECIFIED THIGH • ICD-10: M79.661 - PAIN IN RIGHT LOWER LEG • ICD-10: M79.662 - PAIN IN LEFT LOWER LEG • ICD-10: M79.669 - PAIN IN UNSPECIFIED LOWER LEG • ICD-10: M79.671 - PAIN IN RIGHT FOOT • ICD-10: M79.672 - PAIN IN LEFT FOOT • ICD-10: M79.673 - PAIN IN UNSPECIFIED FOOT • ICD-10: M79.674 - PAIN IN RIGHT TOE(S) • ICD-10: M79.675 - PAIN IN LEFT TOE(S) • ICD-10: M79.676 - PAIN IN UNSPECIFIED TOE(S) 	